## 2CEIT5PE5: MOBILE APPLICATION DEVELOPMENT

# Practical: 4

AIM: What is Intent? Write down types of Intent and types of Intent Action. Create an application which demonstrates **implicit Intent** for following features and also create different activities and demonstrate **explicit Intent**. Use parent theme Theme.Material3.Dark.NoActionBar for Dark theme and Theme.Material3.Light.NoActionBar for Light Theme

Submitted By: Kanzariya Dhavanik Enrollment number: 21012022022




Department of Computer Engineering/Information Technology

#### What is Intent?

- Intent are the objects which is used in android for passing the information among Activities in an Application and from one app to another also.
- Intent are used for communicating between the Application components and it also provides the connectivity between two apps.

## **Types of Intent?**



## 1. Explicit Intent:

Explicit Intents are used to connect the application internally.

```
Intent intent = new Intent(getApplicationContext(), SecondActivity.class);startActivity(intent);
```

## 2. Implicit Intent:

- It mainly use for passing data from one app to another or open another application.
- Ex: Open link, Open camera, Set alarm, Choose images from gallery, get contacts from contact app, dial number, open file with another app, select file from file system and many more.

```
    Intent intentObj = new Intent(Intent.ACTION_VIEW);
    intentObj.setData(Uri.parse("https://www.google.com"));
    startActivity(intentObj);
```

## **Types of Intent Action**

- **ACTION\_CALL:** This is for initiating calls from the user's device.
- **ACTION\_EDIT:** This is to edit and make changes in the data that is visible to the users.
- **ACTION\_MAIN:** This is an initial activity of a task. It takes no input and returns no output.
- **ACTION\_DIAL:** This is used to display a Dialer to the users.
- **ACTION\_SYNC:** This is to synchronize the user's data on their device on a server.
- **ACTION\_HEADSET\_PLUG:** This displays that a headset is plugged in or taken out.
- ACTION\_SCREENON: This is for turning on the screen of the user's device.
- **ACTION\_BATTERY\_LOW:** This is a warning for a low running battery.
- **ACTION\_VIEW:** This displays the data to the users on the screens of their devices.

### activity\_main.xml:

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.coordinatorlayout.widget.CoordinatorLayout</pre>
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout width="match parent"
    android:layout height="match parent"
    tools:context=".MainActivity">
    <androidx.core.widget.NestedScrollView</pre>
        android:id="@+id/txt_camera"
        android:layout width="match parent"
        android:layout_height="match_parent"
        app:layout behavior="@string/appbar scrolling view behavior">
        <androidx.constraintlayout.widget.ConstraintLayout</pre>
            android:layout width="match parent"
            android:layout_height="match_parent">
            <com.google.android.material.textfield.TextInputLayout</pre>
                android:layout width="0dp"
                android:layout height="wrap_content"
                android:layout_marginStart="20dp"
                android:layout marginEnd="5dp"
                android:hint="Web URL"
                app:layout constraintBottom toBottomOf="@id/btn browse"
                app:layout_constraintEnd_toStartOf="@id/btn_browse"
                app:layout constraintStart toStartOf="parent"
                app:layout constraintTop toTopOf="@id/btn browse"
                app:startIconDrawable="@drawable/ic baseline link 24">
                <com.google.android.material.textfield.TextInputEditText</pre>
                    android:id="@+id/txt_browse"
                    android:layout_width="match_parent"
                    android:layout_height="wrap_content" />
            </com.google.android.material.textfield.TextInputLayout>
            <Button
                android:id="@+id/btn_browse"
                android:layout_width="0dp"
                android:layout height="wrap content"
                android:layout marginTop="20dp"
                android:layout_marginEnd="20dp"
                android:backgroundTint="@color/btn_back_color"
                android:gravity="center"
                android:text="Browse"
                app:cornerRadius="25dp"
                app:layout_constraintEnd_toEndOf="parent"
                app:layout_constraintTop_toTopOf="parent" />
            <com.google.android.material.textfield.TextInputLayout</pre>
                android:layout width="0dp"
```

```
android:layout height="wrap content"
    android:layout marginStart="20dp"
    android:layout_marginEnd="5dp"
    android:hint="Call Number"
    app:layout constraintBottom toBottomOf="@id/btn call"
    app:layout constraintEnd toStartOf="@id/btn call"
    app:layout constraintStart toStartOf="parent"
    app:layout constraintTop toTopOf="@id/btn call"
    app:startIconDrawable="@drawable/ic_baseline_phone_24">
    <com.google.android.material.textfield.TextInputEditText</pre>
        android:id="@+id/txt_call"
        android:layout_width="match_parent"
        android:layout height="wrap content"
        android:inputType="phone" />
</com.google.android.material.textfield.TextInputLayout>
<Button
    android:id="@+id/btn_call"
    android:layout width="0dp"
    android:layout height="wrap content"
    android:layout marginTop="30dp"
    android:backgroundTint="@color/btn back color"
    android:text="Call"
    app:cornerRadius="25dp"
    app:layout_constraintEnd_toEndOf="@+id/btn_browse"
    app:layout_constraintTop_toBottomOf="@+id/btn_browse" />
<com.google.android.material.textfield.TextInputLayout</pre>
    android:layout width="0dp"
    android:layout height="wrap content"
    android:layout_marginStart="20dp"
    android:layout marginEnd="5dp"
    android:hint="Contact List"
    app:layout constraintBottom toBottomOf="@id/btn contact"
    app:layout constraintEnd toStartOf="@id/btn contact"
    app:layout constraintStart toStartOf="parent"
    app:layout constraintTop toTopOf="@id/btn contact"
    app:startIconDrawable="@drawable/ic_baseline_folder_24">
    <com.google.android.material.textfield.TextInputEditText</pre>
        android:id="@+id/txt_contact"
        android:layout width="match parent"
        android:layout height="wrap content" />
</com.google.android.material.textfield.TextInputLayout>
<Button
    android:id="@+id/btn_contact"
    android:layout width="0dp"
    android:layout height="wrap_content"
    android:layout marginTop="30dp"
    android:backgroundTint="@color/btn back color"
    android:text="Contact"
    app:cornerRadius="25dp"
```

```
app:layout_constraintEnd_toEndOf="@+id/btn_call"
    app:layout constraintTop toBottomOf="@+id/btn call" />
<com.google.android.material.textfield.TextInputLayout</pre>
    android:layout width="0dp"
    android:layout height="wrap content"
    android:lavout marginStart="20dp"
    android:layout_marginEnd="5dp"
   android:hint="Call Log"
    app:layout_constraintBottom_toBottomOf="@id/btn_call_log"
    app:layout constraintEnd toStartOf="@id/btn call log"
    app:layout_constraintStart_toStartOf="parent"
   app:layout constraintTop toTopOf="@id/btn call log"
    app:startIconDrawable="@drawable/ic baseline phone forwarded 24">
   <com.google.android.material.textfield.TextInputEditText</pre>
        android:id="@+id/txt_call_log"
        android:layout width="match parent"
        android:layout_height="wrap_content" />
</com.google.android.material.textfield.TextInputLayout>
<Button
   android:id="@+id/btn call log"
    android:layout width="0dp"
    android:layout height="wrap_content"
    android:layout_marginTop="30dp"
    android:backgroundTint="@color/btn_back_color"
    android:text="Call Log"
    app:cornerRadius="25dp"
    app:layout constraintEnd toEndOf="@+id/btn contact"
    app:layout_constraintTop_toBottomOf="@+id/btn_contact" />
<com.google.android.material.textfield.TextInputLayout</pre>
   android:layout width="0dp"
    android:layout height="wrap content"
    android:layout marginStart="20dp"
   android:layout marginEnd="5dp"
    android:hint="Gallery"
    app:layout_constraintBottom_toBottomOf="@id/btn_gallery"
   app:layout constraintEnd toStartOf="@id/btn gallery"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="@id/btn_gallery"
    app:startIconDrawable="@drawable/ic baseline photo 24">
    <com.google.android.material.textfield.TextInputEditText</pre>
        android:id="@+id/txt_gallery"
        android:layout width="match parent"
        android:layout height="wrap content" />
</com.google.android.material.textfield.TextInputLayout>
<Button
    android:id="@+id/btn_gallery"
    android:layout width="0dp"
    android:layout_height="wrap_content"
```


```
android:layout marginTop="30dp"
    android:backgroundTint="@color/btn back color"
    android:text="Gallery"
    app:cornerRadius="25dp"
    app:layout constraintEnd toEndOf="@+id/btn call log"
    app:layout constraintTop toBottomOf="@+id/btn call log" />
<com.google.android.material.textfield.TextInputLayout</pre>
    android:layout width="0dp"
    android:layout_height="wrap_content"
    android:layout_marginStart="20dp"
    android:layout marginEnd="5dp"
    android:hint="Camera"
    app:layout constraintBottom toBottomOf="@id/btn camera"
    app:layout constraintEnd toStartOf="@id/btn camera"
    app:layout constraintStart toStartOf="parent"
    app:layout_constraintTop_toTopOf="@id/btn_camera"
    app:startIconDrawable="@drawable/ic baseline photo camera 24">
    <com.google.android.material.textfield.TextInputEditText</pre>
        android:layout width="match parent"
        android:layout height="wrap content" />
</com.google.android.material.textfield.TextInputLayout>
<Button
    android:id="@+id/btn_camera"
    android:layout width="0dp"
    android:layout height="wrap content"
    android:layout marginTop="30dp"
    android:backgroundTint="@color/btn back color"
    android:text="Camera"
    app:cornerRadius="25dp"
    app:layout constraintEnd toEndOf="@+id/btn gallery"
    app:layout_constraintTop_toBottomOf="@+id/btn_gallery" />
<com.google.android.material.textfield.TextInputLayout</pre>
    android:layout width="0dp"
    android:layout height="wrap content"
    android:layout_marginStart="20dp"
    android:layout marginEnd="5dp"
    android:hint="Alarm"
    app:layout_constraintBottom_toBottomOf="@id/btn_alarm"
    app:layout constraintEnd toStartOf="@id/btn alarm"
    app:layout constraintStart toStartOf="parent"
    app:layout constraintTop toTopOf="@id/btn alarm"
    app:startIconDrawable="@drawable/ic baseline alarm 24">
    <com.google.android.material.textfield.TextInputEditText</pre>
        android:layout width="match parent"
        android:id="@+id/txt alarm"
        android:layout height="wrap content" />
</com.google.android.material.textfield.TextInputLayout>
```

## MainActivity.kt:

```
package com.example.madpractical4 21012022022
import android.content.Intent
import android.net.Uri
import androidx.appcompat.app.AppCompatActivity
import android.os.Bundle
import android.provider.AlarmClock
import android.provider.CallLog
import android.provider.ContactsContract
import android.provider.MediaStore
import android.widget.Button
import android.widget.EditText
import android.widget.Toast
class MainActivity : AppCompatActivity() {
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity_main)
       val btnBrowse:Button=findViewById(R.id.btn_browse)
       val txtBrowse:EditText=findViewById(R.id.txt browse)
       val btnCall:Button=findViewById(R.id.btn_call)
       val txtCall:EditText=findViewById(R.id.txt_call)
       val txtAlarm:EditText=findViewById(R.id.txt_alarm)
       val btnContact:Button=findViewById(R.id.btn_contact)
       val btnCallLog:Button=findViewById(R.id.btn call Log)
       val btnGallery:Button=findViewById(R.id.btn gallery)
       val btnCamera:Button=findViewById(R.id.btn_camera)
       val btnAlarm:Button=findViewById(R.id.btn_alarm)
       btnBrowse.setOnClickListener {
            if(txtBrowse.text.toString()!="")
            {
                Intent(Intent.ACTION VIEW).setData(
                Uri.parse("https://"+(txtBrowse.text.toString()))).apply {
                    startActivity(this)
                }
            }
           else{
                Toast.makeText(this, "Please enter URL", Toast.LENGTH_SHORT).show()
        }
        btnCall.setOnClickListener {
            if(txtCall.text.toString()!="")
            {
                Intent(Intent.ACTION DIAL).setData(
                Uri.parse("tel:"+txtCall.text.toString())).apply {
                    startActivity(this)
                }
            }
           else{
                Toast.makeText(this, "Please enter mobile number", Toast.LENGTH_SHORT).show()
```

```
}
    btnContact.setOnClickListener {
        Intent(Intent.ACTION VIEW).setType(
        ContactsContract.Contacts.CONTENT_TYPE).apply {
            startActivity(this)
        }
    }
    btnCallLog.setOnClickListener {
        Intent(Intent.ACTION_VIEW).setType(CallLog.Calls.CONTENT_TYPE).apply {
            startActivity(this)
        }
    }
    btnGallery.setOnClickListener {
        Intent(Intent.ACTION_PICK).setType("image/*").apply {
            startActivity(this)
        }
    btnCamera.setOnClickListener {
        Intent(MediaStore.ACTION IMAGE CAPTURE).apply {
            startActivity(this)
    }
    btnAlarm.setOnClickListener {
        if(txtAlarm.text.toString()!="")
        {
            Intent(AlarmClock.ACTION SET ALARM).apply {
                this.putExtra(AlarmClock.EXTRA_MESSAGE, txtAlarm.text.toString())
                this.putExtra(AlarmClock.EXTRA HOUR, 10)
                this.putExtra(AlarmClock.EXTRA_MINUTES, 30)
                startActivity(this)
            }
        }
        else{
            Toast.makeText(this,"Please enter Alarm Name",Toast.LENGTH_SHORT).show()
        }
    }
}
```

#### **Resource:**



## **Output:**

