
External SRAM Power Input External_SRAM.sch Power_Input.sch POS3P3 Power Supply External Flash 1 POS3P3_Power_Supply.sch External_Flash_1.sch External Flash 2 External_Flash_2.sch Microcontroller Programming External Flash 3 Microcontroller_Programming.sch External_Flash_3.sch WiFi Module External Flash 4 Wi_Fi_Module.sch External_Flash_4.sch USB UART Isolation External Flash 5 USB_UART_Isolation.sch External_Flash_5.sch USB UART Bridge External Flash 6 USB_UART_Bridge.sch External_Flash_6.sch External Flash 7 External_Flash_7.sch Panel Data Connectors External Flash 8 Panel_Data_Connectors.sch External_Flash_8.sch Panel Power Connectors Status LEDs 1 Panel_Power_Connectors.sch Status_LEDs_1.sch Microcontroller Power Panel Data Level Shifters 1 Microcontroller_Power.sch Panel_Data_Level_Shifters_1.sch Microcontroller A Panel Data Level Shifters 2 Microcontroller_A.sch Panel_Data_Level_Shifters_2.sch Microcontroller B Panel Data Level Shifters 3 Microcontroller_B.sch Panel_Data_Level_Shifters_3.sch To Do:
* Add +5V LED Power Supply
* Pull ups instead of pull downs on USB_UART
* Mechanical sheet
* Design Power Input Circuit
* Add more power input connectors
* Add status LEDs
* Sheet: / File: LED_Display_Controller.sch Title: Size: A Date: Rev: KiCad E.D.A. kicad (5.0.0) ld: 1/25



	1	2	3	1	+	5	i	T
`								
3								
†								
•								
4								
			1					
				Sheet /POS3P3 Powe	r Supply/			
				Sheet: /POS3P3 Power_S	unnly sch			
				T***	чррку.эсп			$\overline{}$
				Title:				
				Size: A Da KiCad E.D.A. kicad (5	te:		Rev:	
				KiCad E.D.A kicad (F	(0.0)		ld: 3/25	
				Kicaa (,		10. 3/ 23	

