



jobid: 11246626 uid: 76535 nprocs: 1024 runtime: 126 seconds

I/O performance estimate (at the MPI-IO layer): transferred 3348 MiB at 23285.75 MiB/s










Most Common Access Sizes (POSIX or MPI-IO)

	access size	count
POSIX	33554432	81912
	33550200	6
	4232	6
	2184	2
MPI-IO ‡	335544320	8192
	272	8
	96	2
	328	2


NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary (estimated by POSIX I/O access offsets)

(00000000000000000000000000000000000000							
type	number of files	avg. size	max size				
total opened	3	94	280				
read-only files	0	0	0				
write-only files	2	141	280				
read/write files	0	0	0				
created files	2	141	280				








Average I/O per process (POSIX and STDIO)

	Cumulative time spent in	Amount of I/O (MB)			
	I/O functions (seconds)				
Independent reads	0	0			
Independent writes	2.27301749707031	2560.0000073202			
Independent metadata	0.0049134111328125	N/A			
Shared reads	0	0			
Shared writes	0	0			
Shared metadata	0	N/A			

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write	Read		
The System	MiB	Ratio	MiB	Ratio
UNKNOWN	0.00319	0.00000	0.00000	0.00000
/global/cscratch1	2621440.00430	1.00000	0.00000	0.00000



 ${\it sequential:} \ \, \text{An I/O op issued at an offset greater than where the previous I/O op ended.} \\ {\it consecutive:} \ \, \text{An I/O op issued at the offset immediately following the end of the previous I/O op.} \\$

Variance in Shared Files (POSIX and STDIO)

File	Processes	Fastest		Slowest			σ		
Suffix		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes