



jobid: 11246361 uid: 76535 nprocs: 128 runtime: 81 seconds

I/O performance estimate (at the MPI-IO layer): transferred 3332 MiB at 5010.09 MiB/s










Most Common Access Sizes (POSIX or MPI-IO)

	access size	count
POSIX	33554432	10232
	33550200	6
	4232	6
	2184	2
MPI-IO ‡	335544320	1024
	272	8
	96	2
	328	2

NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary (estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size	
total opened	3	93	276	
read-only files	0	0	0	
write-only files	2	139	276	
read/write files	0	0	0	
created files	2	139	276	




Average I/O per process (POSIX and STDIO)

Twelage 1/ o per process (1 com and 51510)					
	Cumulative time spent in	Amount of I/O (MB)			
	I/O functions (seconds)				
Independent reads	0	0			
Independent writes	-8.5788943984375	2560.00005844235			
Independent metadata	0.0006077109375	N/A			
Shared reads	0	0			
Shared writes	0	0			
Shared metadata	0	N/A			

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write	Read		
The System	MiB	Ratio	MiB	Ratio
UNKNOWN	0.00318	0.00000	0.00000	0.00000
/global/cscratch1	327680.00430	1.00000	0.00000	0.00000



 ${\it sequential:} \ \, \text{An I/O op issued at an offset greater than where the previous I/O op ended.} \\ {\it consecutive:} \ \, \text{An I/O op issued at the offset immediately following the end of the previous I/O op.} \\$

Variance in Shared Files (POSIX and STDIO)

File	Processes	Fastest		Slowest			σ		
Suffix		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes