



jobid: 11544017 uid: 76535 nprocs: 2048 runtime: 20 seconds

I/O performance *estimate* (at the MPI-IO layer): transferred 1906706 MiB at 25039.74 MiB/s I/O performance *estimate* (at the STDIO layer): transferred 1.8 MiB at 16.54 MiB/s









## Most Common Access Sizes (POSIX or MPI-IO)


·						
	access size					
	33554432	9379				
POSIX	40	8				
	544	7				
	272	7				
MPI-IO ‡	1886592	1351				
	3773184	696				
	7918080	313				
	9075456	240				

NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

## File Count Summary (estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size	
total opened	11	5.9K	8.7K	
read-only files	1	899	899	
write-only files	10	6.5K	8.7K	
read/write files	0	0	0	
created files	10	6.5K	8.7K	

00:00:20



## Average I/O per process (POSIX and STDIO)

00:00:10

hours:minutes:seconds

00:00:15

00:00:05


All processes

00:00:00

Twerage 1/0 per process (1 0011 and 01010)						
	Cumulative time spent in	Amount of I/O (MB)				
	I/O functions (seconds)					
Independent reads	1.1435546875e-06	0.000857353210449219				
Independent writes	-0.0243003413085937	146.606233288534				
Independent metadata	0.00749724365234374	N/A				
Shared reads	0	0				
Shared writes	0	0				
Shared metadata	0	N/A				

## Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write	Read		
The System	MiB	Ratio	MiB	Ratio
UNKNOWN	0.00290	0.00000	0.00000	0.00000
/global/cscratch1	300249.56287	1.00000	1.75586	1.00000



 ${\it sequential:} \ \, \text{An I/O op issued at an offset greater than where the previous I/O op ended.} \\ {\it consecutive:} \ \, \text{An I/O op issued at the offset immediately following the end of the previous I/O op.} \\$ 

Variance in Shared Files (POSIX and STDIO)

File	Processes	Fastest		Slowest			$\sigma$		
Suffix		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes