



jobid: 11246049 uid: 76535 nprocs: 512 runtime: 11 seconds

I/O performance *estimate* (at the MPI-IO layer): transferred 482442 MiB at 17295.96 MiB/s I/O performance *estimate* (at the STDIO layer): transferred 0.5 MiB at 7.68 MiB/s










Most Common Access Sizes (POSIX or MPI-IO)

	access size	count
POSIX	67108864	1706
	40	8
	544	7
	272	7
MPI-IO ‡	3773184	487
	12630528	28
	12355968	28
	13469568	27

NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary (estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size	
total opened	6	3.8K	8.7K	
read-only files	1	899	899	
write-only files	5	4.4K	8.7K	
read/write files	0	0	0	
created files	5	4.4K	8.7K	




Average I/O per process (POSIX and STDIO)

in crage if a per process (r asin and srbra)						
	Cumulative time spent in	Amount of I/O (MB)				
	I/O functions (seconds)					
Independent reads	1.26367187500001e-06	0.000857353210449219				
Independent writes	0.232701498046875	213.711726401001				
Independent metadata	0.00848481640625	N/A				
Shared reads	0	0				
Shared writes	0	0				
Shared metadata	0	N/A				

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write	Read		
The System	MiB Ratio MiB		Ratio	
UNKNOWN	0.00290	0.00000	0.00000	0.00000
/global/cscratch1	109420.40102	1.00000	0.43896	1.00000



sequential: An I/O op issued at an offset greater than where the previous I/O op ended. consecutive: An I/O op issued at the offset immediately following the end of the previous I/O op.

Variance in Shared Files (POSIX and STDIO)

File	Processes	Fastest		Slowest			σ		
Suffix		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes