



jobid: 11246666 uid: 76535 nprocs: 2048 runtime: 136 seconds

I/O performance estimate (at the MPI-IO layer): transferred 3354 MiB at 42704.28 MiB/s










Most Common Access Sizes (POSIX or MPI-IO)


	access size coun			
POSIX	67108864	81912		
	4232	6		
	67104632	6		
	2184	2		
MPI-IO ‡	335544320	16384		
	272	8		
	328	2		
	544	2		


NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary (estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size	
total opened	3	94	280	
read-only files	0	0	0	
write-only files	2	141	280	
read/write files	0	0	0	
created files	2	141	280	








Average I/O per process (POSIX and STDIO)

	Cumulative time spent in	Amount of I/O (MB)				
	I/O functions (seconds)					
Independent reads	0	0				
Independent writes	4.43870529101562	2560.00000366289				
Independent metadata	0.014611005859375	N/A				
Shared reads	0	0				
Shared writes	0	0				
Shared metadata	0	N/A				

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write	Read		
The System	MiB	Ratio	MiB	Ratio
/global/cscratch1	5242880.00430	1.00000	0.00000	0.00000
UNKNOWN	0.00320	0.00000	0.00000	0.00000



 ${\it sequential:} \ \, \text{An I/O op issued at an offset greater than where the previous I/O op ended.} \\ {\it consecutive:} \ \, \text{An I/O op issued at the offset immediately following the end of the previous I/O op.} \\$

Variance in Shared Files (POSIX and STDIO)

File	Processes	Fastest		Slowest			σ		
Suffix		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes