



jobid: 11544322 uid: 76505 nprocs: 512 runtime: 127 seconds

I/O performance estimate (at the MPI-IO layer): transferred 3346 MiB at 11484.56 MiB/s










Most Common Access Sizes (POSIX or MPI-IO)


	access size	count
POSIX	33554432	40952
	33550200	6
	4232	6
	33552248	1
MPI-IO ‡	335544320	4096
	272	8
	40	2
	328	2


NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary (estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size	
total opened	3	94	280	
read-only files	0	0	0	
write-only files	2	141	280	
read/write files	0	0	0	
created files	2	141	280	








Average I/O per process (POSIX and STDIO)

	Cumulative time spent in	Amount of I/O (MB)			
	I/O functions (seconds)				
Independent reads	0	0			
Independent writes	-1.26387672265625	2560.00001463667			
Independent metadata	0.00178410546875	N/A			
Shared reads	0	0			
Shared writes	0	0			
Shared metadata	0	N/A			

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write	Read		
The System	MiB	Ratio	MiB	Ratio
UNKNOWN	0.00319	0.00000	0.00000	0.00000
/global/cscratch1	1310720.00430	1.00000	0.00000	0.00000



 ${\it sequential:} \ \, \text{An I/O op issued at an offset greater than where the previous I/O op ended.} \\ {\it consecutive:} \ \, \text{An I/O op issued at the offset immediately following the end of the previous I/O op.} \\$

Variance in Shared Files (POSIX and STDIO)

File	Processes	Fastest		Slowest			σ		
Suffix		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes