



jobid: 11245985 uid: 76535 nprocs: 512 runtime: 115 seconds

I/O performance estimate (at the MPI-IO layer): transferred 3347 MiB at 13074.66 MiB/s










Most Common Access Sizes (POSIX or MPI-IO)


`	•			
	access size cour			
POSIX	33554432	40952		
	33550200	6		
	4232	6		
	2184	2		
MPI-IO ‡	335544320	4096		
	272	8		
	40	2		
	96	2		


NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary (estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size			
total opened	3	94	280			
read-only files	0	0	0			
write-only files	2	141	280			
read/write files	0	0	0			
created files	2	141	280			








Average I/O per process (POSIX and STDIO) Cumulative time spent in Amount of I/O (MB) I/O functions (seconds) Independent reads Independent writes 0.881117417968748 2560.00001463853 Independent metadata 0.00115703515625 N/A Shared reads 0 0 Shared writes 0 0 Shared metadata 0 N/A

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write		Read		
The System	MiB	Ratio	MiB	Ratio	
UNKNOWN	0.00319	0.00000	0.00000	0.00000	
/global/cscratch1	1310720.00430	1.00000	0.00000	0.00000	



 ${\it sequential:} \ \, \text{An I/O op issued at an offset greater than where the previous I/O op ended.} \\ {\it consecutive:} \ \, \text{An I/O op issued at the offset immediately following the end of the previous I/O op.} \\$

Variance in Shared Files (POSIX and STDIO)

File	Processes	Fastest		Slowest		σ			
Suffix		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes