




DNAp




r




Metabolite concentrations c^m (g/L)




Protein concentrations p (g/L)




Proteome fractions ϕ




Flux fractions f




Turnover times τ (h)




Apparent turnover numbers k_{app} (h⁻¹)




RNA/P




rRNA/rP




$rP/(rP + rRNA)$




Protein mass fraction in ribosome




Relative biomass composition




Predicted biomass



Proteome composition



Proteome sectors



keep_ribosome_kcat FALSE
keep_transport_kcat FALSE
maintenance_fun constant

M

[illegible]

K

[illegible]

kcat

	tC	FERM	RESP	ADPS	EAA	ENT	RNAp	DNAp	r
kcatf	69	498	249	24	7	123	6	12	17
kcatb	7	50	25	2	1	12	0	0	0

Keq

[1,]	[,1]	[,2]	[,3]	[,4]	[,5]	[,6]	[,7]	[,8]	[,9]
	1380	159.36	159.36	6	28	7.6875	Inf	Inf	Inf

phi input

[1,]	[,1]	[,2]	[,3]	[,4]	[,5]	[,6]	[,7]	[,8]	[,9]
	0.065	0.035	0.035	0.003	0.248	0.032	0.119	0.003	0.46

average saturation input

4

minimal f constraint

[illegible]