Live Session Module 7

H. Diana McSpadden (hdm5s)

```
In [ ]: import numpy as np
         import pandas as pd
         import wget
         import sqlite3
         import sqlalchemy
         import requests
         import json
         import os
         import sys
         import dotenv
         sys.tracebacklimit = 0 # turn off the error tracebacks
In [ ]: nba_db= sqlite3.connect('nba.db')
In [ ]: # read all the files in the database
        myquery = """
        SELECT * FROM games"""
        pd.read_sql_query(myquery, nba_db)
Out[ ]:
                   game_id game_date ot season
               202202170BRK 2022-02-17
                                            2022
            1 202202170CHO 2022-02-17 2
                                            2022
               202202170LAC 2022-02-17 0
                                            2022
               202202170MIL 2022-02-17
                                            2022
              202202170NOP 2022-02-17
                                            2022
         3192 202001080GSW 2020-01-08
                                            2020
         3193 202008020HOU 2020-08-02
                                            2020
         3194 201911060HOU 2019-11-06 0
                                            2020
         3195 201912250GSW 2019-12-25
                                            2020
         3196 202002200GSW 2020-02-20 0
                                            2020
        3197 rows × 4 columns
In [ ]: # player's individual stats for all games in the 2022 season
```

```
myquery = """
SELECT *
FROM player_game pg
INNER JOIN players p
    ON pg.player_id = p.player_id
INNER JOIN games g
    ON pg.game_id = g.game_id
WHERE g.season = 2022
"""
pd.read_sql_query(myquery, nba_db)
```

ut[]:		game_id	player_id	starter	mp	fg	fga	fg_pct	fg3	fg3a	fg3_pct	•••	sf%	pf
	0	202202170BRK	aldrila01	0	28:19	5	8	0.625	0	0	0.000		0.0	0
	1	202202170BRK	avdijde01	0	30:50	4	10	0.400	1	3	0.333		62.0	31
	2	202202170BRK	brownbr01	1	34:57	3	10	0.300	0	1	0.000		58.0	11
	3	202202170BRK	bryanth01	1	14:04	5	6	0.833	0	1	0.000		0.0	0
	4	202202170BRK	caldwke01	1	25:26	3	7	0.429	1	3	0.333		67.0	0
	23856	202201210PHI	niangge01	0	30:13	3	11	0.273	1	7	0.143		33.0	64
	23857	202201210PHI	powelmy01	0	0:00	0	0	0.000	0	0	0.000		0.0	0
	23858	202201210PHI	sprinja01	0	0:00	0	0	0.000	0	0	0.000		63.0	0
	23859	202201210PHI	winslju01	0	0:00	0	0	0.000	0	0	0.000		8.0	72
	23860	202201210PHI	zubaciv01	1	23:44	6	8	0.750	0	0	0.000		0.0	0

23861 rows × 66 columns

```
In []: # who should have been MVP in 2022?
    myquery = """
    SELECT p.player, SUM(pg.fg) AS total_field_goals, SUM(pg.fga) AS total_field_goal_a
    FROM player_game pg
    INNER JOIN players p
        ON pg.player_id = p.player_id
    INNER JOIN games g
        ON pg.game_id = g.game_id
    WHERE g.season = 2022
```

```
GROUP BY p.player_id, p.player

HAVING total_field_goal_attempts > 100

ORDER BY field_goal_percentage DESC, total_field_goals DESC

LIMIT 5

"""

pd.read_sql_query(myquery, nba_db)
```

Out[]: player total field goals total field goal attempts field goal percentage 0.762097 0 Mitchell Robinson 189 248 **Robert Williams** 208 284 0.732394 92 2 Onyeka Okongwu 128 0.718750 0.710983 3 Rudy Gobert 246 346 4 **Daniel Gafford** 183 272 0.672794

```
In [ ]: # new system for the NBA scoring system from fantasy basketball
        #Point = 1
        #3PM = 1
        \#FGA = -1
        \#FGM = 2
        \#FTA = -1
        \#FTM = 1
        \#REB = 1
        \#AST = 2
        \#STI = 4
        \#BLK = 4
        \#TOV = -2
        myquery = """
        SELECT
            p.player,
            1.0*SUM(pg.pts) AS pts,
            1.0*SUM(pg.fg3) AS fg3,
            1.0*SUM(pg.fg) AS fg,
            1.0*SUM(pg.fga) AS fga,
            1.0*SUM(pg.fta) AS fta,
            1.0*SUM(pg.ft) AS ft,
            1.0*SUM(pg.trb) AS trb,
            1.0*SUM(pg.ast) AS ast,
            1.0*SUM(pg.stl) AS stl,
            1.0*SUM(pg.blk) AS blk,
            1.0*SUM(pg.tov) AS tov,
            SUM(pg.pts) + SUM(pg.fg3) + 2*SUM(pg.fg) - SUM(pg.fga) -
            SUM(pg.fta) + SUM(pg.ft) + SUM(pg.trb) + 2*SUM(pg.ast) +
            4*SUM(pg.stl) + 4*SUM(pg.blk) - 2*SUM(pg.tov) AS mvpscore
        FROM player game pg
        INNER JOIN players p
            ON pg.player_id = p.player_id
        INNER JOIN games g
            ON pg.game_id = g.game_id
        WHERE g.season = 2022
```

```
GROUP BY p.player_id, p.player

ORDER BY mvpscore DESC

LIMIT 5

"""

pd.read_sql_query(myquery, nba_db)
```

Out[]:		player	pts	fg3	fg	fga	fta	ft	trb	ast	stl	blk	tov	mvŗ
	0	Nikola Jokic	1352.0	84.0	516.0	906.0	292.0	236.0	718.0	410.0	69.0	39.0	197.0	
	1	Giannis Antetokounmpo	1443.0	58.0	496.0	906.0	545.0	393.0	551.0	296.0	48.0	68.0	162.0	
	2	Dejounte Murray	1036.0	67.0	428.0	932.0	149.0	113.0	432.0	486.0	106.0	17.0	125.0	
	3	Chris Paul	866.0	60.0	325.0	667.0	185.0	156.0	259.0	619.0	108.0	18.0	138.0	
	4	Trae Young	1475.0	158.0	495.0	1085.0	364.0	327.0	206.0	493.0	53.0	5.0	217.0	

In []: # try to get the win/loss record for 2022 season