



Kaggle-in-class Data Challenges Can Boost Student Learning

Journal:	<i>Journal of Statistics Education</i>
Manuscript ID	UJSE-2018-0111.R2
Manuscript Type:	Article
Keywords:	instructional technology, statistical modeling, data science, statistics education, data mining
Abstract:	Kaggle is a data modeling competition service, where participants compete to build a model with lower predictive error than other participants. Several years ago they released a simplified service that is ideal for instructors to run competitions in a classroom setting. This paper describes the results of an experiment to determine if participating in a predictive modeling competition enhances learning. The evidence suggests it does. In addition, students were surveyed to examine if the competition improved engagement and interest in the class.
<p>Note: The following files were submitted by the author for peer review, but cannot be converted to PDF. You must view these files (e.g. movies) online.</p> <p>figure-latex.zip</p>	

Response to reviewers: “Kaggle-in-class Data Challenges Can Boost Student Learning”

We would like to thank the reviewers and the Associate Editor for their thoughtful second review of the manuscript. The reviews have future improved the manuscript.

Please find below the *referees’ comments (italics)* and our response (blue).

Reviewer: 1

Comments to the Author

I think the previous concerns were addressed and the paper would be useful for teachers.

- 1. *Section 2: Having more information on the data used in the competitions should be provided, how many variables? How many observations in the training and test data?*

Complementary document was added with more info about the datasets.

- 2. *The author might want to call the undergraduate students used a comparison group not a control group. Control to me implies random assignment.*

Changed.

- 3. *I would suggest adding a section in the discussion for study limitations. Some are addressed in other sections but a specific paragraph or two on limitations would be helpful.*

The summary of study limitations has been added to the discussion section.

- 4. *It would be useful to have summary statistics for the groups for an exam they took early in the course before the competition, and summary statistics on the percentage correct overall on the final exam for the different groups, in addition to your calculated performance scores.*

Additional summary statistics have been added to section 2.3 Participants.

- 5. *Finally, are the data you used in these competitions available to teachers? If yes where can they be found or how can teachers get them from you? I know you put in some randomness but having the raw data available by request for instructors would be helpful.*

We are happy to share the data by request. This is now reflected in a comment in the “Teachers’ corner” section.

- 6. *minor comment: page 7 line 29, missing a space in theeffects*

Fixed.

Reviewer: 2

The authors have successfully addressed many of the observations raised by this referee during the review of the original submission. Below are minor comments that the authors should consider for the further improvement of their manuscript.

Minor comments

1. Page 2: From this sentence it might seem that the mentioned algorithms were created as a result of Kaggle competitions, which obviously is not the case. Reword appropriately “Occasionally new algorithms have emerged, for example, deep neural networks (Hinton & Dahl 2012) and XGBoost (Chen & Guestrin 2016).”

The sentence was reworded.

2. Page 3: competition is not an assessment method but an active learning method, when it comes to sentence “A competition, like any other *assessment method* has its advantages and disadvantages.”

“assessment method” was changed into “active learning method, that used for assessment”.

3. Page 3: Space is missing between “the” and “effects” in “This paper contributes to this call by offering statistical analysis of *theeffects* on learning of classroom data competitions.”

Fixed.

4. Page 4: “ ‘gold standard’ is not quoted appropriately

Fixed.

5. Page 4: Change the word “mixing” to “ensemble” or “averaging” in “advantages of group work and *mixing* models”

Changed to “ensemble models”.

6. Page 5: From the argument that “In the years prior to this experiment, the undergraduate scores on the final exam are indistinguishable from those of the graduate students”, it sounds like the finals of undergraduates and graduates are of the same difficulty, which does not sound correct. In addition, I am still unconvinced that the consideration of undergraduate cohort as the control group was well-thought.
Authors need to elaborate more carefully on this point.

To justify our choice of undergraduate students as a control group for graduate students we added some further discussion and summary statistics to section 2.3 Participants.

7. Page 14: replace “avoid *cheating*” with “avoid plagiarism and use of unauthorized assistance”

Done.

8. Page 14: Mention that “Categorization Accuracy” means percent of correct classifications.

Changed to: “Categorization Accuracy”, the percent of correct classifications, is reasonable.”

9. Page 14: Reword the sentence to read better: “If you are running a regression challenge, then “Root Mean Squared Error (RMSE)”.”

Reworded to: “If you are running a regression challenge, then the "Root Mean Squared Error (RMSE)" is a good choice.”

10. Sentence “Students are often motivated to consult with the instructor about why their model is underperforming, or what other approaches might produce better results.” on page 16 contradicts the sentence “The competition needs to run without any intervention from the instructor.” on page 15

We didn’t consider academic discussion with students about covered learning material as an intervention. But we can see the point and therefore add the following two sentences on page 15 immediately after the sentence “The competition needs to run without any intervention from the instructor.”: “Exception is of course an academic discussion motivated by the competition between the teaching team and the students. For example, a discussion about different models, their advantages and limitations.

Associate Editor

Comments to the Author:
See minor suggestions/corrections below:

1. Page 3 Line 12: Maybe use "However" instead of "But"

The suggested change done.

2. Page 3 Line 29: Separate "theeffects"

Fixed.

3. Page 3 Line 54: Remove comma

Done.

- 1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
4. *Page 4 Line 49: "Another motivation" sentence is bit awkward/unclear*

Changed to: "Another reason for this stratagem was the university policy, requiring a strategy to assign students individually in group assignments. When the team members develop the model together, it is quite difficult to accurately assess the individual contribution of each student. The individual submissions helped to encourage each student to engage in the modelling process. In addition, it helped to assess the individual component of the final score for the competition."

5. *The use of ETC 2420/5242 and MAST90083 as codes for the two classes was not completely intuitive. I did need to flip back to the original explanation of what those class codes referred to several times. I realize those may be the college course numbers, but it might be clearer to use a different way to identify the two courses (especially the ETC course) throughout the paper.*

Notation changed:

MAST90083: **CSDM** (stands for Computational statistics and data mining)

ETC 2420/5242: **ST** (stands for Statistical thinking)

ETC 2420: **ST-UG** (stands for Statistical thinking-undergraduate students)

ETC 5242: **ST-PG** (stands for Statistical thinking-postgraduate students)

We hope that these notations will be more intuitive for the readers.

6. *This was most noticeable on the scatterplots on page 12 where you added R and C as part of the code. Maybe a legend would help here? I realize you may be limited by JSE formatting guidelines, but it might make the scatterplots a bit clearer.*

We added the subtitle in plots "Classification" instead of "C" and "Regression" instead of "R"

7. *Page 16 line 42: I am not sure you need to use the term "anecdotally". To me that implies that you are just sharing your informal observations of your classes. There was a survey conducted and analyzed, even if the survey design had issues (which you addressed as part of the survey section).*

The word "anecdotally" was removed.

Kaggle-in-class Data Challenges Can Boost Student Learning

Abstract

Kaggle is a data modeling competition service, where participants compete to build a model with lower predictive error than other participants. Several years ago they released a simplified service that is ideal for instructors to run competitions in a classroom setting. This paper describes the results of an experiment to determine if participating in a predictive modeling competition enhances learning. The evidence suggests it does. In addition, students were surveyed to examine if the competition improved engagement and interest in the class.

Keywords: instructional technology, statistical modeling, data science, statistics education, data mining

1 Introduction

Kaggle (The Kaggle Team 2018) is a platform for predictive modelling and analytics competitions where participants compete to produce the best predictive model for a given data set. It is well-known for its competitions (e.g. Rhodes (2011)), some of which come with rich monetary prizes (e.g. Howard (2013)). There are also learning competitions (Agarwal 2018), designed to help novices hone their data mining skills. Winners are typically expected to share their code, and occasionally newly emerged algorithms are introduced to the broad community, for example, deep neural networks (Hinton & Dahl 2012) and XGBoost (Chen & Guestrin 2016).

In 2015, Kaggle InClass was introduced, as a self-service platform to conduct competitions. These competitions can be private, limited to members of a university course, and are easy to setup. This is an opportunity for educators to provide a vehicle for students to objectively test their learning of predictive modelling. As a competition, with an independent clear performance metric, along with a dynamic leader board, students can see how their model predictions compare with the models produced by other students. Being able to make multiple submissions over a several week time frame, enables them to try out approaches to improve their models. This paper examines the educational benefits of conducting predictive modeling competitions in class on performance, engagement and interest.

In the past few years, the educational community started to collect positive evidence on including competitions in the classroom. None of these were data analysis competitions. Van Nuland et al. (2015) ran a competition assessing anatomical knowledge, as part of an undergraduate anatomy course. Calnon et al. (2012) discusses robotics competitions as part of computer science education. Carpio Cañada et al. (2015) discusses the participation of students in externally run artificial intelligence competitions. All of these studies found significant improvement in student exam marks accredited to participation in competition.

Classroom competition is an example of active learning, which has been shown to be pedagogically beneficial. Prince (2004) surveyed the literature and found that all forms of active learning have positive effect on the learning experience and student achievement. The magnitude of the effect of different approaches, though, varies. What's more, Freeman

et al. (2014) examined 158 studies published in about 50 STEM educational journals. The authors found that student exam scores increased by almost half a standard deviation through active learning. Moreover, students in classes with traditional lecturing were 1.5 times more likely to fail than their peers in classes with active learning.

A competition, like any other active learning method, that used for assessment, has its advantages and disadvantages. It brings the ‘game’ feeling, increases the interest level among students and motivates for higher performance (Shindler (2009), p 105). However, it may have negative influence if constructed poorly. Among the negative influences are increased stress and anxiety, induced by fearing a low ranking, failure or technology barriers. In addition, students may invest a disproportionate amount of time and effort into competition. Despite some received criticism, a properly set competition can benefit the students greatly. The competition should be relatively short in duration to avoid consuming undue energy. Students should be clear about the rules and the goal. They should be properly rewarded and most important, feel that they have reasonable chance to win or achieve high mark (Shindler 2009).

Shelley et al. (2009b) raised the need for more quantitative and statistical analysis of evidence in science education. This paper contributes to this call by offering statistical analysis of the effects on learning of classroom data competitions.

2 Experimental setup

2.1 Data collection

The experiment was conducted during Semester 2 2017. Data was collected during two classes, one at the University of AB (Computational statistics and data mining ,MAST90083, denoted as CSDM), and one at CD University (Statistical thinking, ETC2420/5242, denoted as ST).

2.2 Competition data

Two data sets were compiled for the kaggle challenges: Melbourne property auction prices and spam classification. The Melbourne auction price data was collected by extracting

information from real estate auction reports (pdf) collected between Feb 2, 2013 and Dec 17, 2016. The spam classification data was compiled by graduate students at Iowa State University as part of a data mining class in 2009. Data was compiled by monitoring and extracting information from their emails by class members, over a period of a week, and manually tagging them as spam or ham.

Both data sets were split into training and test sets, for the kaggle challenge. Students had access to the true response variable only for the training data. For the Melbourne housing data, students were expected to predict price based on the property characteristics. For the spam data, students were expected to build a classifier to predict whether the email as spam or not.

Both data sets are challenging for prediction, with relatively high error rates.

The training and the testing data sets of the Melbourne auction price data were similar but not identical across the two institutions. Some of the variables in the data set were simulated, e.g. property land size and house size. The simulated data was generated slightly differently for different institutions. This was done deliberately to prevent students passing answers from one institution to another.

2.3 Participants

Computational Statistics and Data Mining (CSDM) is designed for postgraduate level students with math, statistics, information technology or actuarial backgrounds. It covers modelling both continuous (regression) and categorical (classification) response variables. The 63 students were randomized into one of two kaggle competitions, one focused on regression (R) and the other classification (C). (One of the 63 students elected not to take part in the competition, and another student didn't sit the exam, producing a final sample size of 61.) This setup mimics randomized control trials, which is the gold standard, in experiment design (Shelley et al. (2009a), ch. 1). Students built prediction models and made submissions individually for 16 days, and then were allowed to form groups to compete for another 7 days.

The reason for this strategy was first to motivate each of the students to think about modelling and be actively engaged in the competitions through individual submission.

The lecturer allowed participants to create groups towards the end of the competition to illustrate the advantages of group work and ensemble models. Another reason for this approach was the university policy, requiring a strategy to assign students individually in group assignments. When the team members develop the model together, it is quite difficult to accurately assess the individual contribution of each student. The individual submissions helped to encourage each student to engage in the modelling process. In addition, it helped to assess the individual component of the final score for the competition.

Table 1 compares the summary statistics for the two groups. We examine the percentage correct overall on the final exam for the different groups and the scores the students received for the second assignment. The second assignment examined students knowledge about computational methods, unrelated to the classification and regression methods. The two groups statistics are similar.

Score	Comp. group	N	Mean (SD)	Min	Q1	Median	Q3	Max
Exam	Regression	30	66.9 (14.1)	36.0	57.5	69.2	77.5	88.5
	Classification	31	62.1 (17.2)	20.0	52.2	68.0	75.2	85.5
2 nd assignment	Regression	30	8.2 (2.2)	0.0	7.0	8.4	9.9	10.0
	Classification	31	8.0 (3.0)	0.0	7.8	9.3	9.9	10.0

Table 1: Computational statistics and data mining: Summary statistics of the exam score (out of 100) and the second assignment (out of 10) for the two competition groups.

Statistical Thinking (ST), covers regression, but not classification, and has a mix of undergraduate and postgraduate students. Only the 34 postgraduate (ST-PG) students were required to participate in the kaggle competition, and competed in the regression (R) challenge. This was run independently from the CSDM competition. The 145 undergraduate (ST-UG) students were used as comparison for examining performance of the postgraduate students. Although, it may be surprising at first glance, the undergraduate students provide a reasonable comparison for the graduate students. The class is taught to both cohorts simultaneously. The entry requirements to the Bachelors of Commerce at CD University is high, and these students have strong mathematics backgrounds. In the years prior to this experiment, the undergraduate scores on the final exam are indistinguishable from those of the graduate students. The competition ran for one month. Students formed their own teams of 2-4 members to compete.

Table 2 shows the summary statistics of the exam scores for the 34 postgraduate (ST-PG) students and for the 145 undergraduate (ST-UG) students. The mean and the median scores of postgraduate students are a bit lower than the corresponding scores of undergraduate students. However, the interquartile range is similar. Interestingly, the highest exam score was received by an undergraduate student.

Score	Competition group	N	Mean (SD)	Min	Q1	Median	Q3	Max
Exam	ST-PG	34	61.8 (12.2)	35.0	57.2	61.0	72.2	81.5
	ST-UG	145	63.0 (15.4)	0.0	56.0	64.0	73.0	90.0

Table 2: Statistical thinking: Summary statistics of the exam score (out of 100) for the two groups.

Figure 1 displays the quiz scores taken by the undergraduate (ST-UG) and postgraduate (ST-PG) students, as a beeswarm plot (Clarke & Sherrill-Mix 2017). The distribution of quiz scores are similar, except that undergraduates tend to have a longer lower tail.

3 Methodology

3.1 Performance

Better performance is equated to better understanding of the material, as measured in the final exam. CSDM and ST included questions, with several parts, on the final exam related to kaggle challenges. These questions were identified prior to data analysis.

For all questions in the exam, difficulty and discrimination scores were computed, using the mean and standard deviations. Of the questions pre-identified as being relevant to the data challenges, only the parts that corresponded to high level of difficulty and high discrimination were included in the comparison of performance.

Scores for the relevant questions were summed, and converted into percentage of the possible score. The total exam score was converted to a percentage. One can expect, that on average, student's success rate for each question will be about the same as the success rate in the total exam. Understanding one topic better than another will result in higher success rate for questions asking about the better understood topic compared to the scores




Figure 1: Beeswarm plots of undergraduate (ST-UG) and postgraduate (ST-PG) students quizzes during the semester. The scores are very similar, although undergraduates have a longer lower tail.

for other topics. For example, we would expect from a student with a 70% exam mark to get 70% marks on each of the questions in the exam, if she has similar knowledge level on all the exam topics. If in some topic, say regression, the student has better knowledge, she will perform better on the regression questions. Her success rate on regression question will be higher than 70%. Consequently, her performance on some other questions should be below 70% which is associated with lesser understanding of these topics.

Therefore, performance for each student was computed as the ratio of these two numbers, percentage success in the regression (classification) questions and percentage success in the total exam. A value of 1 would indicate that the student's performance on that set of questions was consistent with their overall exam performance, greater than 1 that they performed better than expected, and lower than 1 meant less than expected on that topic.

Using only the percentage of successes for each set of questions, instead of the proposed ratio, will not differentiate between a better performance and just a better student. Especially in the case of ST that have a mixed population of master and undergraduate student.

The distribution of the performance scores by group is shown as a boxplot. Focus is on the difference in median between the groups. Permutation tests were conducted to examine difference in median scores for students participating or not in a competition.

3.2 Engagement

The students were allowed to submit at most one prediction per day, while the competitions were open. The frequency of submissions, and the accuracy (or error) of their predictions, made by individual students, is recorded as a part of the kaggle system. To examine whether engagement improved performance, scores on the questions related to the competition normalised by total exam score (as computed in the performance section) is examined in relation to frequency of submissions during the competition. In addition, performance in the competition as measured by accuracy or error, is also examined in relation to the number of submissions. Scatterplots, correlation and linear models are used to examine the associations.

3.3 Interest

Students in CSDM and ST-PG were invited to give feedback about the course, in particular about the data competitions, before the final exam. This information was voluntary, and students who completed the questionnaire were rewarded with a coupon for a free coffee. The data from this survey was viewed by the researchers after all course grades had been reported. To reduce potential bias in students replies, we emphasize this point as part of the instruction at the beginning of the survey.

4 Results

4.1 Performance

Figure 2 shows the data collected in CSDM. Performance is plotted against type of question, separately for the competition they completed. The difference in median scores indicates performance improvement. Students who completed the classification competition (left) performed relatively better on the classification questions than the regression questions in the final exam. Conversely, students who participated in the regression competition performed relatively better on the regression questions.

Question Set	Median difference	Permutation p -value
Classification	0.250	0.033
Regression	0.104	0.000

Table 3: Comparison of median difference in performance by competition group, for CSDM students, using permutation tests. Both sets of medians are significantly different, indicating improved scores for questions on the topic related to the Kaggle competition.

Table 3 shows the results of permutation testing of median difference between the groups. Generally the results support the competition improved performance. Students who participated in the kaggle challenge for classification scored higher than those that did the regression competition, on the classification problem. Using a permutation test, this corresponds to a significant difference in medians. Similarly the results show that students who did the regression challenge, performed better on these exam questions.




Figure 2: Boxplots of performance on regression and classification questions in the final exam, by type of data competition completed in CSDM. Students generally performed better on the questions corresponding to the competition they participated in.

Figure 3 shows the results for ST students. The boxplots suggest that the students who participated in the challenge performed relatively better than those that didn't on the regression question than expected given their total exam performance.

Only the post-graduate students participated in the regression competition, as their additional assessment requirement. Scores for the question on regression (Q7a,b,c) in the final exam were compared with the total exam score (RE). On these question parts, a, b, c, over all the students all three were in the top 10 of difficulty, with students scoring less than 70%, on average. Parts b, c were in the top 10 for discrimination, and part a was at rank 13.

Based on the median, the students who participated in the kaggle challenge scored 0.09 higher than those that didn't, a median of 1.01 in comparison to 0.92. Using a permutation test, this corresponds to a significant difference in medians, with p -value of 0.028.

Figure 4 presents students' scores for classification and regression questions. A score over 1 is considered as outperform (relative to the expectation). Quarters one and three include students that underperform or outperform on both types of questions, respectively. In both cases the number of students that participated in the classification competition is very close to the number of students that participated in the regression competition




Figure 3: Performance for regression question relative to total exam score for students who did and didn't do the regression data competition in Statistical thinking.

(excluding a few regression students on the border of score 1). Students in quarters two and four outperform on one type of questions but not on the other type. We can see that more regression students outperform on regression questions than classification students (12 vs. 7). Similarly, classification students do better on classification questions (11 vs. 3). This is another evidence towards positive influence of the data competition on student's performances.

4.2 Engagement

The number of submissions that a student made, may be an indicator of performance on the exam questions related to the competition. A student who is more engaged in the competition may learn more about the material, and consequently perform better on the exam. Figure 5 (top row) shows performance on the classification and regression questions, respectively, against their frequency of prediction submissions for the three student groups (CSDM classification and regression, ST-PG regression) competitions. The relationship is weak in all groups, and this mirrors insignificant results from a linear model fit to both subsets. On the other hand, the predictive accuracy improved with the number of submissions for the regression competitions. There appears to be some nonlinearity




Figure 4: Students performance in classification and regression questions by competition type.

present in these plots, suggesting reduced returns. That is reasonable to expect. Also, some students strategically make very poor initial predictions, to get a baseline on error equivalent to guessing.

The competition performance relative to number of submissions is shown in plots (d)-(f). Each point corresponds to one student, and accuracy or error of the best predictions submitted is used. The regression competition seemed to engage students more than the classification challenge. Students submitted more predictions, and their models improved with more submissions.

4.3 Interest

Figure 6 shows the survey responses related to the kaggle competition, for CSDM and ST-PG. The response rate for CSDM was 55%, with 34 of 61 students completing the survey. The response rate for ST-PG was 50%, 17 students out of 34 completed the survey. Overwhelmingly, students reported that they found the competition interesting and helpful for their learning in the course.

After collecting the survey from the students we were told that the questions about students engagement were positively worded. This may have potentially led to some bias. An improved way could be to ask directly about student’s engagement, e.g. “How would you rate your level of engagement in this course?” with set answer options of “not at all engaged” – up to “extremely engaged” with several choices in between. Another improvement

Label	Question
Q1	I found the data competition is great fun.
Q2	Taking part in the data competition contributed a lot to my engagement with the subject.
Q3	Taking part in the data competition improved my confidence in my understanding of the covered material.
Q4	Taking part in the data competition improved my confidence in my success in the final exam.
Q5	Taking part in the data competition improved my confidence in my ability to use the acquired knowledge in practical applications.
Q6	I feel that the required time investment in the data competition was worthy.

Table 4: Questions asked in the survey of competition participants.




Figure 5: Scatterplots of the exam performance (a-c) and competition performance (d-f) by number of prediction submissions, for the three student groups. The relationships with exam performance are weak. For the CSDM and ST-PG regression competitions, a clear pattern is that predictions improved substantially with more submissions. (House price in ST-PG were divided by 100,000, explaining the difference in magnitude of error between two competitions.)




Figure 6: Summary of responses to survey of kaggle competition participants. Overwhelmingly the response to the competition was positive in both classes, especially the questions on enjoyment and engagement in the class, and obtaining practical experience. (Table 4 lists the questions.)

could be asking ST-UG students that didn't take part in the competition about their level of engagement and compare the answers with other students of ST-PG. We acknowledge that the differences in the engagement levels may not necessarily be a result of participation in the competition but it is still an interesting aspect.

The survey was not anonymous. However, the results became available to the lectures only after all the grades were realised to the students. This point was emphasized in the instructions to the students at the beginning of the survey.

5 Teachers' corner

Creating a new competition is surprisingly easy. Information on setting up a Kaggle In-Class challenge is available on the service's web site (<https://www.kaggle.com/about/inclass/overview>). There is a setup wizard for step-by-step guidance on getting your competition underway. We have created a short video illustrating the steps to establish a new competition, available on the web (<https://www.youtube.com/XXXX>).

The kaggle service provides some data sets, primarily for student self-learning. These

are not suitable for use in a class challenge, because all the data is available, and solutions are also provided. We recommend providing your own data for the class challenge. Finding a suitable data set for a competition can be a difficult task. The criteria for a good data set are:

1. the full set is not available to the students, to avoid plagiarism and use of unauthorized assistance.
2. the data is not too easy, or too hard, to model so that there is some discriminatory power in the results.
3. data should be relatively clean, to the point where the instructor has tested that a model can be fitted.
4. contains some challenges, that make standard off-the-shelf modeling less successful, like different variable types that need processing or transforming, some outliers, large number of variables.
5. if it is a classification challenge, it will work better with relatively balanced classes, because the overall accuracy is the easiest metric to use.

The data sets used in our competitions can be shared with other instructors by request.

Choosing the metric upon which to evaluate the model is another decision. Our advice is to keep it simple, so you, and the students, can understand the student scores. If you are running a regression challenge, then the “Root Mean Squared Error (RMSE)” is a good choice. If it is a classification challenge, then “Categorization Accuracy”, the percent of correct classifications, is reasonable.

The data needs to be split into training and testing sets. Kaggle will then split your test set into two, a public set that is used to provide ongoing scores to participants, and a private set, on which performance is revealed only after the competition closes. If you have categorical variables in the data set, you will want to make sure that all categories are present in both training and test sets. The training set will have both predictors and response, but the test set will have the response variable removed. Each observation needs to be assigned an id, because this will be needed to evaluate predictions. The solution file, containing the id and the true response, is provided to the system for evaluating submissions, and is kept private. A sample submission file needs to be provided. Participants will

submit their solutions in the same format.

It is a good idea to build a basic model yourself on the training data, and predict the test data. The performance of this model can be provided to the participants as baseline to beat.

The competition needs to run without any intervention from the instructor. Exception is, of course, an academic discussion motivated by the competition between the teaching team and the students. For example, a discussion about different models, their advantages and limitations. The instructor can monitor students progress: the number of submissions, student scores and even the uploaded data at any time. When the competition ends the “Leaderboard” page provides a list of students ordered by the final score. It also provides all the scores from all past submissions (under “Raw Data” on “Public Leaderboard”).

It may be recommended to limit students to one submission per day. It encourages students to think about more efficient improvement of their model before the next submission. It also prevents the student spending too much time building and submitting models. Some students will become so engaged in the competition that they might neglect their other coursework. About halfway through the competition, students might be allowed to form teams, to learn how averaging models can boost performance.

In awarding course points to student effort, we typically align it to performance. Participant ranks based on their performance on the private part of the test data are recorded. Performance scores that are pretty close to each other should be given the same rank, reflecting that there may not be a significant difference between them. The best gets perhaps, 5 points, then a half a point drop until about 2.5 points, so that the worst performing students still get 50% for the task. Kaggle does not allow you to download participants email addresses. All you see is their kaggle name. Record the student names in kaggle to match with your class records.

Along with the competition, students were expected to submit a report that explained their modeling strategy, and what they had learned about the data beyond the modeling. The overall score for this part of the course was a combination of the mark for their report and their performance in the challenge. In both courses this accounted for 10% of the final mark.

From an instructor perspective, its very rewarding watching the students participate in the competition. It provides a truly objective way to assess their ability to model in practice. Students are often motivated to consult with the instructor about why their model is underperforming, or what other approaches might produce better results.

6 Discussion

This paper has described an experiment to examine the effectiveness of data competitions on student learning, using Kaggle InClass as the vehicle for conducting the competition. The primary finding, is that participating in a data challenge competition, produces a statistically significant improvement in the learning of the topic, although the effect size is small. Secondly, the competitions enhanced interest and engagement in the course.

Because the experiment was conducted in the classroom setting as part of the normal teaching of the courses, which imposed limitations on the design. However, performance comparison was enabled in CSDM by a randomized assignment of students to two topic groups, and in ST by using a control group. In CDSM, the group sizes were relatively small, approximately 30 students per group. For ST the control group was the undergraduate students that took class. Using undergraduate students as a control group for graduate students may be surprising. However, the experience of teaching this subject over several years and some statistical comparison of the two groups justifies the approach. Undergraduate students performance in other tasks and exam questions, not relevant to the competition, was equivalent to the postgraduate students cohort.

7 Future work

This work is one of a few quantitative analyses of data competition influences on students' performance. More evidence needs to be collected from other STEM courses to explore consistent positive influence. Moreover, future investigation is required to understand the influence of the different aspects of data competition implementation on the magnitude of the performance improvement. For example, the competition duration, availability and accessibility of additional material, requirement of writing a final report or giving a short

oral presentation are elements worth investigating. Prior and post testing of students might provide a better experimental design.

8 Acknowledgments

This project (title: Effect of Data Competition on Learning Experience) has been approved by the Faculty of Science Human Ethics Advisory Group University of AB (ID: 1749858.1 on September 4, 2017) and by CD University Human Research Ethics Committee (ID: 9985 on August 24, 2017).

This document was produced in R (R Core Team 2017) with the package knitr (Xie 2015). Data cleaning was conducted using tidyr (Wickham & Henry 2018), dplyr (Wickham et al. 2017) and plots were made with ggplot2 (Wickham 2016). The materials to reproduce the work are available at <https://github.com/XXX>.

References

Agarwal, N. (2018), ‘Use kaggle to start (and guide) your ml/ data science journey - why and how’, <https://towardsdatascience.com/use-kaggle-to-start-and-guide-your-ml-data-science-journey-f09154baba35>.

Calnon, M., Gifford, C. M. & Agah, A. (2012), ‘Robotics competitions in the classroom: Enriching graduate-level education in computer science and engineering’, *Global Journal of Engineering Education* **14**(1), 6–13.

Carpio Cañada, J., Mateo Sanguino, T., Mereño Guervós, J. & Rivas Santos, V. (2015), ‘Open classroom: enhancing student achievement on artificial intelligence through an international online competition’, *Journal of Computer Assisted Learning* **31**(1), 14–31.
URL: <https://onlinelibrary.wiley.com/doi/abs/10.1111/jcal.12075>

Chen, T. & Guestrin, C. (2016), Xgboost: A scalable tree boosting system. ArXiv e-prints.
URL: <https://www.kdd.org/kdd2016/papers/files/rfp0697-chenAemb.pdf>

- Clarke, E. & Sherrill-Mix, S. (2017), *ggbeeswarm: Categorical Scatter (Violin Point) Plots*.
R package version 0.6.0.
URL: <https://CRAN.R-project.org/package=ggbeeswarm>
- Freeman, S., Eddy, S. L., McDonough, M., Smith, M. K., Okoroafor, N., Jordt, H. & Wenderoth, M. P. (2014), ‘Active learning increases student performance in science, engineering, and mathematics’, *Proceedings of the National Academy of Sciences* **111**(23), 8410–8415.
- Hinton, G. & Dahl, G. (2012), ‘Deep Learning How I Did It: Merck 1st place interview’, *No Free Hunch by Kaggle Team* .
URL: <http://blog.kaggle.com/2012/11/01/deep-learning-how-i-did-it-merck-1st-place-interview/>
- Howard, J. (2013), ‘POWERDOT awarded \$500,000 and Announcing Heritage Health Prize 2.0’, <http://blog.kaggle.com/2013/06/03/powerdot-awarded-500000-and-announcing-heritage-health-prize-2-0/>.
- Prince, M. (2004), ‘Does active learning work? a review of the research’, *Journal of engineering education* **93**(3), 223–231.
- R Core Team (2017), *R: A Language and Environment for Statistical Computing*, R Foundation for Statistical Computing, Vienna, Austria.
URL: <https://www.R-project.org/>
- Rhodes, J. (2011), ‘Competition shines light on dark matter’, <https://obamawhitehouse.archives.gov/blog/2011/06/27/competition-shines-light-dark-matter>.
- Shelley, M. C., Yore, L. D. & Hand, B. (2009a), Education research meets the gold standard: Evaluation, research methods, and statistics after no child left behind, in ‘Quality Research in Literacy and Science Education’, Springer, pp. 3–15.
- Shelley, M. C., Yore, L. D. & Hand, B., eds (2009b), *Quality research in literacy and science education: international perspectives and gold standards*, Springer Science & Business Media.

Shindler, J. (2009), *Transformative classroom management: Positive strategies to engage all students and promote a psychology of success*, John Wiley & Sons.

The Kaggle Team (2018), ‘The home of data science & machine learning’, <https://www.kaggle.com>.

Van Nuland, S. E., Roach, V. A., Wilson, T. D. & Belliveau, D. J. (2015), ‘Head to head: The role of academic competition in undergraduate anatomical education’, *Anatomical sciences education* **8**(5), 404–412.

Wickham, H. (2016), *ggplot2: Elegant Graphics for Data Analysis*, Springer-Verlag New York.
URL: <http://ggplot2.org>

Wickham, H., Francois, R., Henry, L. & Muller, K. (2017), *dplyr: A Grammar of Data Manipulation*. R package version 0.7.4.
URL: <https://CRAN.R-project.org/package=dplyr>

Wickham, H. & Henry, L. (2018), *tidyr: Easily Tidy Data with ‘spread()’ and ‘gather()’ Functions*. R package version 0.8.0.
URL: <https://CRAN.R-project.org/package=tidyr>

Xie, Y. (2015), *Dynamic Documents with R and knitr (2nd edition)*, Chapman and Hall/CRC.