Caster Quick Reference

1. Numbers

numb <01m>	print digits
word number $<09>$ pri	nt as words

2. Alphabet

arch	hotel	oscar	victor
brov	india	prime	whiskey
char	julia	quebec	x-ray
delta	kilo	romeo	yankee
echo	lima	sierra	zulu
foxy	mike	tango	
goof	novakeen	uniform	

3. Punctuation

or runctuation	
tabby ^d TAB	period $ \det \ldots $.
shin tabby ^d SHIFT-TAB	slash/
ace^{d} SPACE	${\rm deckle} \ \dots \dots \ :$
clamor !	semper;
chocky "	angle ^{bf}
quotes b ""	^e equals =
hashtag #	questo?
dolly \$	atty @
modulo %	brax ^{bf}
ampersand &	back slash\
chicky apostrophe '	carrot^
thin quotes b	underscore
prekris ^{bf} ()	ticky '
starling *	bakes ^b
^e plus +	curly ^{bf}
comma,	tilde~~
boom ^c ,	pipe (sim symbol)
^e minus	
4 C .	

4. Comparisons
[is] greater than
[is] less than <
[is] greater [than] [or] equal [to]>=
[is] less [than] [or] equal [to]<
[is] equal to ==

^aPrefix with "big" for capitals

^{5.} Directions

sauce ^a up	
dunce ^d down	1
lease ^d lef	t
ross ^d righ	t

6. Editing

<u> </u>	
clear ^d	
deli ^d	
shock ^d	$ \mathbf{enter} $
cancel 6	-
save c	trl - s

7. Selection, movement

shackle select line
shin $^{\mathrm{a}}$ $^{\mathrm{b}}$ shift - $<$ dir $>$
queue $^{\mathrm{a}}$ $^{\mathrm{b}}$ ctrl - shift - $\mathrm{}$
fly $^{\mathrm{a}\ \mathrm{b}}$ ctrl - $<$ dir $>$
$\operatorname{splat} {}^{\operatorname{a} \operatorname{b}} \ldots \operatorname{ctrl} - \operatorname{del/bkspc}$
$^{\mathrm{a}}$ wally home/end
${\rm tell\ sink\ } \dots \dots \dots \dots {\rm end\ } + {\rm enter}$
${\rm tell} \ {\rm dock} \ \dots \dots \ {\bf end} \ + {\bf semicolon} \ + \ {\bf enter}$
kraken $ctrl + space$
$\label{eq:hug} \mbox{-lose} > \mbox{e} \qquad \mbox{encloses target}$

8. Copy and paste

stoosh ^c	copy
cut ^c	cut
spark ^{c f}	paste
$garb$ c double-click $+$	copy
$drop ^{c}$ double-click $+$	paste
duple b duplicat	e line

^dRepeatable by saying number after

9. Programming core

enable < language >	 activate	module

iffae	lodge and
shells	lodge or
shell iffae	lodge not
switch	print to console
breaker	function
default	class
for each	add comment
for loop	long comment
do loop	value not
while loop	return
convert to integer	value true
convert to floating-point	value false
convert to string	

10. Text formatting Capitalisation

yell SOME WO	RDS
tie Some V	Vords
gerrish b someV	$\overline{ ext{Vords}}$
sing Some v	\mathbf{vords}
laws some v	vords

Spacing

$\operatorname{gum} \mid \operatorname{gun} \dots \dots \dots \dots \dots \dots $ somewords	
spine some-words	
${ m snake}^{ m b}$ ${ m some}$ ${ m words}$	
pebble some.words	
$rac{1}{2}$ incline some/words	
dissent descent some\words	

Capitalisation and spacing can be combined into a single command. Whether combining or not, they must be suffixed by "bow" and then dictation to format (ex: "tie snake some words")

^bLeft key is pressed after CSpace her is prossed after

^aTakes optional direction parameter, one of the direction keys from table (5)

^bTakes optional number parameter for repetition

^eTakes prekris, brax, curly, angle, [thin] quotes

^cTakes optional number parameter, which is used to determine a persistent clipboard slot

^fTakes optional formatting parameters, e.g. "spark tie"

^aSee the CCR languages quick reference in the docs for details of the language specific commands.

^bgerrish defaults to gum, snake to laws

11. Format setting

set [big] format < capitalisation > < spacing	g > [bow]
Set a standard/[secondary]	forma

[big]	format	<dictat	ion>					
	Apply	the st	andaı	${ m rd}/{ m [s]}$	secon	dary]	form	ıat
						to di	ctati	on

12. Mouse replacement

12. Wouse replacement
kick left click
kick mid middle click
psychic right click
shift right click shift right click
shift click shift click
squat left button down
bench left button up
lean right button down
hoist right button up
colic control left click
$scree \ ^a \ \dots \dots \ scroll \ wheel$
curse move cursor by pixels
douglas move cursor on grid
rainbow alternate grid
legion smart text selection
left point mouse to screen left
center point mouse to screen center
right point mouse to screen right
5 2

13. Template-based navigation

$jump in b \dots move cursor inside next ($	>}]]
jump out b move cursor past next)]}>
jump back b move cursor inside prev)]}>
fill <target> b highlight <target> in</target></target>	line

14. Window management

$\ \ \mathrm{minimise} \ \ldots \ldots \ \mathbf{minimise} \ \mathbf{window}$
$\ \ \text{maximise} \ \dots \dots \dots \dots \ \mathbf{maximise} \ \mathbf{window}$
$\operatorname{remax} \ \dots \dots \text{force maximise}$
$dredge~[<\!n>]~\dots\dots~alt~+~tab$
switch window display all windows
move window move with arrow keys
window left snap window to left
window right snap window to right
show work show active workspaces
new work create a new workspace
${\rm close} \ {\rm work} \ \dots \dots \ {\bf close} \ {\bf the} \ {\bf current} \ {\bf workspace}$
close all work close all workspaces
previous work ^a go to the previous workspace
next work ^a go to the next workspace
go work $<$ n $>$ go to workspace number n
$send\ work < \! n \! > \ .$ send the current window to
workspace n
$\ \ move\ work\ <\!n>\ \ \textbf{move\ the\ current\ window\ to}$
•

workspace n

15. Repetition

again do repeat last dictation
again <n> times repeat last dictation*n</n>
record from history open macro recorder
complete save macro
delete recorded macros delete recorded macros

16. Aliasing

alias $<$ dict $>$	alias highlighted text
chain alias <dict></dict>	alias as CCR

17. Bring me

program/website/folder/file	to	bring	me	as
<key> create a new</key>	w bri	ing me	bind	ing
bring me <key> ope</key>	n bri	ing me	bind	ing
remove <key> from bring m</key>	e			
restore bring me defaults				

18. Dragon

number/	$^{\prime}\mathrm{spell}_{/}$	$^\prime { m dictation}_{/}$	$' { m normal}/ { m older$	command	
mode			switc	h dragon	modes

19. Update and Caster Management

clear caster log	Clears Log Window
update caster	Updates Caster
update dragonfly	Updates Dragonfly
reboot dragon	Restarts Caster
reboot windows speech recog	gnition Restarts
Caster	

^aTakes optional direction parameter, one of the direction keys from table (5)

^bAll of these are asynchronous, and can be cancelled with the word "cancel" if the search is taking too long. See navigation.py for a full list of targets.

^aTakes an optional number parameter for repetition

20. Example command chains
shackle clear
Select and delete the current line
queue lease stoosh three
Store the previous word/variable name
in position three
1 41 1 1
queue lease three hug brax
Enclose the previous three elements in
square brackets
shackle cut dunce four spark
Cut the current line, move down four,
paste
paste
shin ross wally clear
Select to the end of the line, delete
201000 00 0110 0110 01 0110 11110, 001000
ross wally clear four
Go to the end of the line, backspace
four
snake variable name
variable_name
curly quotes arch ross deckle quotes brov
{"a":"b"}
backslash format command curly
$\setminus \mathbf{command}\{\}$
(python) tell sink print to console spark three
new line, print(<third clipboard<="" td=""></third>
position>)
position/)