

## CS210 Fall 2023: PS1A

### Instructions

For all multiple choice questions fill **ONE AND ONLY ONE circle**. Be sure to fill the circle in completely.

For all the questions we encourage you to login into the provided UNIX environment and explore your answers. For some questions you must use the UNIX environment to answer them.

**If you use checkmarks or other symbols the auto-grader may not be able to process your answer and will assign you a grade of zero.**

**All pages must have your name and id written on it. Unidentified pages will not be graded**

**There are total of 15 questions, for a total of 44 points.**

First Name: Joe Hong Last Name: Lee

BU ID: 027565203

## PART A

1. (1 point) A von Neumann computer is composed of what three core parts?
  - ☐ Main Memory, Display, and Keyboard
  - ☐ Display, Mouse, and CPU
  - ☒ I/O Devices, Main Memory and CPU
  - ☐ Threads, Kernel, and Main Memory
  - ☐ All of the above
  - ☐ None of the above
2. (1 point) The kernel:
  - ☐ Bootstraps the hardware
  - ☐ Has direct access to the hardware
  - ☐ Is the bottom layer of software that enables other programs to be run
  - ☐ Provides a unique collection of functions that programs can invoke
  - ☒ All of the above
  - ☐ None of the above
3. (1 point) For each process started, a new kernel is started.
  - ☐ True
  - ☒ False
4. (1 point) An ASCII Terminal:
  - ☐ Translates ASCII data sent to it into characters on its screen.
  - ☐ Translates key presses into ASCII coded bytes that it sends to the computer it's connected to
  - ☐ Allows human users to interact with ASCII oriented programs running on a computer it's connected to
  - ☒ All of the above
  - ☐ None of the above

First Name: Jae Hong Last Name: Leo BU ID: 027565203

5. (1 point) Given the following valid path name below, meaning we know it exists on a UNIX system, what statement can we know to be true?

`/home/jappavoo/bin/bar`

- ☐ It names a read-only file
  - ☒ It names a unique directory
  - ☐ bar is a binary file
  - ☐ All of the above
  - ☐ None of the above
6. (1 point) Every shell command creates a new process.
- ☐ True
  - ☒ False
7. (1 point) Which of the following will set the current working directory to a user's home directory:
- ☐ cd
  - ☐ cd \$HOME
  - ☐ cd ~
  - ☐ cd \$HOME/.
  - ☒ All of the above
  - ☐ None of the above
8. (1 point) Which of the following can you know for sure will **append** (add to the bottom) a line to the file named `foo` where the "line" is the string `hello` on its own? Assume the current directory of the shell is writeable. Remember a line includes a ASCII newline byte at the end of it.
- ☐ echo hello
  - ☐ echo hello; touch foo
  - ☐ echo hello > foo
  - ☐ echo -n hello > foo
  - ☐ echo hello | cat > foo
  - ☒ echo hello >> foo
  - ☐ echo goodbye > foo && echo hello > foo
  - ☐ echo hello > foo || echo goodbye > foo
  - ☐ cat foo
9. (1 point) Users can interact directly with the kernel.
- ☐ True
  - ☒ False

First Name: Jae Hong Last Name: lee BU ID: 027565203

10. (1 point) When we create a new terminal window, it is like attaching a new terminal to the UNIX system we are working with. Which statement is true?

- ☐ All the terminals share a single common shell process
- ☒ A new independent shell process is started for each terminal window
- ☐ Terminals check each command for correctness prior to sending them to the shell
- ☐ The terminal allows users to directly interact with the UNIX kernel

11. (1 point) Given the valid path name (it exists) below, on a UNIX system, select all of the statements you can know to be true.

/home/abcd/Downloads/song.mp3

- ☐ It names a file that contains lines of ASCII text
- ☒ It names a unique directory
- ☐ song.mp3 is an audio file
- ☐ Downloads is a read-only file
- ☐ All of the above
- ☐ None of above

First Name: Jae Hong Last Name: Lee BU ID: U 27565 203

## PART B

12. This question is to help get our brains familiar with work in binary and hexadecimal notation.

- (a) (8 points) Complete the following table base on the example in the first row. We suggest you get comfortable doing the conversions between binary and hex by hand. This will help you recognize patterns in the values and relationships between them. The conversions to and from decimal are painful and doing them with the aid of a calculator make sense.

| Binary           | Hex  | Dec   |
|------------------|------|-------|
| 0100100011100111 | 48E7 | 18663 |
| 10111111         | BF   | 191   |
| 01110111         | 77   | 119   |
| 0101010001010100 | 5454 | 21588 |
| 11111111         | FF   | 255   |
| 11011101010101   | DEAD | 57005 |
| 10111101101111   | BEEF | 48879 |
| 0010011000000010 | 2602 | 9730  |
| 00000001         | 1    | 1     |

First Name: Joe Hong Last Name: Lee BU ID: 027565203

(b) (8 points) Complete the following table based on the example in the first row

| ASCII | Binary  | Hex                |
|-------|---|--------------------|
| Hello | 1001000, 1100101, 1101100, 1101100, 01101111    | 48, 65, 6c, 6c, 6f |
| i++   | 1101001, 0101011, 0101011                       | 69, 2b, 2b         |
| x=x+3 | 1111000, 0111101, 1111000, 0101011, 0110011     | 78, 3d, 78, 2b, 33 |
| ??    | 0111111, 0111111                                | 3f, 3f             |
| 255   | 00110010, 00110101, 00110101                    | 32, 35, 35         |
| 42    | 00110100, 00110010                              | 34, 32             |
| BASH  | 01000010, 01000001, 01010011, 01001000          | 42, 41, 53, 48     |
| ls -l | 0110100, 01110011, 00100000, 00101101, 01101100 | 6c, 73, 20, 2d, 6c |

1 0001  
 2 0010  
 3 0011  
 4 0100  
 5 0101  
 6 0110  
 7 0111  
 8 1000  
 9 1001  
 A 10 1010  
 B 11 1011  
 C 12 1100  
 D 13 1101  
 E 14 1110  
 F 15 1111

First Name: Jae Hong Last Name: Lee BU ID: 027565203

13. To answer the following questions please use the provided UNIX environment. The questions will require you to clone a copy of the textbook source material and then use git and UNIX commands to answer specific questions.

To get things setup:

1. login to the provide online UNIX environment
2. open a terminal window with the UNIX environment
3. clone a copy of the text book source material:
  - `git clone git@github.com:appavooteaching/UndertheCovers.git`

If you have any trouble with the above see the howto and getting started posts on PIAZZA.

- (a) Use the command

```
git log --oneline --decorate --graph main
```

to view the history of the `main` branch of the textbook repository. Please note you will run into problems if you cut and paste, you should manually type the command into the terminal. Each line summarizes a commit with a unique 7 character string (eg. `4f4e0e8`) along the developer's commit message.

- i. (1 point) What is the commit message of `912fb13` commit?

fix path example

- ii. (1 point) What is the commit id of the commit with the message:

`Fixed L07 example syntax for setting memory?`

263a9b8

- iii. (1 point) Compose a pipeline with the commands '`git log --oneline main`' and '`wc`' to determine the total number of commits on the main branch. What is this number:

389

- iv. The `git show <commit id>` will show you the details of a commit with the specified id. For commit `94cb7df` fill in the following blanks.

$\alpha$ ) (1 point) The email address of the author is lewisd@bu.edu

$\beta$ ) (1 point) What date was the commit made? April 28 2022

First Name: Joe Hong Last Name: Loe BU ID: 020565203

```
1 | $ pwd
2 | /home/jovyan/tmp
3 | $ ls
4 | A B C
5 | $ echo $x
6 | hello
7 | $ cat B | wc -l
8 | 2
9 | $ cd C
10 | $ cat /home/jovyan/tmp/B | grep A | wc -l > wow
```

14. Given the above bash commands and output answer the following questions/fill in the blanks.

(a) (1 point) On line 5 the current working directory is:

/home/jovyan/tmp

(b) (1 point) The file /home/jovyan/tmp/C/wow, after all commands have run, contains?

- ☐ nothing – the file is empty
- ☐ a single line with the string: 0
- ☐ a single line with the string: 1
- ☐ a single line with the string: 2
- ☐ a single line with the string: 3
- ☐ a single line with the string: 4
- ☒ a single line with a string which is a number between 0 and 2 inclusively
- ☐ none of the above

(c) (1 point) On line 10 the current working directory is:

/home/jovyan/tmp/C

(d) (1 point) After all the commands are done, how many items are in directory /home/jovyan/tmp, excluding hidden files and hidden directories?

3

(e) (1 point) What would be the output of the following command

```
if [[ x = hello ]]; then echo A; else echo $x; fi
```

if run after line 10?

Hello

(f) (1 point) We know that '/home/jovyan/A' is a directory.

- ☐ True
- ☒ False



First Name: Joe Hong Last Name: Lee BU ID: 027565203

```
1 | $ pwd
2 | /home/jovyan
3 | $ ls
4 | $ echo $y
5 |
6 | $ date 2> foo
7 | Wed 7 Sep 2040 11:57:54 AM UTC
8 | $ cat foo
9 | $ ls /etc/passwd > out && y=7
10 | $ cat /etc/passwd | grep jovyan
11 | jovyan:x:1000960000:0::/home/jovyan:/bin/bash
12 | $ [[ $y = 7 ]] && y=4
13 | $ cat /etc/passwd | grep -i jovyan | wc -c > ./num
14 | $ cat < ./num
15 | 46
16 | $ [[ $(cat num) = $(cat < ./num) ]] && y=$(cat /etc/passwd | grep jovyan | wc -l 2>
    | out)
17 | $ ls
18 | out foo num
```

15. Given the above bash commands and output answer the following questions/fill in the blanks.

(a) (1 point) At line 8 does the file `/home/jovyan/out` exist?

- ☐ yes  
☒ no

(b) (1 point) At line 10 what is the value of the variable `y`?

7

(c) (1 point) At line 14 what is the value of the variable `y`?

4

(d) (1 point) At line 15 what is the value of the variable `y`?

4

(e) (1 point) At line 17 what is the value of the variable `y`?

1

(f) (1 point) After all the commands have run how many bytes of data are in `/home/jovyan/foo`?

- ☒ 0  
☐ 1  
☐ 2  
☐ 4  
☐ 31  
☐ It is not possible to know