LLM Detection

Practical Data Science: 3rd Project

Tsirmpas Dimitris

December 11, 2023

Athens University of Economics and Business

MSc in Data Science


1 Introduction

This report outlines results and conclusions drawn from the LLM detection project which can be found at https://github.com/dimits-exe/practicaldatascience. Implementation details, methodology and discussion can be found inside the relevant notebook and README file.

2 LLM Detection Results

Below we present graphs resulting from the LLM detection models presented in the original notebook.


Classification attribution per word




Attribution (red for human, green for generated)

Classifier attribution (LIME) per word for correctly classified human and generated essays. Red (left) lines indicate the classifier leans towards the text being a human essay because of the word's use, Green (right) lines indicate that it leans towards the text being LLM generated. The length of the lines indicates the certaintly of the classifier towards the classification. Note that this graph does not necessarily represent probability values for each word.

Dataset size impact on LLM detection



Impact of dataset size on LLM detection. The classifier used is the Random Forest Classifier with 15 simple decision trees. The green line indicates the expected classifier test score on unseen dataset sizes. This line follows the linear assumption which rarely applies to these kinds of problems. Shaded area represents the 95% Confidence Interval.



Mean and maximum Jaccard similarity between each generated essay compared to all human essays. This Figure demonstrates the very low similarity between the two kinds of essays in our dataset, laregely explaining the exceptional performance of our classifiers.