
Introduction







Node.js® is a JavaScript runtime built on Chrome's V8 JavaScript engine (written in C++). Node.js uses an event-driven, non-blocking I/O model that makes it lightweight and efficient. Node.js' package ecosystem, npm, is the largest ecosystem of open source libraries in the world.

- A platform which allows us to run Javascript on computer/server.
- Read, delete & update files.
- Easily communicate with database.




Synchronous vs Asynchronous Blocking vs Non-Blocking



Basically, nodeJS is asynchronous!

SetUp




Visual Studio Code Download & install here:

code.visualstudio.com

Node.Js

Download & install here:

* node --version \$ node --v





Require a Module

satu.js

```
var nama = 'Andi';
console.log(nama);
```

dua.js

```
require('./satu.js');
//require('./satu');
```



Require a Var

satu.js

```
var nama = 'Andi';
module.exports = nama;
```

dua.js

```
var siapa = require('./satu');
console.log(siapa);
```



Require a Fn

satu.js

```
var nama = function(x){
    return nama = x + ' Susilo'
};
module.exports = nama;
```

dua.js

```
var siapa = require('./satu');
console.log(siapa('Andi'));
```



Require Multiple Var #1

satu.js

```
var nama = 'Andi';
var usia = 26;
module.exports.nama = nama;
module.exports.usia = usia;
```

dua.js

```
var data = require('./satu');
console.log(data.nama);
console.log(data.usia);
```



Require Multiple Var #2

satu.js

```
module.exports.nama = 'Andi';
module.exports.usia = 26;
```

dua.js

```
var data = require('./satu');
console.log(data.nama);
console.log(data.usia);
```



Require Multiple Var #3

satu.js

```
var nama = 'Andi';
var usia = 26;
module.exports = {
   nama: nama,
   usia: usia}
```

dua.js

```
var data = require('./satu');
console.log(data.nama);
console.log(data.usia);
```



Introduction to

