

## Laboratory Activity No. 6

### Inheritance, Encapsulation, and Abstraction

**Course Code:** CPE103

**Program:** BSCPE

**Course Title:** Object-Oriented Programming

**Date Performed:** 02/15/2025

**Section:** 1A

**Date Submitted:** 02/26/2025

**Name:** Disomnong, Jalilah M.

**Instructor:** Engr. Maria Rizette H. Sayo

#### 1. Objective(s):

This activity aims to familiarize students with the concepts of Object-Oriented Programming

#### 2. Intended Learning Outcomes (ILOs):

The students should be able to:

2.1 Identify the possible attributes and methods of a given object


2.2 Create a class using the Python language

2.3 Create and modify the instances and the attributes in the instance.

#### 3. Discussion:


Object-Oriented Programming (OOP) has 4 core Principles: Inheritance, Polymorphism, Encapsulation, and Abstraction. The main goal of Object-Oriented Programming is code reusability and modularity meaning it can be reused for different purposes and integrated in other different programs. These 4 core principles help guide programmers to fully implement Object-Oriented Programming. In this laboratory activity, we will be exploring Inheritance while incorporating other principles such as Encapsulation and Abstraction which are used to prevent access to certain attributes and methods inside a class and abstract or hide complex codes which do not need to be accessed by the user.

An example is given below considering a simple UML Class Diagram:



The Base Character class will contain the following attributes and methods and a Novice Class will become a child of Character. The OOP Principle of Inheritance will make Novice have all the attributes and methods of the Character class as well as other

unique attributes and methods it may have. This is referred to as Single-level Inheritance. In this activity, the Novice class will be made the parent of three other different classes Swordsman, Archer, and Magician. The three classes will now possess the attributes and methods of the Novice class which has the attributes and methods of the Base Character Class. This is referred to as Multi-level inheritance.



The last type of inheritance that will be explored is the Boss class which will inherit from the three classes under Novice. This Boss class will be able to use any abilities of the three Classes. This is referred to as Multiple inheritance.

#### 4. Materials and Equipment:

Desktop Computer with Anaconda Python  
Windows Operating System

#### 5. Procedure:

##### Creating the Classes

1. Inside your folder **oopfa1\_<lastname>**, create the following classes on separate .py files with the file names: Character, Novice, Swordsman, Archer, Magician, Boss.
2. Create the respective class for each .py files. Put a temporary pass under each class created except in Character.py  
Ex.  
`class Novice():`  
`pass`
3. In the Character.py copy the following codes

```

1 class Character():
2     def __init__(self, username):
3         self.__username = username
4         self.__hp = 100
5         self.__mana = 100
6         self.__damage = 5
7         self.__str = 0 # strength stat
8         self.__vit = 0 # vitality stat
9         self.__int = 0 # intelligence stat
10        self.__agi = 0 # agility stat
11    def getUsername(self):
12        return self.__username
13    def setUsername(self, new_username):
14        self.__username = new_username
15    def getHp(self):
16        return self.__hp
17    def setHp(self, new_hp):
18        self.__hp = new_hp
19    def getDamage(self):
20        return self.__damage
21    def setDamage(self, new_damage):
22        self.__damage = new_damage
23    def getStr(self):
24        return self.__str
25    def setStr(self, new_str):
26        self.__str = new_str
27    def getVit(self):
28        return self.__vit
29    def setVit(self, new_vit):
30        self.__vit = new_vit
31    def getInt(self):
32        return self.__int
33    def setInt(self, new_int):
34        self.__int = new_int
35    def getAgi(self):
36        return self.__agi
37    def setAgi(self, new_agi):
38        self.__agi = new_agi
39    def reduceHp(self, damage_amount):
40        self.__hp = self.__hp - damage_amount
41    def addHp(self, heal_amount):
42        self.__hp = self.__hp + heal_amount

```

Note: The double underscore `__` signifies that the variables will be inaccessible outside of the class.

4. In the same Character.py file, under the code try to create an instance of Character and try to print the username  
Ex.  

```

character1 = Character("Your Username")
print(character1.__username)
print(character1.getUsername())

```
5. Observe the output and analyze its meaning then comment the added code.

### Single Inheritance

1. In the Novice.py class, copy the following code.

```

1 from Character import Character
2
3 class Novice(Character):
4     def basicAttack(self, character):
5         character.reduceHp(self.getDamage())
6         print(f"{self.getUsername()} performed Basic Attack! -{self.getDamage()}")

```

2. In the same Novice.py file, under the code try to create an instance of Character and try to print the username  
Ex.

```

character1 = Novice("Your Username")
print(character1.getUsername())
print(character1.getHp())

```

3. Observe the output and analyze its meaning then comment the added code.

### Multi-level Inheritance

1. In the Swordsman, Archer, and Magician .py files copy the following codes for each file:

Swordsman.py

```

1 from Novice import Novice
2
3 class Swordsman(Novice):
4     def __init__(self, username):
5         super().__init__(username)
6         self.setStr(5)
7         self.setVit(10)
8         self.setHp(self.getHp()+self.getVit())
9
10    def slashAttack(self, character):
11        self.new_damage = self.getDamage()+self.getStr()
12        character.reduceHp(self.new_damage)
13        print(f"{self.getUsername()} performed Slash Attack! -{self.new_damage}")

```

Archer.py

```

1 from Novice import Novice
2 import random
3
4 class Archer(Novice):
5     def __init__(self, username):
6         super().__init__(username)
7         self.setAgi(5)
8         self.setInt(5)
9         self.setVit(5)
10        self.setHp(self.getHp()+self.getVit())
11
12    def rangedAttack(self, character):
13        self.new_damage = self.getDamage()+random.randint(0,self.getInt())
14        character.reduceHp(self.new_damage)
15        print(f"{self.getUsername()} performed Slash Attack! -{self.new_damage}")

```

Magician.py

```

1 from Novice import Novice
2
3 class Magician(Novice):
4     def __init__(self, username):
5         super().__init__(username)
6         self.setInt(10)
7         self.setVit(5)
8         self.setHp(self.getHp()+self.getVit())
9
10    def heal(self):
11        self.addHp(self.getInt())
12        print(f"{self.getUsername()} performed Heal! +{self.getInt()}")
13
14    def magicAttack(self, character):
15        self.new_damage = self.getDamage()+self.getInt()
16        character.reduceHp(self.new_damage)
17        print(f"{self.getUsername()} performed Magic Attack! -{self.new_damage}")

```

2. Create a new file called Test.py and copy the codes below:

```

1 from Swordsman import Swordsman
2 from Archer import Archer
3 from Magician import Magician
4
5
6 Character1 = Swordsman("Royce")
7 Character2 = Magician("Archie")
8 print(f"{Character1.getUsername()} HP: {Character1.getHp()}")
9 print(f"{Character2.getUsername()} HP: {Character2.getHp()}")
10 Character1.slashAttack(Character2)
11 Character1.basicAttack(Character2)
12 print(f"{Character1.getUsername()} HP: {Character1.getHp()}")
13 print(f"{Character2.getUsername()} HP: {Character2.getHp()}")
14 Character2.heal()
15 Character2.magicAttack(Character1)
16 print(f"{Character1.getUsername()} HP: {Character1.getHp()}")
17 print(f"{Character2.getUsername()} HP: {Character2.getHp()}")

```

3. Run the program Test.py and observe the output.
4. Modify the program and try replacing Character2.magicAttack(Character1) with Character2.slashAttack(Character1) then run the program again and observe the output.

## Multiple Inheritance

1. In the Boss.py file, copy the codes as shown:

```

1 from Swordsman import Swordsman
2 from Archer import Archer
3 from Magician import Magician
4
5 class Boss(Swordsman, Archer, Magician): # multiple inheritance
6     def __init__(self, username):
7         super().__init__(username)
8         self.setStr(10)
9         self.setVit(25)
10        self.setInt(5)
11        self.setHp(self.getHp()+self.getVit())

```

2. Modify the Test.py with the code shown below:

```
1 from Swordsman import Swordsman
2 from Archer import Archer
3 from Magician import Magician
4 from Boss import Boss
5
6 Character1 = Swordsman("Royce")
7 Character2 = Boss("Archie")
8 print(f"{Character1.getUsername()} HP: {Character1.getHp()}")
9 print(f"{Character2.getUsername()} HP: {Character2.getHp()}")
10 Character1.slashAttack(Character2)
11 Character1.basicAttack(Character2)
12 print(f"{Character1.getUsername()} HP: {Character1.getHp()}")
13 print(f"{Character2.getUsername()} HP: {Character2.getHp()}")
14 Character2.heal()
15 Character2.basicAttack(Character1)
16 Character2.slashAttack(Character1)
17 Character2.rangedAttack(Character1)
18 Character2.magicAttack(Character1)
19 print(f"{Character1.getUsername()} HP: {Character1.getHp()}")
20 print(f"{Character2.getUsername()} HP: {Character2.getHp()}")
```

3. Run the program Test.py and observe the output.

Refer to this link: <https://colab.research.google.com/drive/1nN0oKfo860R1D-BP3zGLxcfdEEMm50MS#scrollTo=Uu4-X665klb1>

## 6. Supplementary Activity:

## Task

Create a new file Game.py inside the same folder use the pre-made classes to create a simple Game where two players or one player vs a computer will be able to reduce their opponent's hp to 0.

### Requirements:

1. The game must be able to select between 2 modes: Single player and Player vs Player. The game can spawn multiple matches where single player or player vs player can take place.
2. In Single player:
  - the player must start as a Novice, then after 2 wins, the player should be able to select a new role between Swordsman, Archer, and Magician.
  - The opponent will always be a boss named Monster.
3. In Player vs Player, both players must be able to select among all the possible roles available except Boss.
4. Turns of each player for both modes should be randomized and the match should end when one of the players hp is zero.
5. Wins of each player in a game for both the modes should be counted.

Refer to this link: <https://colab.research.google.com/drive/1nN0oKfo860R1D-BP3zGLxcfdeEMm50MS#scrollTo=Uu4-X665klb1>

## Questions

1. Why is Inheritance important?

Inheritance is important because it allows for code reuse and establishes a hierarchy among classes. By enabling a child class to inherit attributes and methods from a parent class, inheritance reduces redundancy, making the code more structured and efficient. It also allows for easy modifications and extensions, as changes made in a parent class automatically apply to its derived classes, promoting maintainability and scalability in software development.

2. Explain the advantages and disadvantages of using applying inheritance in an Object-Oriented Program.

One major advantage is that it promotes code reusability, reducing the need to rewrite the same logic in multiple places. It also improves program organization by establishing clear relationships between classes. However, inheritance can introduce complexity, especially when dealing with deep inheritance chains, which may make debugging more challenging. Additionally, improper use of inheritance can lead to tight coupling between classes, reducing flexibility and making future modifications harder to implement.

3. Differentiate single inheritance, multiple inheritance, and multi-level inheritance.

Single inheritance allows a child class to inherit from only one parent class, making it simpler and easier to manage. Multi-level inheritance involves a hierarchy where a child class inherits from a parent class, which itself is derived from another class, creating a chain of inheritance. Multiple inheritance, on the other hand, allows a child class to inherit from multiple parent classes, giving it access to attributes and methods from different sources. While multiple inheritance can be powerful, it can also lead to complications such as method resolution conflicts.



4. Why is `super().__init__(username)` added in the codes of Swordsman, Archer, Magician, and Boss?

The `super().__init__(username)` function is used in the Swordsman, Archer, Magician, and Boss classes to call the constructor of their parent class. This ensures that attributes defined in the base class are properly initialized when an object of a derived class is created. Without this function, the parent class attributes would need to be redefined in each child class, leading to unnecessary code duplication and potential inconsistencies.

5. How do you think Encapsulation and Abstraction helps in making good Object-Oriented Programs?

Encapsulation helps protect the integrity of data by restricting direct access to class attributes and requiring interaction through getter and setter methods. This prevents unintended modifications and enhances security. Abstraction, on the other hand, simplifies program complexity by hiding unnecessary implementation details and exposing only essential functionalities. Together, these principles contribute to better-organized, more maintainable, and secure software systems.

## **7. Conclusion:**

This laboratory activity explored the concepts of inheritance, encapsulation, and abstraction, demonstrating their significance in Object-Oriented Programming. Through hands-on coding exercises, we learned how inheritance facilitates code reuse, how encapsulation protects data, and how abstraction simplifies interactions with complex systems. Understanding these principles is essential for writing scalable and maintainable object-oriented applications, as they contribute to improved code organization, security, and flexibility in software development.

## **8. Assessment Rubric:**