

# Module 25: "Repository" (with Entity Framework)



# Agenda

- ▶ Introductory Example: Products and Data Access
- ▶ Background: Entity Framework and **IQueryable<T>**
- ▶ Challenges
- ▶ Pattern: Repository
  - ▶ 1. "Simple" Repository
  - ▶ 2. Repository returning **IQueryable<T>**
  - ▶ 3. Generic Repository Interface
  - ▶ 4. Generic Repository Implementation
- ▶ Overview of Repository




# Introductory Example: Products and Data Access

```
public class Product
{
    public int Id { get; set; }
    public string Name { get; set; }
    public string Manufacturer { get; set; }
    public Category? Category { get; set; }
}
```

```
using (ProductsContext context = new ProductsContext())
{
    var query = context.Products.Where(p => p.Category == Category.Book);
    foreach (var product in query)
    {
        Console.WriteLine(product);
    }
}
```

# Background: Entity Framework



# Challenges

- ▶ How do we separate
  - Business logic
  - Data access logic?
- ▶ How can we make the business logic testable?
- ▶ What if we decide to employ another data source?



# Pattern: Repository

- ▶ *Mediates between the domain and data mapping layers using a collection-like interface for accessing domain objects*
- ▶ Outline
  - Encapsulate data access
  - Separate the actual data source from business logic code
  - Ensure testability and maintainability of data-driven code
- ▶ Origin:
  - Martin Fowler (2003)
  - Eric Evans (2004)



# 1. "Simple" Repository

- ▶ Implement a specialized repository for each business object or entity
- ▶ Disregard any methods not used..! (YAGNI)

```
interface IProductRepository
{
    Product GetById( int id );
    IEnumerable<Product> GetAll();
    IEnumerable<Product> GetAllBooks();
    //void Add( Product product );
    //void Remove( Product product );
}
```

- ▶ Can implement interface for other data sources, e.g. unit tests

▶ But... What about **GetAllNintendoProducts()** ?

# Background: **IQueryable<T>**

- ▶ Remember the **Expression** class?

```
public interface IQueryable : IEnumerable
{
    Type ElementType { get; }
    Expression Expression { get; }
    IQueryProvider Provider { get; }
}
```

```
public interface IQueryable<out T>
    : IEnumerable<T>, IEnumerable, IQueryable
{
}
```

- ▶ **IQueryable<T>** represents an “unevaluated” **IEnumerable<T>**





## 2. Repository returning **IQueryable<T>**

- ▶ Incredibly flexible and elegant
- ▶ Can efficiently be further queried...!

```
interface IProductRepository
{
    Product GetById( int id );
    IQueryable<Product> GetAll();
    IQueryable<Product> GetAll( Expression<Func<Product, bool>> filter );
    void Add( Product product );
    void Remove( Product product );
}
```

- ▶ In-memory implementations can use **AsQueryable()** extension

Beware: Data access logic might drift into business logic



### 3. Generic Repository Interface

- ▶ Abstract element type to be any entity with an **Id** property
- ▶ Ensures a high degree of consistency and reusability

```
interface IRepository<T> where T : IEntity
{
    T GetById( int id );
    IQueryable<T> GetAll();
    IQueryable<T> GetAll( Expression<Func<T, bool>> filter );
    void Add( T product );
    void Remove( T product );
}
```

```
interface IEntity
{
    int Id { get; }
}
```

- ▶ **IProductRepository** can add **Product**-specific methods



## 4 .Generic Repository Implementation

- **IRepository<T>** can be implemented generically for EF-contexts

```
class Repository<T> : IRepository<T> where T : class, IEntity
{
    private readonly DbContext _context;


    public Repository( DbContext context ) { _context = context; }

    public T GetById( int id )
        => _context.Set<T>().Single(p => p.Id == id);

    public IQueryable<T> GetAll( Expression<Func<T, bool>> filter )
        => _context.Set<T>().Where(filter);

    ...
}
```

# Overview of Repository Pattern



# Overview of Repository Pattern

- ▶ Client
  - Queries and updates data through the Repository Interface
  - Only know the general Repository interface
- ▶ Repository
  - Interface or base class exposing data access logic in a persistence-independent description
- ▶ Concrete Repository
  - Concrete repository class implementing Repository interface
  - Implements persistence-dependent data access code for a specific concrete data source



# Discussion

- ▶ Simple Repository
  - Implement a specialized repository for each business object
  - Disregard any methods not used! (YAGNI)
- ▶ **IQueryable**-based Repository
  - Flexible and efficient
  - Beware: Data access logic might drift into business logic
- ▶ Generic interfaces and implementation
  - High degree of consistency and reusability
- ▶ Note:
  - Can of course do generic interfaces and implementations based on **IEnumerable<T>** (and not **IQueryable<T>**), if preferred
- ▶ Unit of Work pattern for more complex situations





WINCUBATE

***Jesper Gulmann Henriksen***

PhD, MCT, MCSD, MCPD

Phone : +45 22 12 36 31

Email : [jgh@wincubate.net](mailto:jgh@wincubate.net)

WWW : <http://www.wincubate.net>

Hasselvangel 243

8355 Solbjerg

Denmark