Context Managers: Takeaways 🖻

by Dataquest Labs, Inc. - All rights reserved © 2019

Syntax

CONTEXT MANAGERS

• Use a context manager. Assign the value that a context manager yields to a variable in the with statement by adding "as":

```
with open('my_file.txt') as my_file:
    text = my_file.read()
    length = len(text)
```

• Create a context manager:

```
@contextlib.contextmanager

def my_context():
    print('hello')
    yield 42
    print('goodbye')
```

• How to write a try statement:

```
try:
    # code that might raise an error
except:
    # do something about the error
finally:
    # this code runs no matter what
```

Concepts

• A **context manager** is a type of function that sets up a context for your code to run in, runs your code, and then removes the context.

- There are five parts to creating a context manager:
 - Define a function.
 - (optional) Add any setup code your context needs.
 - Use the **yield** keyword to signal to Python that this is a special kind of function.
 - (optional) Add any teardown code needed to clean up the context.
 - Add the **@contextlib.contextmanager** decorator.
- The **yield** keyword means that we are going to return a value, but we expect to finish the rest of the function at some point in the future. The ability for a function to yield control and know that it will get to finish running later is what makes context managers so useful.
- The try statement allows you to write code that might raise an error inside the try block and catch that error inside the except block. It also allows you to add a finally block. This is code that runs no matter what, whether an exception occurred or not.
- If you notice that your code is following any of these patterns, consider using a context manager:
 - OPEN/CLOSE
 - LOCK/RELEASE
 - CHANGE/RESET
 - ENTER/EXIT
 - START/STOP
 - SETUP/TEARDOWN
 - CONNECT/DISCONNECT

Resources

• The contextlib module



Takeaways by Dataquest Labs, Inc. - All rights reserved © 2019