Table 1. Life table for the total population: United States, 2006

Table 1. Life table		paiation. Offic	ca 3tates, 2000		Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
0-1	0.006713	100,000	671	99,409	7,784,163	77.8
1-2	0.000715	99,329	45	99,306	7,764,163	77.8 77.4
2-3	0.000307	99,284	30	99,268	7,585,448	76.4
3-4	0.000221	99,253	22	99,242	7,486,180	75.4
4-5	0.000183	99,231	18	99,222	7,386,938	74.4
5-6	0.000171	99,213	17	99,204	7,287,716	73.5
6-7	0.000171	99,196	16	99,188	7,188,511	72.5
7-8	0.000136	99,180	14	99,173	7,089,323	71.5
8-9	0.000111	99,166	12	99,160	6,990,150	70.5
9-10	0.000123	99,154	10	99,148	6,890,990	69.5
10-11	0.000085	99,143	8	99,139	6,791,842	68.5
11-12	0.000086	99,135	9	99,131	6,692,702	67.5
12-13	0.000122	99,126	12	99,120	6,593,572	66.5
13-14	0.000201	99,114	20	99,104	6,494,452	65.5
14-15	0.000309	99,094	31	99,079	6,395,347	64.5
15-16	0.000427	99,064	42	99,043	6,296,268	63.6
16-17	0.000537	99,021	53	98,995	6,197,226	62.6
17-18	0.000641	98,968	63	98,936	6,098,231	61.6
18-19	0.000732	98,905	72	98,869	5,999,295	60.7
19-20	0.000812	98,832	80	98,792	5,900,426	59.7
20-21	0.000897	98,752	89	98,708	5,801,634	58.7
21-22	0.000980	98,663	97	98,615	5,702,926	57.8
22-23	0.001037	98,567	102	98,516	5,604,311	56.9
23-24	0.001059	98,465	104	98,412	5,505,795	55.9
24-25	0.001055	98,360	104	98,308	5,407,383	55.0
25-26	0.001043	98,256	102	98,205	5,309,075	54.0
26-27	0.001035	98,154	102	98,103	5,210,869	53.1
27-28	0.001031	98,052	101	98,002	5,112,766	52.1
28-29	0.001036	97,951	101	97,901	5,014,764	51.2
29-30	0.001050	97,850	103	97,799	4,916,863	50.2
30-31	0.001071	97,747	105	97,695	4,819,065	49.3
31-32	0.001098	97,643	107	97,589	4,721,370	48.4
32-33	0.001141	97,535	111	97,480	4,623,781	47.4
33-34	0.001178	97,424	115	97,367	4,526,301	46.5
34-35	0.001233	97,309	120	97,249	4,428,935	45.5
35-36	0.001295	97,189	126	97,126	4,331,685	44.6
36-37	0.001372	97,063	133	96,997	4,234,559	43.6
37-38	0.001472	96,930	143	96,859	4,137,562	42.7
38-39	0.001601	96,788	155	96,710	4,040,703	41.7
39-40	0.001755	96,633	170	96,548	3,943,993	40.8

Table 1. Life table for the total population: United States, 2006

Table 1. Life table	or the total po	pulation: Unit	ed States, 2006	1		
					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
40-41	0.001921	96,463	185	96,370	3,847,445	39.9
41-42	0.002095	96,278	202	96,177	3,751,075	39.0
42-43	0.002287	96,076	220	95,966	3,654,898	38.0
43-44	0.002497	95,856	239	95,737	3,558,932	37.1
44-45	0.002724	95,617	260	95,487	3,463,195	36.2
45-46	0.002960	95,356	282	95,215	3,367,709	35.3
46-47	0.003206	95,074	305	94,922	3,272,493	34.4
47-48	0.003467	94,769	329	94,605	3,177,572	33.5
48-49	0.003750	94,441	354	94,264	3,082,966	32.6
49-50	0.004060	94,087	382	93,896	2,988,703	31.8
50-51	0.004399	93,705	412	93,499	2,894,807	30.9
51-52	0.004763	93,292	444	93,070	2,801,308	30.0
52-53	0.005141	92,848	477	92,609	2,708,238	29.2
53-54	0.005520	92,371	510	92,116	2,615,629	28.3
54-55	0.005898	91,861	542	91,590	2,523,513	27.5
55-56	0.006285	91,319	574	91,032	2,431,923	26.6
56-57	0.006701	90,745	608	90,441	2,340,890	25.8
57-58	0.007165	90,137	646	89,814	2,250,449	25.0
58-59	0.007717	89,491	691	89,146	2,160,635	24.1
59-60	0.008379	88,801	744	88,429	2,071,489	23.3
60-61	0.009178	88,057	808	87,653	1,983,060	22.5
61-62	0.010084	87,248	880	86,809	1,895,408	21.7
62-63	0.011039	86,369	953	85,892	1,808,599	20.9
63-64	0.011955	85,415	1,021	84,905	1,722,707	20.2
64-65	0.012834	84,394	1,083	83,852	1,637,803	19.4
65-66	0.013778	83,311	1,148	82,737	1,553,950	18.7
66-67	0.014893	82,163	1,224	81,551	1,471,213	17.9
67-68	0.016154	80,939	1,307	80,286	1,389,662	17.2
68-69	0.017565	79,632	1,399	78,933	1,309,376	16.4
69-70	0.019167	78,233	1,500	77,483	1,230,444	15.7
70-71	0.020919	76,734	1,605	75,931	1,152,960	15.0
71-72	0.022859	75,129	1,717	74,270	1,077,029	14.3
72-73	0.025060	73,411	1,840	72,491	1,002,759	13.7
73-74	0.027572	71,571	1,973	70,585	930,268	13.0
74-75	0.030256	69,598	2,106	68,545	859,683	12.4
75-76	0.033066	67,492	2,232	66,376	791,138	11.7
76-77	0.036185	65,261	2,361	64,080	724,762	11.1
77-78	0.039765	62,899	2,501	61,649	660,682	10.5
78-79	0.043829	60,398	2,647	59,074	599,033	9.9
79-80	0.048451	57,751	2,798	56,352	539,959	9.3

Table 1. Life table for the total population: United States, 2006

					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
80-81	0.053636	54,953	2,947	53,479	483,607	8.8
81-82	0.059321	52,005	3,085	50,463	430,128	8.3
82-83	0.065407	48,920	3,200	47,320	379,665	7.8
83-84	0.071982	45,721	3,291	44,075	332,345	7.3
84-85	0.080524	42,429	3,417	40,721	288,270	6.8
85-86	0.089645	39,013	3,497	37,264	247,549	6.3
86-87	0.099625	35,516	3,538	33,746	210,284	5.9
87-88	0.110502	31,977	3,534	30,211	176,538	5.5
88-89	0.122310	28,444	3,479	26,704	146,327	5.1
89-90	0.135075	24,965	3,372	23,279	119,623	4.8
90-91	0.148807	21,593	3,213	19,986	96,344	4.5
91-92	0.163505	18,380	3,005	16,877	76,358	4.2
92-93	0.179154	15,374	2,754	13,997	59,481	3.9
93-94	0.195717	12,620	2,470	11,385	45,484	3.6
94-95	0.213142	10,150	2,163	9,068	34,099	3.4
95-96	0.231357	7,987	1,848	7,063	25,031	3.1
96-97	0.250269	6,139	1,536	5,371	17,968	2.9
97-98	0.269769	4,603	1,242	3,982	12,597	2.7
98-99	0.289731	3,361	974	2,874	8,615	2.6
99-100	0.310017	2,387	740	2,017	5,741	2.4
100 and over	1.000000	1,647	1,647	3,724	3,724	2.3

Table 2. Life table for males: United States, 2006

					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
0-1	0.007344	100,000	734	99,354	7,524,402	75.2
1-2	0.000471	99,266	47	99,242	7,425,048	74.8
2-3	0.000330	99,219	33	99,202	7,325,806	73.8
3-4	0.000252	99,186	25	99,174	7,226,603	72.9
4-5	0.000200	99,161	20	99,151	7,127,430	71.9
5-6	0.000190	99,141	19	99,132	7,028,278	70.9
6-7	0.000179	99,122	18	99,114	6,929,147	69.9
7-8	0.000164	99,105	16	99,097	6,830,033	68.9
8-9	0.000139	99,088	14	99,082	6,730,937	67.9
9-10	0.000107	99,075	11	99,069	6,631,855	66.9
10-11	0.000081	99,064	8	99,060	6,532,786	65.9
11-12	0.000082	99,056	8	99,052	6,433,726	65.0
12-13	0.000134	99,048	13	99,041	6,334,674	64.0
13-14	0.000248	99,035	25	99,022	6,235,632	63.0
14-15	0.000407	99,010	40	98,990	6,136,610	62.0
15-16	0.000578	98,970	57	98,941	6,037,620	61.0
16-17	0.000737	98,913	73	98,876	5,938,678	60.0
17-18	0.000893	98,840	88	98,796	5,839,802	59.1
18-19	0.001039	98,752	103	98,700	5,741,007	58.1
19-20	0.001175	98,649	116	98,591	5,642,306	57.2
20-21	0.001320	98,533	130	98,468	5,543,715	56.3
21-22	0.001458	98,403	143	98,331	5,445,247	55.3
22-23	0.001551	98,259	152	98,183	5,346,916	54.4
23-24	0.001584	98,107	155	98,029	5,248,733	53.5
24-25	0.001569	97,952	154	97,875	5,150,704	52.6
25-26	0.001538	97,798	150	97,723	5,052,829	51.7
26-27	0.001513	97,647	148	97,574	4,955,106	50.7
27-28	0.001491	97,500	145	97,427	4,857,533	49.8
28-29	0.001483	97,354	144	97,282	4,760,106	48.9
29-30	0.001487	97,210	145	97,138	4,662,823	48.0
30-31	0.001497	97,065	145	96,993	4,565,686	47.0
31-32	0.001512	96,920	147	96,847	4,468,693	46.1
32-33	0.001553	96,774	150	96,698	4,371,846	45.2
33-34	0.001576	96,623	152	96,547	4,275,148	44.2
34-35	0.001628	96,471	157	96,392	4,178,601	43.3
35-36	0.001691	96,314	163	96,233	4,082,208	42.4
36-37	0.001773	96,151	170	96,066	3,985,976	41.5
	0.001885	95,981	181	95,890	3,889,910	40.5
37-38	0.001003	JJ,J01	101	33,630	3,003,310	70.5
37-38 38-39	0.001885	95,800	195	95,702	3,794,020	39.6

Table 2. Life table for males: United States, 2006

					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
40-41	0.002416	95,393	230	95,277	3,602,819	37.8
41-42	0.002628	95,162	250	95,037	3,507,541	36.9
12-43	0.002863	94,912	272	94,776	3,412,504	36.0
13-44	0.003121	94,640	295	94,493	3,317,728	35.1
14-45	0.003401	94,345	321	94,185	3,223,235	34.2
45-46	0.003691	94,024	347	93,851	3,129,050	33.3
16-47	0.003995	93,677	374	93,490	3,035,199	32.4
17-48	0.004330	93,303	404	93,101	2,941,709	31.5
18-49	0.004708	92,899	437	92,680	2,848,608	30.7
19-50	0.005132	92,462	474	92,224	2,755,928	29.8
50-51	0.005599	91,987	515	91,730	2,663,704	29.0
51-52	0.006092	91,472	557	91,194	2,571,974	28.1
52-53	0.006590	90,915	599	90,615	2,480,780	27.3
53-54	0.007066	90,316	638	89,997	2,390,165	26.5
54-55	0.007523	89,678	675	89,340	2,300,168	25.6
55-56	0.007985	89,003	711	88,648	2,210,828	24.8
56-57	0.008483	88,292	749	87,918	2,122,180	24.0
57-58	0.009035	87,543	791	87,148	2,034,262	23.2
58-59	0.009686	86,752	840	86,332	1,947,115	22.4
59-60	0.010467	85,912	899	85,462	1,860,782	21.7
50-61	0.011403	85,013	969	84,528	1,775,320	20.9
51-62	0.012463	84,044	1,047	83,520	1,690,792	20.1
62-63	0.013594	82,996	1,128	82,432	1,607,272	19.4
63-64	0.014703	81,868	1,204	81,266	1,524,840	18.6
64-65	0.015781	80,664	1,273	80,028	1,443,574	17.9
65-66	0.016938	79,391	1,345	78,719	1,363,546	17.2
66-67	0.018291	78,046	1,428	77,333	1,284,828	16.5
67-68	0.019809	76,619	1,518	75,860	1,207,495	15.8
68-69	0.021469	75,101	1,612	74,295	1,131,635	15.1
69-70	0.023354	73,489	1,716	72,631	1,057,340	14.4
70-71	0.025398	71,772	1,823	70,861	984,710	13.7
71-72	0.027647	69,950	1,934	68,983	913,849	13.1
72-73	0.030278	68,016	2,059	66,986	844,866	12.4
73-74	0.033325	65,956	2,198	64,857	777,880	11.8
74-75	0.036614	63,758	2,334	62,591	713,023	11.2
75-76	0.040122	61,424	2,464	60,192	650,432	10.6
76-77	0.043982	58,959	2,593	57,663	590,240	10.0
77-78	0.048316	56,366	2,723	55,005	532,577	9.4
78-79	0.053162	53,643	2,723	52,217	477,572	8.9
79-80	0.058700	50,791	2,832	49,300	477,372	8.4

Table 2. Life table for males: United States, 2006

Table 2. Life table i	or maics. Office	a states, 2000		-		-
					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
80-81	0.065079	47,810	3,111	46,254	376,055	7.9
81-82	0.072066	44,698	3,221	43,088	329,801	7.4
82-83	0.079366	41,477	3,292	39,831	286,713	6.9
83-84	0.086929	38,185	3,319	36,525	246,882	6.5
84-85	0.096608	34,866	3,368	33,182	210,357	6.0
85-86	0.107280	31,497	3,379	29,808	177,175	5.6
86-87	0.118884	28,118	3,343	26,447	147,367	5.2
87-88	0.131448	24,776	3,257	23,147	120,920	4.9
88-89	0.144989	21,519	3,120	19,959	97,773	4.5
89-90	0.159509	18,399	2,935	16,931	77,814	4.2
90-91	0.174995	15,464	2,706	14,111	60,883	3.9
91-92	0.191417	12,758	2,442	11,537	46,772	3.7
92-93	0.208726	10,316	2,153	9,239	35,235	3.4
93-94	0.226853	8,163	1,852	7,237	25,996	3.2
94-95	0.245710	6,311	1,551	5,536	18,759	3.0
95-96	0.265189	4,760	1,262	4,129	13,223	2.8
96-97	0.285167	3,498	997	2,999	9,094	2.6
97-98	0.305504	2,500	764	2,118	6,095	2.4
98-99	0.326051	1,737	566	1,453	3,977	2.3
99-100	0.346655	1,170	406	967	2,523	2.2
100 and over	1.000000	765	765	1,556	1,556	2.0

Table 3. Life table for females: United States, 2006

·					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
0-1	0.006051	100,000	605	99,467	8,034,609	80.3
1-2	0.000438	99,395	44	99,373	7,935,143	79.8
2-3	0.000283	99,351	28	99,337	7,835,769	78.9
3-4	0.000189	99,323	19	99,314	7,736,432	77.9
4-5	0.000165	99,305	16	99,296	7,637,118	76.9
5-6	0.000151	99,288	15	99,281	7,537,822	75.9
6-7	0.000136	99,273	14	99,266	7,438,541	74.9
7-8	0.000124	99,260	12	99,253	7,339,275	73.9
8-9	0.000111	99,247	11	99,242	7,240,021	72.9
9-10	0.000098	99,236	10	99,231	7,140,779	72.0
10-11	0.000090	99,227	9	99,222	7,041,548	71.0
11-12	0.000091	99,218	9	99,213	6,942,326	70.0
12-13	0.000111	99,209	11	99,203	6,843,113	69.0
13-14	0.000151	99,198	15	99,190	6,743,910	68.0
14-15	0.000206	99,183	20	99,172	6,644,720	67.0
15-16	0.000268	99,162	27	99,149	6,545,548	66.0
16-17	0.000326	99,135	32	99,119	6,446,399	65.0
17-18	0.000374	99,103	37	99,085	6,347,279	64.0
18-19	0.000406	99,066	40	99,046	6,248,195	63.1
19-20	0.000428	99,026	42	99,005	6,149,149	62.1
20-21	0.000448	98,983	44	98,961	6,050,144	61.1
21-22	0.000472	98,939	47	98,916	5,951,183	60.1
22-23	0.000492	98,892	49	98,868	5,852,267	59.2
23-24	0.000508	98,844	50	98,819	5,753,399	58.2
24-25	0.000521	98,794	51	98,768	5,654,580	57.2
25-26	0.000535	98,742	53	98,716	5,555,812	56.3
26-27	0.000551	98,689	54	98,662	5,457,097	55.3
27-28	0.000569	98,635	56	98,607	5,358,435	54.3
28-29	0.000588	98,579	58	98,550	5,259,828	53.4
29-30	0.000612	98,521	60	98,491	5,161,278	52.4
30-31	0.000642	98,461	63	98,429	5,062,787	51.4
31-32	0.000680	98,397	67	98,364	4,964,358	50.5
32-33	0.000728	98,330	72	98,295	4,865,994	49.5
33-34	0.000778	98,259	76	98,221	4,767,700	48.5
34-35	0.000836	98,182	82	98,141	4,669,479	47.6
35-36	0.000899	98,100	88	98,056	4,571,338	46.6
35-36 36-37	0.000899 0.000971	98,100 98,012	88 95	98,056	4,571,338 4,473,282	46.6 45.6
36-37	0.000971	98,012	95	97,964	4,473,282	45.6

Table 3. Life table for females: United States, 2006

Table 3. Life table					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
40-41	0.001431	97,572	140	97,502	4,082,061	41.8
41-42	0.001569	97,432	153	97,356	3,984,559	40.9
42-43	0.001720	97,279	167	97,196	3,887,203	40.0
43-44	0.001884	97,112	183	97,021	3,790,008	39.0
44-45	0.002059	96,929	200	96,829	3,692,987	38.1
45-46	0.002245	96,730	217	96,621	3,596,157	37.2
46-47	0.002434	96,512	235	96,395	3,499,536	36.3
47-48	0.002625	96,278	253	96,151	3,403,142	35.3
48-49	0.002818	96,025	271	95,889	3,306,990	34.4
49-50	0.003021	95,754	289	95,610	3,211,101	33.5
50-51	0.003241	95,465	309	95,310	3,115,491	32.6
51-52	0.003484	95,156	332	94,990	3,020,181	31.7
52-53	0.003752	94,824	356	94,646	2,925,191	30.8
53-54	0.004042	94,468	382	94,277	2,830,545	30.0
54-55	0.004349	94,086	409	93,882	2,736,268	29.1
55-56	0.004670	93,677	437	93,458	2,642,386	28.2
56-57	0.005013	93,240	467	93,006	2,548,928	27.3
57-58	0.005401	92,772	501	92,522	2,455,922	26.5
58-59	0.005866	92,271	541	92,001	2,363,400	25.6
59-60	0.006425	91,730	589	91,435	2,271,399	24.8
60-61	0.007108	91,141	648	90,817	2,179,964	23.9
61-62	0.007885	90,493	714	90,136	2,089,147	23.1
62-63	0.008691	89,779	780	89,389	1,999,011	22.3
63-64	0.009448	88,999	841	88,579	1,909,622	21.5
64-65	0.010162	88,158	896	87,710	1,821,043	20.7
65-66	0.010933	87,262	954	86,785	1,733,333	19.9
66-67	0.011856	86,308	1,023	85,797	1,646,548	19.1
67-68	0.012915	85,285	1,101	84,734	1,560,751	18.3
68-69	0.014138	84,184	1,190	83,589	1,476,017	17.5
69-70	0.015534	82,993	1,289	82,349	1,392,428	16.8
70-71	0.017082	81,704	1,396	81,006	1,310,079	16.0
71-72	0.018812	80,309	1,511	79,553	1,229,073	15.3
72-73	0.020715	78,798	1,632	77,982	1,149,520	14.6
73-74	0.022864	77,166	1,764	76,283	1,071,538	13.9
74-75	0.025148	75,401	1,896	74,453	995,255	13.2
75-76	0.027500	73,505	2,021	72,494	920,802	12.5
76-77	0.030162	71,484	2,156	70,406	848,307	11.9
77-78	0.033324	69,328	2,310	68,172	777,902	11.2
78-79	0.036997	67,017	2,479	65,777	709,729	10.6
79-80	0.041187	64,538	2,658	63,209	643,952	10.0

Table 3. Life table for females: United States, 2006

	or remaies. On					
					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
80-81	0.045827	61,880	2,836	60,462	580,743	9.4
81-82	0.050954	59,044	3,009	57,540	520,281	8.8
82-83	0.056540	56,035	3,168	54,451	462,742	8.3
83-84	0.062802	52,867	3,320	51,207	408,290	7.7
84-85	0.070190	49,547	3,478	47,808	357,083	7.2
85-86	0.079938	46,069	3,683	44,228	309,275	6.7
86-87	0.089513	42,387	3,794	40,490	265,047	6.3
87-88	0.100039	38,592	3,861	36,662	224,558	5.8
88-89	0.111563	34,732	3,875	32,794	187,896	5.4
89-90	0.124124	30,857	3,830	28,942	155,101	5.0
90-91	0.137748	27,027	3,723	25,165	126,159	4.7
91-92	0.152447	23,304	3,553	21,528	100,994	4.3
92-93	0.168217	19,751	3,323	18,090	79,466	4.0
93-94	0.185030	16,429	3,040	14,909	61,376	3.7
94-95	0.202840	13,389	2,716	12,031	46,467	3.5
95-96	0.221576	10,673	2,365	9,491	34,436	3.2
96-97	0.241142	8,308	2,003	7,307	24,945	3.0
97-98	0.261422	6,305	1,648	5,481	17,639	2.8
98-99	0.282276	4,657	1,314	3,999	12,158	2.6
99-100	0.303547	3,342	1,014	2,835	8,159	2.4
100 and over	1.000000	2,328	2,328	5,324	5,324	2.3

Table 4. Life table for the white population: United States, 2006

					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
0-1	0.005577	100,000	558	99,510	7,827,018	78.3
1-2	0.000407	99,442	40	99,422	7,727,508	77.7
2-3	0.000274	99,402	27	99,388	7,628,086	76.7
3-4	0.000206	99,375	20	99,364	7,528,698	75.8
4-5	0.000171	99,354	17	99,346	7,429,333	74.8
5-6	0.000158	99,337	16	99,329	7,329,987	73.8
6-7	0.000146	99,322	15	99,314	7,230,658	72.8
7-8	0.000135	99,307	13	99,300	7,131,344	71.8
8-9	0.000118	99,294	12	99,288	7,032,044	70.8
9-10	0.000097	99,282	10	99,277	6,932,756	69.8
10-11	0.000080	99,272	8	99,268	6,833,479	68.8
11-12	0.000082	99,264	8	99,260	6,734,210	67.8
12-13	0.000117	99,256	12	99,251	6,634,950	66.8
13-14	0.000192	99,245	19	99,235	6,535,699	65.9
14-15	0.000297	99,226	29	99,211	6,436,464	64.9
15-16	0.000409	99,196	41	99,176	6,337,253	63.9
16-17	0.000515	99,156	51	99,130	6,238,077	62.9
17-18	0.000614	99,105	61	99,074	6,138,947	61.9
18-19	0.000702	99,044	70	99,009	6,039,873	61.0
19-20	0.000780	98,974	77	98,935	5,940,864	60.0
20-21	0.000862	98,897	85	98,854	5,841,929	59.1
21-22	0.000941	98,812	93	98,765	5,743,075	58.1
22-23	0.000993	98,719	98	98,670	5,644,309	57.2
23-24	0.001011	98,621	100	98,571	5,545,640	56.2
24-25	0.001003	98,521	99	98,472	5,447,069	55.3
25-26	0.000986	98,422	97	98,374	5,348,598	54.3
26-27	0.000974	98,325	96	98,277	5,250,224	53.4
27-28	0.000965	98,229	95	98,182	5,151,947	52.4
28-29	0.000967	98,135	95	98,087	5,053,765	51.5
29-30	0.000977	98,040	96	97,992	4,955,678	50.5
30-31	0.000995	97,944	97	97,895	4,857,686	49.6
31-32	0.001019	97,846	100	97,797	4,759,791	48.6
32-33	0.001058	97,747	103	97,695	4,661,994	47.7
33-34	0.001092	97,643	107	97,590	4,564,299	46.7
34-35	0.001143	97,537	111	97,481	4,466,709	45.8
	0.001173				•	
35-36	0.001143	97,425	117	97,367	4,369,228	44.8
35-36 36-37		97,425 97,308	117 124	97,367 97,246	4,369,228 4,271,862	44.8 43.9
	0.001201					
36-37	0.001201 0.001272	97,308	124	97,246	4,271,862	43.9

Table 4. Life table for the white population: United States, 2006

					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
40-41	0.001797	96,748	174	96,661	3,883,691	40.1
41-42	0.001963	96,574	190	96,479	3,787,030	39.2
42-43	0.002145	96,385	207	96,281	3,690,550	38.3
43-44	0.002342	96,178	225	96,065	3,594,269	37.4
44-45	0.002553	95,953	245	95,830	3,498,204	36.5
45-46	0.002774	95,708	265	95,575	3,402,373	35.5
46-47	0.003003	95,442	287	95,299	3,306,798	34.6
47-48	0.003244	95,156	309	95,001	3,211,500	33.7
48-49	0.003504	94,847	332	94,681	3,116,498	32.9
49-50	0.003789	94,515	358	94,336	3,021,818	32.0
50-51	0.004100	94,157	386	93,963	2,927,482	31.1
51-52	0.004438	93,770	416	93,562	2,833,519	30.2
52-53	0.004793	93,354	447	93,131	2,739,956	29.4
53-54	0.005155	92,907	479	92,667	2,646,826	28.5
54-55	0.005521	92,428	510	92,173	2,554,158	27.6
55-56	0.005895	91,918	542	91,647	2,461,985	26.8
56-57	0.006298	91,376	575	91,088	2,370,339	25.9
57-58	0.006754	90,800	613	90,494	2,279,251	25.1
58-59	0.007302	90,187	659	89,858	2,188,757	24.3
59-60	0.007965	89,528	713	89,172	2,098,899	23.4
60-61	0.008769	88,815	779	88,426	2,009,727	22.6
61-62	0.009676	88,037	852	87,611	1,921,301	21.8
62-63	0.010622	87,185	926	86,722	1,833,691	21.0
63-64	0.011524	86,259	994	85 <i>,</i> 762	1,746,969	20.3
64-65	0.012387	85,265	1,056	84,737	1,661,207	19.5
65-66	0.013325	84,208	1,122	83,647	1,576,471	18.7
66-67	0.014442	83,086	1,200	82,486	1,492,823	18.0
67-68	0.015705	81,886	1,286	81,243	1,410,337	17.2
68-69	0.017114	80,600	1,379	79,911	1,329,094	16.5
69-70	0.018716	79,221	1,483	78,480	1,249,183	15.8
70-71	0.020470	77,738	1,591	76,943	1,170,703	15.1
71-72	0.022419	76,147	1,707	75,294	1,093,760	14.4
72-73	0.024629	74,440	1,833	73,523	1,018,467	13.7
73-74	0.027155	72,607	1,972	71,621	944,944	13.0
74-75	0.029868	70,635	2,110	69,580	873,323	12.4
75-76	0.032694	68,525	2,240	67,405	803,743	11.7
76-77	0.035825	66,285	2,375	65,098	736,338	11.1
77-78	0.039452	63,910	2,521	62,650	671,240	10.5
78-79	0.043523	61,389	2,672	60,053	608,591	9.9
79-80	0.048142	58,717	2,827	57,304	548,538	9.3

Table 4. Life table for the white population: United States, 2006

	•		•		Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
80-81	0.053340	55,890	2,981	54,400	491,234	8.8
81-82	0.059027	52,909	3,123	51,348	436,834	8.3
82-83	0.065152	49,786	3,244	48,164	385,487	7.7
83-84	0.071758	46,542	3,340	44,872	337,323	7.2
84-85	0.079482	43,203	3,434	41,486	292,450	6.8
85-86	0.089436	39,769	3,557	37,990	250,965	6.3
86-87	0.099643	36,212	3,608	34,408	212,974	5.9
87-88	0.110792	32,604	3,612	30,798	178,566	5.5
88-89	0.122918	28,991	3,564	27,210	147,769	5.1
89-90	0.136046	25,428	3,459	23,698	120,559	4.7
90-91	0.150189	21,969	3,299	20,319	96,861	4.4
91-92	0.165344	18,669	3,087	17,126	76,542	4.1
92-93	0.181491	15,582	2,828	14,168	59,416	3.8
93-94	0.198590	12,754	2,533	11,488	45,248	3.5
94-95	0.216582	10,221	2,214	9,114	33,760	3.3
95-96	0.235383	8,008	1,885	7,065	24,646	3.1
96-97	0.254892	6,123	1,561	5,342	17,581	2.9
97-98	0.274987	4,562	1,255	3,935	12,238	2.7
98-99	0.295530	3,308	977	2,819	8,303	2.5
99-100	0.316367	2,330	737	1,962	5,484	2.4
100 and over	1.000000	1,593	1,593	3,523	3,523	2.2

Table 5. Life table for white males: United States, 2006

					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
0-1	0.006119	100,000	612	99,462	7,575,454	75.8
1-2	0.000411	99,388	41	99,368	7,475,992	75.2
2-3	0.000306	99,347	30	99,332	7,376,624	74.3
3-4	0.000234	99,317	23	99,305	7,277,292	73.3
4-5	0.000188	99,294	19	99,284	7,177,987	72.3
5-6	0.000176	99,275	17	99,266	7,078,702	71.3
6-7	0.000165	99,257	16	99,249	6,979,436	70.3
7-8	0.000151	99,241	15	99,234	6,880,187	69.3
8-9	0.000129	99,226	13	99,220	6,780,953	68.3
9-10	0.000101	99,213	10	99,208	6,681,734	67.3
10-11	0.000079	99,203	8	99,199	6,582,526	66.4
11-12	0.000082	99,195	8	99,191	6,483,326	65.4
12-13	0.000131	99,187	13	99,181	6,384,135	64.4
13-14	0.000237	99,174	23	99,163	6,284,954	63.4
14-15	0.000383	99,151	38	99,132	6,185,791	62.4
15-16	0.000539	99,113	53	99,086	6,086,660	61.4
16-17	0.000686	99,059	68	99,025	5,987,574	60.4
17-18	0.000832	98,991	82	98,950	5,888,548	59.5
18-19	0.000974	98,909	96	98,861	5,789,598	58.5
19-20	0.001110	98,813	110	98,758	5,690,737	57.6
20-21	0.001254	98,703	124	98,641	5,591,979	56.7
21-22	0.001390	98,579	137	98,511	5,493,338	55.7
22-23	0.001479	98,442	146	98,369	5,394,827	54.8
23-24	0.001505	98,297	148	98,223	5,296,458	53.9
24-25	0.001482	98,149	145	98,076	5,198,235	53.0
25-26	0.001443	98,003	141	97,933	5,100,159	52.0
26-27	0.001411	97,862	138	97,793	5,002,227	51.1
27-28	0.001384	97,724	135	97,656	4,904,434	50.2
28-29	0.001372	97,589	134	97,522	4,806,778	49.3
29-30	0.001375	97,455	134	97,388	4,709,256	48.3
30-31	0.001385	97,321	135	97,253	4,611,869	47.4
31-32	0.001399	97,186	136	97,118	4,514,615	46.5
32-33	0.001437	97,050	139	96,980	4,417,498	45.5
33-34	0.001460	96,910	142	96,840	4,320,518	44.6
34-35	0.001510	96,769	146	96,696	4,223,678	43.6
35-36	0.001570	96,623	152	96,547	4,126,982	42.7
36-37	0.001648	96,471	159	96,392	4,030,435	41.8
37-38	0.001757	96,312	169	96,227	3,934,044	40.8
38-39	0.001905	96,143	183	96,051	3,837,816	39.9
39-40	0.002086	95,960	200	95,860	3,741,765	39.0

Table 5. Life table for white males: United States, 2006

					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
40-41	0.002283	95,759	219	95,650	3,645,905	38.1
41-42	0.002490	95,541	238	95,422	3,550,255	37.2
42-43	0.002716	95,303	259	95,174	3,454,833	36.3
43-44	0.002962	95,044	281	94,903	3,359,659	35.3
44-45	0.003223	94,763	305	94,610	3,264,756	34.5
45-46	0.003494	94,457	330	94,292	3,170,146	33.6
46-47	0.003778	94,127	356	93,949	3,075,854	32.7
47-48	0.004087	93,772	383	93,580	2,981,905	31.8
48-49	0.004432	93,388	414	93,181	2,888,325	30.9
49-50	0.004817	92,974	448	92,751	2,795,143	30.1
50-51	0.005241	92,527	485	92,284	2,702,393	29.2
51-52	0.005691	92,042	524	91,780	2,610,109	28.4
52-53	0.006152	91,518	563	91,236	2,518,329	27.5
53-54	0.006599	90,955	600	90,655	2,427,092	26.7
54-55	0.007034	90,355	636	90,037	2,336,438	25.9
55-56	0.007474	89,719	671	89,384	2,246,401	25.0
56-57	0.007949	89,049	708	88,695	2,157,017	24.2
57-58	0.008484	88,341	749	87,966	2,068,322	23.4
58-59	0.009127	87,591	799	87,192	1,980,356	22.6
59-60	0.009905	86,792	860	86,362	1,893,165	21.8
60-61	0.010841	85,932	932	85,466	1,806,802	21.0
61-62	0.011899	85,001	1,011	84,495	1,721,336	20.3
62-63	0.013020	83,989	1,094	83,442	1,636,841	19.5
63-64	0.014114	82,896	1,170	82,311	1,553,399	18.7
64-65	0.015179	81,726	1,241	81,106	1,471,088	18.0
65-66	0.016336	80,485	1,315	79,828	1,389,982	17.3
66-67	0.017700	79,170	1,401	78,470	1,310,154	16.5
67-68	0.019219	77,769	1,495	77,022	1,231,685	15.8
68-69	0.020867	76,274	1,592	75,479	1,154,663	15.1
69-70	0.022740	74,683	1,698	73,834	1,079,184	14.5
70-71	0.024765	72,985	1,807	72,081	1,005,351	13.8
71-72	0.027003	71,177	1,922	70,216	933,270	13.1
72-73	0.029619	69,255	2,051	68,230	863,054	12.5
73-74	0.032663	67,204	2,195	66,106	794,824	11.8
74-75	0.035979	65,009	2,339	63,839	728,718	11.2
75-76	0.039487	62,670	2,475	61,433	664,878	10.6
76-77	0.043351	60,195	2,610	58,890	603,446	10.0
77-78	0.047783	57,586	2,752	56,210	544,555	9.5
78-79	0.052663	54,834	2,888	53,390	488,346	8.9
79-80	0.058223	51,946	3,024	50,434	434,955	8.4

Table 5. Life table for white males: United States, 2006

Table 5. Life table i	Of Willie Illaies	. Officed State	3, 2000			
					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
80-81	0.064658	48,922	3,163	47,340	384,521	7.9
81-82	0.071635	45,759	3,278	44,120	337,181	7.4
82-83	0.079040	42,481	3,358	40,802	293,061	6.9
83-84	0.086696	39,123	3,392	37,427	252,259	6.4
84-85	0.096459	35,731	3,447	34,008	214,832	6.0
85-86	0.107293	32,285	3,464	30,553	180,824	5.6
86-87	0.119090	28,821	3,432	27,105	150,272	5.2
87-88	0.131878	25,388	3,348	23,714	123,167	4.9
88-89	0.145674	22,040	3,211	20,435	99,453	4.5
89-90	0.160480	18,830	3,022	17,319	79,018	4.2
90-91	0.176281	15,808	2,787	14,415	61,699	3.9
91-92	0.193046	13,021	2,514	11,764	47,284	3.6
92-93	0.210719	10,508	2,214	9,400	35,520	3.4
93-94	0.229227	8,293	1,901	7,343	26,120	3.1
94-95	0.248475	6,392	1,588	5,598	18,777	2.9
95-96	0.268348	4,804	1,289	4,159	13,179	2.7
96-97	0.288713	3,515	1,015	3,007	9,019	2.6
97-98	0.309423	2,500	774	2,113	6,012	2.4
98-99	0.330320	1,726	570	1,441	3,898	2.3
99-100	0.351241	1,156	406	953	2,457	2.1
100 and over	1.000000	750	750	1,504	1,504	2.0

Table 6. Life table for white females: United States, 2006

Probablity Of dying Detween Surviving to Sur	Expectation of life at age x
of dying Number dying lived person-years between surviving to between between lived above	of life at age x
between surviving to between between lived above	of life at age x
	at age x
$\begin{bmatrix} ages x to x+1 \end{bmatrix}$ $\begin{bmatrix} age x \\ ages x to x+1 \end{bmatrix}$ $\begin{bmatrix} ages x to x+1 \\ ages x to x+1 \end{bmatrix}$	
ages x to x. 1 age x ages x to x. 1 ages x	, ,
Age q(x) I(x) d(x) L(x) T(x)	e(x)
0-1 0.005007 100,000 501 99,560 8,071,657	80.7
1-2 0.000403 99,499 40 99,479 7,972,097	80.1
2-3 0.000241 99,459 24 99,447 7,872,618	79.2
3-4 0.000175 99,435 17 99,427 7,773,170	78.2
4-5 0.000152 99,418 15 99,410 7,673,744	77.2
5-6 0.000138 99,403 14 99,396 7,574,334	76.2
6-7 0.000127 99,389 13 99,383 7,474,938	75.2
7-8 0.000117 99,376 12 99,370 7,375,555	74.2
8-9 0.000106 99,365 10 99,359 7,276,185	73.2
9-10 0.000092 99,354 9 99,350 7,176,826	72.2
10-11 0.000081 99,345 8 99,341 7,077,476	71.2
11-12 0.000082 99,337 8 99,333 6,978,135	70.2
12-13 0.000101 99,329 10 99,324 6,878,802	69.3
13-14 0.000145 99,319 14 99,311 6,779,479	68.3
14-15 0.000205 99,304 20 99,294 6,680,167	67.3
15-16 0.000272 99,284 27 99,270 6,580,873	66.3
16-17 0.000334 99,257 33 99,240 6,481,603	65.3
17-18 0.000383 99,224 38 99,205 6,382,362	64.3
18-19 0.000412 99,186 41 99,165 6,283,157	63.3
19-20 0.000428 99,145 42 99,124 6,183,992	62.4
20-21 0.000442 99,102 44 99,081 6,084,868	61.4
21-22 0.000459 99,059 45 99,036 5,985,788	60.4
22-23 0.000473 99,013 47 98,990 5,886,752	59.5
23-24 0.000485 98,966 48 98,942 5,787,762	58.5
24-25 0.000495 98,918 49 98,894 5,688,820	57.5
25-26 0.000507 98,869 50 98,844 5,589,926	56.5
26-27 0.000519 98,819 51 98,794 5,491,081	55.6
27-28 0.000533 98,768 53 98,742 5,392,287	54.6
28-29 0.000548 98,715 54 98,688 5,293,546	53.6
29-30 0.000567 98,661 56 98,633 5,194,857	52.7
30-31 0.000591 98,605 58 98,576 5,096,224	51.7
31-32 0.000624 98,547 61 98,516 4,997,648	50.7
32-33 0.000667 98,486 66 98,453 4,899,131	49.7
33-34 0.000710 98,420 70 98,385 4,800,678	48.8
34-35 0.000763 98,350 75 98,313 4,702,293	47.8
35-36 0.000821 98,275 81 98,235 4,603,981	46.8
36-37 0.000887 98,194 87 98,151 4,505,746	45.9
37-38 0.000968 98,107 95 98,060 4,407,595	44.9
38-39 0.001068 98,012 105 97,960 4,309,536	44.0
39-40 0.001183 97,908 116 97,850 4,211,576	43.0

Table 6. Life table for white females: United States, 2006

					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
40-41	0.001305	97,792	128	97,728	4,113,726	42.1
41-42	0.001431	97,664	140	97,594	4,015,998	41.1
42-43	0.001569	97,525	153	97,448	3,918,403	40.2
43-44	0.001721	97,371	168	97,288	3,820,955	39.2
44-45	0.001882	97,204	183	97,112	3,723,668	38.3
45-46	0.002053	97,021	199	96,921	3,626,555	37.4
46-47	0.002229	96,822	216	96,714	3,529,634	36.5
47-48	0.002405	96,606	232	96,490	3,432,920	35.5
48-49	0.002583	96,374	249	96,249	3,336,430	34.6
49-50	0.002771	96,125	266	95,992	3,240,181	33.7
50-51	0.002976	95,858	285	95,716	3,144,189	32.8
51-52	0.003206	95,573	306	95,420	3,048,474	31.9
52-53	0.003463	95,267	330	95,102	2,953,054	31.0
53-54	0.003746	94,937	356	94,759	2,857,952	30.1
54-55	0.004049	94,581	383	94,390	2,763,193	29.2
55-56	0.004364	94,198	411	93,993	2,668,803	28.3
56-57	0.004702	93,787	441	93,567	2,574,810	27.5
57-58	0.005087	93,346	475	93,109	2,481,244	26.6
58-59	0.005552	92,871	516	92,614	2,388,135	25.7
59-60	0.006114	92,356	565	92,073	2,295,521	24.9
60-61	0.006802	91,791	624	91,479	2,203,448	24.0
61-62	0.007580	91,167	691	90,821	2,111,969	23.2
62-63	0.008378	90,476	758	90,097	2,021,148	22.3
63-64	0.009116	89,718	818	89,309	1,931,051	21.5
64-65	0.009810	88,900	872	88,464	1,841,742	20.7
65-66	0.010565	88,028	930	87,563	1,753,278	19.9
66-67	0.011480	87,098	1,000	86,598	1,665,716	19.1
67-68	0.012538	86,098	1,080	85,558	1,579,118	18.3
68-69	0.013766	85,018	1,170	84,433	1,493,560	17.6
69-70	0.015166	83,848	1,272	83,212	1,409,127	16.8
70-71	0.016727	82,576	1,381	81,886	1,325,915	16.1
71-72	0.018477	81,195	1,500	80,445	1,244,029	15.3
72-73	0.020400	79,695	1,626	78,882	1,163,584	14.6
73-74	0.022569	78,069	1,762	77,188	1,084,702	13.9
74-75	0.024873	76,307	1,898	75,358	1,007,514	13.2
75-76	0.027240	74,409	2,027	73,396	932,156	12.5
76-77	0.029907	72,382	2,165	71,300	858,761	11.9
77-78	0.033068	70,217	2,322	69,056	787,461	11.2
78-79	0.036725	67,896	2,493	66,649	718,404	10.6
79-80	0.040893	65,402	2,674	64,065	651,756	10.0

Table 6. Life table for white females: United States, 2006

Table 6. Life table i	Or Willie Tellian	cs. Officea Stat	c3, 2000	-		
					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
80-81	0.045516	62,728	2,855	61,300	587,691	9.4
81-82	0.050665	59,872	3,033	58,356	526,391	8.8
82-83	0.056265	56,839	3,198	55,240	468,035	8.2
83-84	0.062528	53,641	3,354	51,964	412,795	7.7
84-85	0.070092	50,287	3,525	48,525	360,831	7.2
85-86	0.079659	46,762	3,725	44,900	312,306	6.7
86-87	0.089437	43,037	3,849	41,113	267,407	6.2
87-88	0.100210	39,188	3,927	37,225	226,294	5.8
88-89	0.112028	35,261	3,950	33,286	189,069	5.4
89-90	0.124934	31,311	3,912	29,355	155,784	5.0
90-91	0.138953	27,399	3,807	25,495	126,429	4.6
91-92	0.154098	23,592	3,635	21,774	100,933	4.3
92-93	0.170361	19,956	3,400	18,256	79,159	4.0
93-94	0.187712	16,557	3,108	15,003	60,903	3.7
94-95	0.206096	13,449	2,772	12,063	45,900	3.4
95-96	0.225433	10,677	2,407	9,474	33,837	3.2
96-97	0.245617	8,270	2,031	7,254	24,364	2.9
97-98	0.266516	6,239	1,663	5,407	17,109	2.7
98-99	0.287978	4,576	1,318	3,917	11,702	2.6
99-100	0.309829	3,258	1,010	2,754	7,785	2.4
100 and over	1.000000	2,249	2,249	5,031	5,031	2.2

Table 7. Life table for the black population: United States, 2006

					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
0-1	0.013373	100,000	1,337	98,818	7,343,018	73.4
1-2	0.000725	98,663	72	98,627	7,244,200	73.4
2-3	0.000493	98,591	49	98,567	7,145,573	72.5
3-4	0.000317	98,543	31	98,527	7,047,007	71.5
4-5	0.000266	98,511	26	98,498	6,948,480	70.5
5-6	0.000251	98,485	25	98,473	6,849,981	69.6
6-7	0.000225	98,460	22	98,449	6,751,509	68.6
7-8	0.000201	98,438	20	98,428	6,653,059	67.6
8-9	0.000173	98,418	17	98,410	6,554,631	66.6
9-10	0.000141	98,401	14	98,395	6,456,221	65.6
10-11	0.000118	98,388	12	98,382	6,357,826	64.6
11-12	0.000120	98,376	12	98,370	6,259,445	63.6
12-13	0.000165	98,364	16	98,356	6,161,075	62.6
13-14	0.000263	98,348	26	98,335	6,062,719	61.6
14-15	0.000398	98,322	39	98,303	5,964,384	60.7
15-16	0.000547	98,283	54	98,256	5,866,081	59.7
16-17	0.000688	98,229	68	98,195	5,767,825	58.7
17-18	0.000825	98,162	81	98,121	5,669,630	57.8
18-19	0.000953	98,081	93	98,034	5,571,508	56.8
19-20	0.001076	97,987	105	97,934	5,473,475	55.9
20-21	0.001213	97,882	119	97,822	5,375,540	54.9
21-22	0.001356	97,763	133	97,697	5,277,718	54.0
22-23	0.001475	97,630	144	97,558	5,180,021	53.1
23-24	0.001552	97,486	151	97,411	5,082,463	52.1
24-25	0.001595	97,335	155	97,257	4,985,052	51.2
25-26	0.001628	97,180	158	97,101	4,887,795	50.3
26-27	0.001666	97,022	162	96,941	4,790,694	49.4
27-28	0.001700	96,860	165	96,778	4,693,753	48.5
28-29	0.001734	96,695	168	96,611	4,596,976	47.5
29-30	0.001771	96,528	171	96,442	4,500,364	46.6
30-31	0.001813	96,357	175	96,269	4,403,922	45.7
31-32	0.001862	96,182	179	96,092	4,307,653	44.8
32-33	0.001955	96,003	188	95,909	4,211,560	43.9
33-34	0.002002	95,815	192	95,719	4,115,651	43.0
34-35	0.002095	95,623	200	95,523	4,019,932	42.0
35-36	0.002200	95,423	210	95,318	3,924,408	41.1
		•				
36-37	0.002322	95,213	221	95,103	3,829,090	40.2
36-37 37-38		95,213 94,992	221 235	95,103 94,875	3,829,090 3,733,988	40.2 39.3
	0.002322					

Table 7. Life table for the black population: United States, 2006

					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
40-41	0.003103	94,234	292	94,087	3,450,112	36.6
41-42	0.003348	93,941	315	93,784	3,356,025	35.7
42-43	0.003633	93,627	340	93,457	3,262,241	34.8
43-44	0.003969	93,287	370	93,101	3,168,784	34.0
44-45	0.004348	92,916	404	92,714	3,075,683	33.1
45-46	0.004746	92,512	439	92,293	2,982,968	32.2
46-47	0.005160	92,073	475	91,836	2,890,675	31.4
47-48	0.005619	91,598	515	91,341	2,798,840	30.6
48-49	0.006138	91,083	559	90,804	2,707,499	29.7
49-50	0.006716	90,524	608	90,220	2,616,695	28.9
50-51	0.007354	89,916	661	89,586	2,526,475	28.1
51-52	0.008026	89,255	716	88,897	2,436,889	27.3
52-53	0.008697	88,539	770	88,154	2,347,992	26.5
53-54	0.009330	87,769	819	87,359	2,259,838	25.7
54-55	0.009929	86,950	863	86,518	2,172,479	25.0
55-56	0.010545	86,087	908	85,633	2,085,960	24.2
56-57	0.011207	85,179	955	84,702	2,000,328	23.5
57-58	0.011897	84,224	1,002	83,723	1,915,626	22.7
58-59	0.012653	83,222	1,053	82,696	1,831,903	22.0
59-60	0.013516	82,169	1,111	81,614	1,749,207	21.3
60-61	0.014536	81,059	1,178	80,469	1,667,593	20.6
61-62	0.015711	79,880	1,255	79,253	1,587,124	19.9
62-63	0.016969	78,625	1,334	77,958	1,507,871	19.2
63-64	0.018173	77,291	1,405	76,589	1,429,913	18.5
64-65	0.019278	75,886	1,463	75,155	1,353,324	17.8
65-66	0.020349	74,424	1,514	73,666	1,278,169	17.2
66-67	0.021556	72,909	1,572	72,123	1,204,503	16.5
67-68	0.022977	71,337	1,639	70,518	1,132,380	15.9
68-69	0.024628	69,698	1,717	68,840	1,061,862	15.2
69-70	0.026532	67,982	1,804	67,080	993,022	14.6
70-71	0.028598	66,178	1,893	65,232	925,942	14.0
71-72	0.030721	64,286	1,975	63,298	860,710	13.4
72-73	0.033128	62,311	2,064	61,278	797,412	12.8
73-74	0.035818	60,246	2,158	59,167	736,133	12.2
74-75	0.038611	58,088	2,243	56,967	676,966	11.7
75-76		55,846	2,331	54,680	619,999	11.1
	0.041734	33,040				
76-77	0.041734	53,515	2,418	52,306	565,319	10.6
76-77 77-78			2,418		565,319 513,013	10.6 10.0
	0.045184	53,515		52,306		

Table 7. Life table for the black population: United States, 2006

Table 7. Life table i	or the black po	pulation. Onli	.cu States, 2000	,	Г	
					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
80-81	0.064032	43,352	2,776	41,964	371,151	8.6
81-82	0.070117	40,576	2,845	39,154	329,187	8.1
82-83	0.076786	37,731	2,897	36,282	290,033	7.7
83-84	0.083152	34,834	2,897	33,386	253,751	7.3
84-85	0.089965	31,937	2,873	30,501	220,365	6.9
85-86	0.097244	29,064	2,826	27,651	189,865	6.5
86-87	0.105004	26,238	2,755	24,860	162,214	6.2
87-88	0.113260	23,483	2,660	22,153	137,353	5.8
88-89	0.122024	20,823	2,541	19,553	115,201	5.5
89-90	0.131306	18,282	2,401	17,082	95,648	5.2
90-91	0.141110	15,882	2,241	14,761	78,566	4.9
91-92	0.151440	13,641	2,066	12,608	63,805	4.7
92-93	0.162292	11,575	1,879	10,636	51,197	4.4
93-94	0.173660	9,696	1,684	8,854	40,562	4.2
94-95	0.185531	8,012	1,487	7,269	31,707	4.0
95-96	0.197887	6,526	1,291	5,880	24,438	3.7
96-97	0.210707	5,235	1,103	4,683	18,558	3.5
97-98	0.223960	4,132	925	3,669	13,875	3.4
98-99	0.237612	3,206	762	2,825	10,206	3.2
99-100	0.251624	2,444	615	2,137	7,381	3.0
100 and over	1.000000	1,829	1,829	5,244	5,244	2.9

Table 8. Life table for black males: United States, 2006

Table 8. Life table			-		Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
0-1	0.014477	100,000	1,448	98,722	6,989,844	69.9
1-2	0.000812	98,552	80	98,512	6,891,123	69.9
2-3	0.000485	98,472	48	98,448	6,792,610	69.0
3-4	0.000385	98,425	38	98,406	6,694,162	68.0
4-5	0.000279	98,387	27	98,373	6,595,756	67.0
5-6	0.000280	98,359	28	98,345	6,497,383	66.1
6-7	0.000265	98,332	26	98,319	6,399,038	65.1
7-8	0.000244	98,306	24	98,294	6,300,719	64.1
8-9	0.000203	98,282	20	98,272	6,202,426	63.1
9-10	0.000149	98,262	15	98,254	6,104,154	62.1
10-11	0.000102	98,247	10	98,242	6,005,900	61.1
11-12	0.000096	98,237	9	98,232	5,907,658	60.1
12-13	0.000167	98,228	16	98,219	5,809,425	59.1
13-14	0.000332	98,211	33	98,195	5,711,206	58.2
14-15	0.000564	98,179	55	98,151	5,613,011	57.2
15-16	0.000818	98,123	80	98,083	5,514,860	56.2
16-17	0.001056	98,043	104	97,991	5,416,777	55.2
17-18	0.001279	97,939	125	97,877	5,318,786	54.3
18-19	0.001481	97,814	145	97,742	5,220,910	53.4
19-20	0.001669	97,669	163	97,588	5,123,168	52.5
20-21	0.001875	97,506	183	97,415	5,025,580	51.5
21-22	0.002090	97,323	203	97,222	4,928,166	50.6
22-23	0.002270	97,120	220	97,010	4,830,944	49.7
23-24	0.002388	96,899	231	96,784	4,733,934	48.9
24-25	0.002453	96,668	237	96,550	4,637,150	48.0
25-26	0.002502	96,431	241	96,310	4,540,601	47.1
26-27	0.002553	96,190	246	96,067	4,444,291	46.2
27-28	0.002590	95,944	249	95,820	4,348,224	45.3
28-29	0.002615	95,696	250	95,571	4,252,404	44.4
29-30	0.002633	95,445	251	95,320	4,156,833	43.6
30-31	0.002647	95,194	252	95,068	4,061,513	42.7
31-32	0.002666	94,942	253	94,815	3,966,445	41.8
32-33	0.002769	94,689	262	94,558	3,871,630	40.9
33-34	0.002758	94,427	260	94,296	3,777,072	40.0
34-35	0.002837	94,166	267	94,033	3,682,776	39.1
35-36	0.002934	93,899	276	93,761	3,588,743	38.2
36-37	0.003051	93,624	286	93,481	3,494,982	37.3
37-38	0.003198	93,338	299	93,189	3,401,501	36.4
38-39	0.003381	93,039	315	92,882	3,308,312	35.6
39-40	0.003599	92,725	334	92,558	3,215,430	34.7

Table 8. Life table for black males: United States, 2006

					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
40-41	0.003836	92,391	354	92,214	3,122,872	33.8
41-42	0.004102	92,037	378	91,848	3,030,658	32.9
42-43	0.004426	91,659	406	91,456	2,938,810	32.1
43-44	0.004822	91,253	440	91,033	2,847,354	31.2
44-45	0.005282	90,813	480	90,574	2,756,321	30.4
45-46	0.005763	90,334	521	90,073	2,665,747	29.5
46-47	0.006271	89,813	563	89,532	2,575,674	28.7
47-48	0.006870	89,250	613	88,943	2,486,142	27.9
48-49	0.007591	88,637	673	88,300	2,397,199	27.0
49-50	0.008425	87,964	741	87,593	2,308,899	26.2
50-51	0.009361	87,223	816	86,815	2,221,305	25.5
51-52	0.010338	86,406	893	85,960	2,134,490	24.7
52-53	0.011295	85,513	966	85,030	2,048,531	24.0
53-54	0.012158	84,547	1,028	84,033	1,963,500	23.2
54-55	0.012939	83,519	1,081	82,979	1,879,467	22.5
55-56	0.013732	82,439	1,132	81,873	1,796,488	21.8
56-57	0.014589	81,307	1,186	80,713	1,714,616	21.1
57-58	0.015478	80,120	1,240	79,500	1,633,902	20.4
58-59	0.016449	78,880	1,297	78,232	1,554,402	19.7
59-60	0.017555	77,583	1,362	76,902	1,476,170	19.0
60-61	0.018862	76,221	1,438	75,502	1,399,269	18.4
61-62	0.020362	74,783	1,523	74,022	1,323,767	17.7
62-63	0.021957	73,260	1,609	72,456	1,249,745	17.1
63-64	0.023460	71,652	1,681	70,811	1,177,289	16.4
64-65	0.024806	69,971	1,736	69,103	1,106,477	15.8
65-66	0.026069	68,235	1,779	67,346	1,037,374	15.2
66-67	0.027506	66,456	1,828	65,542	970,028	14.6
67-68	0.029270	64,628	1,892	63,683	904,486	14.0
68-69	0.031370	62,737	1,968	61,753	840,803	13.4
69-70	0.033816	60,769	2,055	59,741	779,051	12.8
70-71	0.036536	58,714	2,145	57,641	719,309	12.3
71-72	0.039266	56,569	2,221	55,458	661,668	11.7
72-73	0.042463	54,347	2,308	53,193	606,210	11.2
73-74	0.045975	52,040	2,393	50,843	553,017	10.6
74-75	0.049632	49,647	2,464	48,415	502,174	10.1
75-76	0.053846	47,183	2,541	45,913	453,759	9.6
76-77	0.058219	44,642	2,599	43,343	407,846	9.1
77-78	0.062474	42,043	2,627	40,730	364,503	8.7
78-79	0.067586	39,417	2,664	38,085	323,773	8.2
79-80	0.073742	36,753	2,710	35,398	285,688	7.8

Table 8. Life table for black males: United States, 2006

Table 6. Life table	TOT BIACK ITTAICS.	Office States	5, 2000			
					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
80-81	0.080582	34,042	2,743	32,671	250,291	7.4
81-82	0.088056	31,299	2,756	29,921	217,620	7.0
82-83	0.095842	28,543	2,736	27,175	187,699	6.6
83-84	0.103625	25,808	2,674	24,470	160,524	6.2
84-85	0.111917	23,133	2,589	21,839	136,053	5.9
85-86	0.120729	20,544	2,480	19,304	114,215	5.6
86-87	0.130072	18,064	2,350	16,889	94,910	5.3
87-88	0.139954	15,714	2,199	14,615	78,021	5.0
88-89	0.150375	13,515	2,032	12,499	63,407	4.7
89-90	0.161335	11,483	1,853	10,556	50,908	4.4
90-91	0.172826	9,630	1,664	8,798	40,351	4.2
91-92	0.184837	7,966	1,472	7,230	31,553	4.0
92-93	0.197348	6,493	1,281	5,853	24,324	3.7
93-94	0.210337	5,212	1,096	4,664	18,471	3.5
94-95	0.223773	4,116	921	3,655	13,807	3.4
95-96	0.237620	3,195	759	2,815	10,152	3.2
96-97	0.251837	2,436	613	2,129	7,337	3.0
97-98	0.266377	1,822	485	1,580	5,208	2.9
98-99	0.281186	1,337	376	1,149	3,628	2.7
99-100	0.296210	961	285	819	2,480	2.6
100 and over	1.000000	676	676	1,661	1,661	2.5

Table 9. Life table for black females: United States, 2006

					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
0-1	0.012227	100,000	1,223	98,917	7,667,282	76.7
1-2	0.000635	98,777	63	98,746	7,568,365	76.6
2-3	0.000501	98,715	49	98,690	7,469,619	75.7
3-4	0.000247	98,665	24	98,653	7,370,929	74.7
4-5	0.000252	98,641	25	98,628	7,272,276	73.7
5-6	0.000220	98,616	22	98,605	7,173,648	72.7
6-7	0.000184	98,594	18	98,585	7,075,043	71.8
7-8	0.000158	98,576	16	98,568	6,976,458	70.8
8-9	0.000141	98,561	14	98,554	6,877,889	69.8
9-10	0.000134	98,547	13	98,540	6,779,336	68.8
10-11	0.000135	98,534	13	98,527	6,680,796	67.8
11-12	0.000144	98,520	14	98,513	6,582,269	66.8
12-13	0.000163	98,506	16	98,498	6,483,756	65.8
13-14	0.000191	98,490	19	98,481	6,385,258	64.8
14-15	0.000226	98,471	22	98,460	6,286,777	63.8
15-16	0.000266	98,449	26	98,436	6,188,317	62.9
16-17	0.000309	98,423	30	98,408	6,089,881	61.9
17-18	0.000356	98,392	35	98,375	5,991,474	60.9
18-19	0.000409	98,357	40	98,337	5,893,099	59.9
19-20	0.000468	98,317	46	98,294	5,794,762	58.9
20-21	0.000537	98,271	53	98,245	5,696,468	58.0
21-22	0.000610	98,218	60	98,188	5,598,223	57.0
22-23	0.000676	98,158	66	98,125	5,500,034	56.0
23-24	0.000729	98,092	71	98,056	5,401,909	55.1
24-25	0.000769	98,021	75	97,983	5,303,853	54.1
25-26	0.000811	97,945	79	97,905	5,205,870	53.2
26-27	0.000859	97,866	84	97,824	5,107,965	52.2
27-28	0.000906	97,782	89	97,737	5,010,141	51.2
28-29	0.000955	97,693	93	97,646	4,912,403	50.3
29-30	0.001009	97,600	99	97,551	4,814,757	49.3
30-31	0.001073	97,501	105	97,449	4,717,207	48.4
31-32	0.001148	97,397	112	97,341	4,619,758	47.4
32-33	0.001243	97,285	121	97,224	4,522,417	46.5
33-34	0.001330	97,164	129	97,099	4,425,192	45.5
34-35	0.001436	97,035	139	96,965	4,328,093	44.6
35-36	0.001548	96,895	150	96,820	4,231,128	43.7
		06.745	163	96,664	4,134,308	42.7
36-37	0.001675	96,745	162	90,004	4,134,300	42.7
	0.001675 0.001829	96,745 96,583	162	96,495	4,134,308	41.8
36-37 37-38 38-39						

Table 9. Life table for black females: United States, 2006

Table 9. Life table	To: Sidek remain	.s. omicu stat	.03, 2000		Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
40-41	0.002452	95,997	235	95,880	3,748,735	39.1
41-42	0.002679	95,762	257	95,634	3,652,855	38.1
42-43	0.002930	95,505	280	95,366	3,557,221	37.2
43-44	0.003211	95,226	306	95,073	3,461,856	36.4
44-45	0.003519	94,920	334	94,753	3,366,783	35.5
45-46	0.003843	94,586	363	94,404	3,272,030	34.6
46-47	0.004173	94,222	393	94,026	3,177,626	33.7
47-48	0.004509	93,829	423	93,618	3,083,600	32.9
48-49	0.004852	93,406	453	93,180	2,989,983	32.0
49-50	0.005210	92,953	484	92,711	2,896,803	31.2
50-51	0.005595	92,469	517	92,210	2,804,092	30.3
51-52	0.006009	91,951	553	91,675	2,711,882	29.5
52-53	0.006443	91,399	589	91,104	2,620,207	28.7
53-54	0.006887	90,810	625	90,497	2,529,103	27.9
54-55	0.007340	90,184	662	89,853	2,438,606	27.0
55-56	0.007818	89,522	700	89,173	2,348,753	26.2
56-57	0.008327	88,823	740	88,453	2,259,580	25.4
57-58	0.008868	88,083	781	87,692	2,171,127	24.6
58-59	0.009466	87,302	826	86,889	2,083,435	23.9
59-60	0.010154	86,475	878	86,036	1,996,546	23.1
60-61	0.010976	85,597	940	85,128	1,910,510	22.3
61-62	0.011932	84,658	1,010	84,153	1,825,382	21.6
62-63	0.012966	83,648	1,085	83,105	1,741,230	20.8
63-64	0.013976	82,563	1,154	81,986	1,658,124	20.1
64-65	0.014927	81,409	1,215	80,802	1,576,138	19.4
65-66	0.015882	80,194	1,274	79,557	1,495,336	18.6
66-67	0.016942	78,920	1,337	78,252	1,415,779	17.9
67-68	0.018137	77,583	1,407	76,880	1,337,527	17.2
68-69	0.019501	76,176	1,486	75,433	1,260,648	16.5
69-70	0.021074	74,691	1,574	73,904	1,185,214	15.9
70-71	0.022748	73,117	1,663	72,285	1,111,310	15.2
71-72	0.024525	71,453	1,752	70,577	1,039,025	14.5
72-73	0.026486	69,701	1,846	68,778	968,448	13.9
73-74	0.028747	67,855	1,951	66,880	899,670	13.3
74-75	0.031148	65,904	2,053	64,878	832,791	12.6
75-76	0.033775	63,851	2,157	62,773	767,913	12.0
76-77	0.036858	61,695	2,274	60,558	705,140	11.4
77-78	0.040245	59,421	2,391	58,225	644,582	10.8
78-79	0.044297	57,030	2,526	55,766	586,357	10.3
79-80	0.049145	54,503	2,679	53,164	530,590	9.7

Table 9. Life table for black females: United States, 2006

Table 3. Life table	IOI DIACK ICIIIAIC	s. Officed Stat	.63, 2000			
					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
80-81	0.054729	51,825	2,836	50,407	477,426	9.2
81-82	0.060358	48,988	2,957	47,510	427,020	8.7
82-83	0.066206	46,032	3,048	44,508	379,510	8.2
83-84	0.072319	42,984	3,109	41,430	335,002	7.8
84-85	0.078923	39,875	3,147	38,302	293,572	7.4
85-86	0.086042	36,728	3,160	35,148	255,270	7.0
86-87	0.093701	33,568	3,145	31,995	220,122	6.6
87-88	0.101922	30,423	3,101	28,872	188,127	6.2
88-89	0.110725	27,322	3,025	25,809	159,254	5.8
89-90	0.120126	24,297	2,919	22,837	133,445	5.5
90-91	0.130139	21,378	2,782	19,987	110,607	5.2
91-92	0.140772	18,596	2,618	17,287	90,620	4.9
92-93	0.152027	15,978	2,429	14,764	73,333	4.6
93-94	0.163901	13,549	2,221	12,439	58,570	4.3
94-95	0.176385	11,328	1,998	10,329	46,131	4.1
95-96	0.189462	9,330	1,768	8,446	35,801	3.8
96-97	0.203107	7,562	1,536	6,794	27,355	3.6
97-98	0.217286	6,026	1,309	5,372	20,561	3.4
98-99	0.231961	4,717	1,094	4,170	15,189	3.2
99-100	0.247081	3,623	895	3,175	11,019	3.0
100 and over	1.000000	2,728	2,728	7,844	7,844	2.9

Table 10. Life table for the Hispanic population: United States, 2006

	Tor the mapan	ic population.	United States,	2000	Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	_	ages x to x+1	ages x to x+1		
Λαο		age x I(x)	d(x)	L(x)	age x T(x)	at age x e(x)
Age 0-1	q(x) 0.005446	100,000	545	99,521	8,034,463	80.3
1-2	0.003440	99,455	38	99,436	7,934,943	79.8
2-3	0.000383	99,417	28	99,403	7,835,506	73.8 78.8
3-4	0.000204	99,389	20	99,379	7,736,103	73.8 77.8
4-5	0.000130	99,369	18	99,360	7,730,103	77.8 76.9
5-6	0.000184	99,351	15	99,344	7,537,364	75.9
6-7	0.000143	99,336	13	99,330	7,438,020	73.5 74.9
7-8	0.000131	99,323	12	99,317	7,438,620	73.9
8-9	0.000117	99,312	10	99,306	7,338,031	73.9 72.9
9-10	0.000103	99,301	9	99,297	7,239,373 7,140,067	72.9
10-11	0.000031	99,292	8	99,288	7,140,007	70.9
11-12	0.000094	99,284	9	99,279	6,941,482	69.9
12-13	0.000129	99,275	13	99,268	6,842,203	68.9
13-14	0.000126	99,262	19	99,252	6,742,935	67.9
14-15	0.000289	99,242	29	99,228	6,643,683	66.9
15-16	0.000395	99,214	39	99,194	6,544,455	66.0
16-17	0.000498	99,174	49	99,150	6,445,261	65.0
17-18	0.000594	99,125	59	99,096	6,346,111	64.0
18-19	0.000674	99,066	67	99,033	6,247,015	63.1
19-20	0.000736	98,999	73	98,963	6,147,983	62.1
20-21	0.000798	98,926	79	98,887	6,049,020	61.1
21-22	0.000857	98,847	85	98,805	5,950,133	60.2
22-23	0.000893	98,763	88	98,719	5,851,328	59.2
23-24	0.000899	98,675	89	98,630	5,752,609	58.3
24-25	0.000884	98,586	87	98,542	5,653,979	57.4
25-26	0.000861	98,499	85	98,456	5,555,436	56.4
26-27	0.000842	98,414	83	98,373	5,456,980	55.4
27-28	0.000828	98,331	81	98,290	5,358,608	54.5
28-29	0.000824	98,250	81	98,209	5,260,317	53.5
29-30	0.000829	98,169	81	98,128	5,162,108	52.6
30-31	0.000837	98,087	82	98,046	5,063,980	51.6
31-32	0.000847	98,005	83	97,964	4,965,934	50.7
32-33	0.000868	97,922	85	97,880	4,867,970	49.7
33-34	0.000909	97,837	89	97,793	4,770,090	48.8
34-35	0.000963	97,748	94	97,701	4,672,297	47.8
35-36	0.001025	97,654	100	97,604	4,574,596	46.8
36-37	0.001095	97,554	107	97,501	4,476,992	45.9
37-38	0.001180	97,447	115	97,390	4,379,491	44.9
38-39	0.001279	97,332	125	97,270	4,282,101	44.0
39-40	0.001393	97,208	135	97,140	4,184,831	43.1

Table 10. Life table for the Hispanic population: United States, 2006

Table 10. Life table	tor the Hispan	ic population:	United States,	2006		
					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
40-41	0.001518	97,072	147	96,999	4,087,691	42.1
41-42	0.001651	96,925	160	96,845	3,990,692	41.2
42-43	0.001792	96,765	173	96,678	3,893,847	40.2
43-44	0.001941	96,592	188	96,498	3,797,169	39.3
44-45	0.002100	96,404	202	96,303	3,700,671	38.4
45-46	0.002272	96,202	219	96,092	3,604,368	37.5
46-47	0.002459	95,983	236	95,865	3,508,276	36.6
47-48	0.002667	95,747	255	95,619	3,412,411	35.6
48-49	0.002901	95,492	277	95,353	3,316,792	34.7
49-50	0.003160	95,215	301	95,064	3,221,438	33.8
50-51	0.003449	94,914	327	94,750	3,126,374	32.9
51-52	0.003759	94,586	356	94,409	3,031,624	32.1
52-53	0.004069	94,231	383	94,039	2,937,216	31.2
53-54	0.004360	93,847	409	93,643	2,843,176	30.3
54-55	0.004637	93,438	433	93,222	2,749,534	29.4
55-56	0.004923	93,005	458	92,776	2,656,312	28.6
56-57	0.005240	92,547	485	92,305	2,563,536	27.7
57-58	0.005588	92,062	514	91,805	2,471,231	26.8
58-59	0.005990	91,548	548	91,274	2,379,426	26.0
59-60	0.006462	90,999	588	90,705	2,288,153	25.1
60-61	0.007010	90,411	634	90,094	2,197,447	24.3
61-62	0.007638	89,778	686	89,435	2,107,353	23.5
62-63	0.008360	89,092	745	88,719	2,017,918	22.6
63-64	0.009157	88,347	809	87,943	1,929,199	21.8
64-65	0.010011	87,538	876	87,100	1,841,256	21.0
65-66	0.010931	86,662	947	86,188	1,754,156	20.2
66-67	0.011943	85,714	1,024	85,203	1,667,968	19.5
67-68	0.013054	84,691	1,106	84,138	1,582,766	18.7
68-69	0.014293	83,585	1,195	82,988	1,498,628	17.9
69-70	0.015672	82,390	1,291	81,745	1,415,640	17.2
70-71	0.017144	81,099	1,390	80,404	1,333,896	16.4
71-72	0.018722	79,709	1,492	78,963	1,253,492	15.7
72-73	0.020499	78,217	1,603	77,415	1,174,529	15.0
73-74	0.022518	76,613	1,725	75,751	1,097,114	14.3
74-75	0.024758	74,888	1,854	73,961	1,021,363	13.6
75-76	0.027105	73,034	1,980	72,044	947,403	13.0
76-77	0.029535	71,054	2,099	70,005	875,358	12.3
77-78	0.032327	68,956	2,229	67,841	805,353	11.7
78-79	0.035603	66,727	2,376	65,539	737,512	11.1
79-80	0.039407	64,351	2,536	63,083	671,974	10.4

Table 10. Life table for the Hispanic population: United States, 2006

	Tor the mopun	• •			Total	
	5 1 110			6	Total	
	Probablity	_	Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
80-81	0.043738	61,815	2,704	60,463	608,891	9.9
81-82	0.048498	59,111	2,867	57,678	548,427	9.3
82-83	0.053553	56,245	3,012	54,739	490,749	8.7
83-84	0.059025	53,233	3,142	51,661	436,011	8.2
84-85	0.065445	50,090	3,278	48,451	384,349	7.7
85-86	0.073720	46,812	3,451	45,087	335,898	7.2
86-87	0.082253	43,361	3,567	41,578	290,811	6.7
87-88	0.091606	39,795	3,645	37,972	249,233	6.3
88-89	0.101821	36,149	3,681	34,309	211,261	5.8
89-90	0.112930	32,469	3,667	30,635	176,952	5.4
90-91	0.124956	28,802	3,599	27,002	146,317	5.1
91-92	0.137913	25,203	3,476	23,465	119,315	4.7
92-93	0.151799	21,727	3,298	20,078	95,850	4.4
93-94	0.166596	18,429	3,070	16,894	75,772	4.1
94-95	0.182270	15,359	2,799	13,959	58,878	3.8
95-96	0.198767	12,559	2,496	11,311	44,919	3.6
96-97	0.216014	10,063	2,174	8,976	33,608	3.3
97-98	0.233919	7,889	1,845	6,966	24,632	3.1
98-99	0.252372	6,044	1,525	5,281	17,665	2.9
99-100	0.271247	4,518	1,226	3,906	12,384	2.7
100 and over	1.000000	3,293	3,293	8,479	8,479	2.6

Table 11. Life table for Hispanic males: United States, 2006

					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
0-1	0.005897	100,000	590	99,482	7,750,993	77.5
1-2	0.000390	99,410	39	99,391	7,651,510	77.0
2-3	0.000330	99,372	33	99,355	7,552,119	76.0
3-4	0.000214	99,339	21	99,328	7,452,764	75.0
4-5	0.000214	99,318	21	99,307	7,353,436	74.0
5-6	0.000172	99,296	17	99,288	7,254,129	73.1
6-7	0.000156	99,279	15	99,271	7,154,841	72.1
7-8	0.000140	99,264	14	99,257	7,055,570	71.1
8-9	0.000118	99,250	12	99,244	6,956,313	70.1
9-10	0.000092	99,238	9	99,234	6,857,069	69.1
10-11	0.000074	99,229	7	99,225	6,757,835	68.1
11-12	0.000080	99,222	8	99,218	6,658,610	67.1
12-13	0.000132	99,214	13	99,207	6,559,392	66.1
13-14	0.000242	99,201	24	99,189	6,460,185	65.1
14-15	0.000397	99,177	39	99,157	6,360,996	64.1
15-16	0.000571	99,137	57	99,109	6,261,839	63.2
16-17	0.000738	99,081	73	99,044	6,162,730	62.2
17-18	0.000892	99,008	88	98,963	6,063,686	61.2
18-19	0.001017	98,919	101	98,869	5,964,723	60.3
19-20	0.001113	98,819	110	98,764	5,865,854	59.4
20-21	0.001206	98,709	119	98,649	5,767,090	58.4
21-22	0.001292	98,590	127	98,526	5,668,441	57.5
22-23	0.001345	98,462	132	98,396	5,569,915	56.6
23-24	0.001356	98,330	133	98,263	5,471,519	55.6
24-25	0.001338	98,196	131	98,131	5,373,256	54.7
25-26	0.001308	98,065	128	98,001	5,275,125	53.8
26-27	0.001281	97,937	125	97,874	5,177,124	52.9
27-28	0.001259	97,811	123	97,750	5,079,250	51.9
28-29	0.001250	97,688	122	97,627	4,981,501	51.0
29-30	0.001251	97,566	122	97,505	4,883,873	50.1
30-31	0.001254	97,444	122	97,383	4,786,368	49.1
31-32	0.001260	97,322	123	97,260	4,688,986	48.2
32-33	0.001280	97,199	124	97,137	4,591,725	47.2
33-34	0.001317	97,075	128	97,011	4,494,588	46.3
34-35	0.001371	96,947	133	96,880	4,397,577	45.4
35-36	0.001431	96,814	139	96,745	4,300,697	44.4
36-37	0.001503	96,675	145	96,603	4,203,952	43.5
37-38	0.001602	96,530	155	96,453	4,107,349	42.5
38-39	0.001736	96,376	167	96,292	4,010,896	41.6
39-40	0.001897	96,208	183	96,117	3,914,604	40.7

Table 11. Life table for Hispanic males: United States, 2006

Table 11. Life table	TOT HISPAINE III	ares. United 3	tates, 2000		Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
		· ·				
Λαο	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x T(x)	at age x
Age 40-41	q(x) 0.002082	96,026	d(x) 200	L(x) 95,926	3,818,488	e(x) 39.8
41-42	0.002082	95,826	200	95,926 95,717	3,722,562	38.8
42-43	0.002272	95,608	235	95,491	3,626,845	36.6 37.9
43-44	0.002434	95,374	250 250	95,491	3,531,354	37.9 37.0
44-45	0.002617	95,374 95,124	250 264	•		36.1
45-46	0.002772	95,124	278	94,992 94,721	3,436,105 3,341,113	35.2
46-47	0.002932		278	94,721		34.3
47-48	0.003118	94,582 94,287	316	94,433	3,246,392 3,151,957	34.5 33.4
48-49	0.003546	94,287	342	94,129		33. 4 32.5
		-		•	3,057,828 2,964,027	
49-50 50-51	0.003984 0.004378	93,630 93,257	373 408	93,443 93,053	2,964,027 2,870,584	31.7 30.8
51-52	0.004378	92,849	406 446	92,626	2,870,384	29.9
52-53	0.004733	92,403	483	92,020	2,684,905	29.9
53-54	0.005252	91,920	520	91,660	2,592,744	28.2
54-55	0.003032	91,400	554	91,000	2,592,744	26.2 27.4
55-56	0.006493	90,846	590	90,551	2,409,961	26.5
56-57	0.006965	90,846	629	89,942	2,409,901	25.7
57-58	0.000903	89,628	668	89,294	2,219,410	24.9
58-59	0.007448	88,960	707	88,607	2,229,408	24.9
59-60	0.007930	88,253	757 750	87,878		23.2
60-61	0.008497	87,503	750 797	87,878 87,104	2,051,567 1,963,689	23.2 22.4
61-62	0.009110	86,706	852	86,280	1,876,585	21.6
62-63	0.009823	85,854	916	85,396		20.9
63-64	0.010672		910	84,443	1,790,305 1,704,909	20.9
64-65	0.011636	84,938 83,948	1,070	83,413	1,704,909	19.3
65-66	0.012740	82,878	1,153	82,301	1,537,053	18.5
66-67	0.015913	81,725	1,133	81,105	1,454,752	17.8
67-68	0.015173	81,725	1,332	79,819	1,373,647	17.8
68-69	0.010348	79,153	1,431	79,819 78,437	1,293,828	16.3
69-70	0.018081	77,722	1,538	76, 4 57 76,953	1,215,391	15.6
70-71	0.013731	76,184	1,648	75,360	1,138,438	14.9
71-72	0.021033	74,536	1,759	73,656	1,063,079	14.3
72-73	0.025390	74,330 72,777	1,739 1,874	73,030	989,422	13.6
73-74	0.023748	70,903	1,993	69,907	917,583	12.9
74-75	0.028103	68,910	2,112	67,855	917,585 847,676	12.3
75-76	0.030043	66,799	2,112	65,688	779,821	11.7
76-77	0.035249	64,578	2,329	63,413	714,133	11.7
77-78	0.030059	62,249	2,456	61,021	650,720	10.5
78-79	0.039430	59,793	2,430	58,491	589,699	9.9
79-80	0.043546	59,793 57,190			531,207	9.9
13-00	0.046400	37,130	2,768	55,806	331,207	9.5

Table 11. Life table for Hispanic males: United States, 2006

Table 11. Life table	. Tot Thispanic in	aics. Offica 5	tates, 2000			1
					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
80-81	0.054113	54,422	2,945	52,949	475,402	8.7
81-82	0.060412	51,477	3,110	49,922	422,452	8.2
82-83	0.066691	48,367	3,226	46,754	372,531	7.7
83-84	0.073203	45,141	3,304	43,489	325,777	7.2
84-85	0.081532	41,837	3,411	40,131	282,288	6.7
85-86	0.090791	38,426	3,489	36,681	242,156	6.3
86-87	0.100906	34,937	3,525	33,174	205,475	5.9
87-88	0.111910	31,412	3,515	29,654	172,301	5.5
88-89	0.123829	27,896	3,454	26,169	142,647	5.1
89-90	0.136678	24,442	3,341	22,772	116,477	4.8
90-91	0.150458	21,101	3,175	19,514	93,706	4.4
91-92	0.165154	17,926	2,961	16,446	74,192	4.1
92-93	0.180735	14,966	2,705	13,613	57,746	3.9
93-94	0.197151	12,261	2,417	11,052	44,132	3.6
94-95	0.214334	9,844	2,110	8,789	33,080	3.4
95-96	0.232195	7,734	1,796	6,836	24,291	3.1
96-97	0.250627	5,938	1,488	5,194	17,455	2.9
97-98	0.269510	4,450	1,199	3,850	12,261	2.8
98-99	0.288706	3,251	938	2,781	8,411	2.6
99-100	0.308072	2,312	712	1,956	5,629	2.4
100 and over	1.000000	1,600	1,600	3,673	3,673	2.3

Table 12. Life table for Hispanic females: United States, 2006

Table 12. Life table	tor Hispanic te	maies: United	States, 2006	T		ı
					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
0-1	0.004974	100,000	497	99,561	8,293,099	82.9
1-2	0.000380	99,503	38	99,484	8,193,538	82.3
2-3	0.000237	99,465	24	99,453	8,094,054	81.4
3-4	0.000178	99,441	18	99,432	7,994,601	80.4
4-5	0.000153	99,423	15	99,416	7,895,169	79.4
5-6	0.000126	99,408	12	99,402	7,795,753	78.4
6-7	0.000106	99,396	11	99,391	7,696,351	77.4
7-8	0.000094	99,385	9	99,381	7,596,960	76.4
8-9	0.000088	99,376	9	99,372	7,497,580	75.4
9-10	0.000089	99,367	9	99,363	7,398,208	74.5
10-11	0.000096	99,358	10	99,354	7,298,845	73.5
11-12	0.000108	99,349	11	99,343	7,199,492	72.5
12-13	0.000125	99,338	12	99,332	7,100,148	71.5
13-14	0.000148	99,326	15	99,318	7,000,817	70.5
14-15	0.000175	99,311	17	99,302	6,901,498	69.5
15-16	0.000208	99,294	21	99,283	6,802,196	68.5
16-17	0.000241	99,273	24	99,261	6,702,913	67.5
17-18	0.000271	99,249	27	99,236	6,603,652	66.5
18-19	0.000294	99,222	29	99,208	6,504,416	65.6
19-20	0.000311	99,193	31	99,178	6,405,208	64.6
20-21	0.000329	99,162	33	99,146	6,306,031	63.6
21-22	0.000347	99,130	34	99,112	6,206,885	62.6
22-23	0.000358	99,095	35	99,077	6,107,772	61.6
23-24	0.000359	99,060	36	99,042	6,008,695	60.7
24-25	0.000355	99,024	35	99,007	5,909,653	59.7
25-26	0.000350	98,989	35	98,972	5,810,647	58.7
26-27	0.000347	98,954	34	98,937	5,711,675	57.7
27-28	0.000348	98,920	34	98,903	5,612,738	56.7
28-29	0.000355	98,886	35	98,868	5,513,835	55.8
29-30	0.000367	98,850	36	98,832	5,414,967	54.8
30-31	0.000380	98,814	38	98,795	5,316,135	53.8
31-32	0.000398	98,777	39	98,757	5,217,339	52.8
32-33	0.000425	98,737	42	98,716	5,118,582	51.8
33-34	0.000470	98,695	46	98,672	5,019,866	50.9
34-35	0.000525	98,649	52	98,623	4,921,194	49.9
35-36	0.000591	98,597	58	98,568	4,822,571	48.9
36-37	0.000660	98,539	65	98,506	4,724,003	47.9
37-38	0.000730	98,474	72	98,438	4,625,496	47.0
38-39	0.000794	98,402	78	98,363	4,527,058	46.0
39-40	0.000858	98,324	84	98,282	4,428,695	45.0

Table 12. Life table for Hispanic females: United States, 2006

Probablity of dying between ages x to x+1 Number ages x to x+1 Number between ages x to x+1 Person-years between ages x to x+1 number of person-years between ages x to x+1 age x 40-41 0.000992 98,240 91 98,194 4,330,414 4,330,414 4,330,414 4,330,414 4,330,414 4,330,414 4,330,414 4,341,119 4,341,119 4,341,119 4,341,119 4,341,119 4,341,119 4,341,119 4,341,119 4,341,119 4,341,119 4,341,119 4,341,119 4,341,119 4,341,119 4,341,119 4,341,119 4,341,119 4,341,119 4,	Expectation of life at age x e(x) 44.1 43.1 42.2
between ages x to x+1 surviving to ages x to x+1 between ages x to x+1 between ages x to x+1 lived above ages x to x+1 Age q(x) l(x) d(x) L(x) T(x) 40-41 0.000922 98,240 91 98,194 4,330,414 41-42 0.000997 98,149 98 98,100 4,232,219 42-43 0.001099 98,051 108 97,997 4,134,119 43-44 0.001237 97,943 121 97,883 4,036,122 44-45 0.001405 97,822 137 97,754 3,938,239 45-46 0.001595 97,685 156 97,607 3,840,486 46-47 0.001789 97,529 174 97,442 3,742,879 47-48 0.001982 97,355 193 97,258 3,645,437 48-49 0.002166 97,162 210 97,056 3,548,179 49-50 0.002342 96,951 227 96,838 3,451,123 50-51	of life at age x e(x) 44.1 43.1
between ages x to x+1 surviving to ages x to x+1 between ages x to x+1 between ages x to x+1 lived above ages x to x+1 Age q(x) l(x) d(x) L(x) T(x) 40-41 0.000922 98,240 91 98,194 4,330,414 41-42 0.000997 98,149 98 98,100 4,232,219 42-43 0.001099 98,051 108 97,997 4,134,119 43-44 0.001237 97,943 121 97,883 4,036,122 44-45 0.001405 97,822 137 97,754 3,938,239 45-46 0.001595 97,685 156 97,607 3,840,486 46-47 0.001789 97,529 174 97,442 3,742,879 47-48 0.001982 97,355 193 97,258 3,645,437 48-49 0.002166 97,162 210 97,056 3,548,179 49-50 0.002342 96,951 227 96,838 3,451,123 50-51	of life at age x e(x) 44.1 43.1
Age age x to x+1 age x ages x to x+1 ages x to x+1 age x ages x to x+1 ages x to x+1 age x ages x to x+1 ages x to x+1 age x ages x to x+1 ages x to x+1 age x ages x to x+1 ages x to x+1 age x ages x to x+1 ages x to x+1 age x ages x to x+1 ages x to x+1 age x ages x to x+1 ages x to x+1 </td <td>e(x) 44.1 43.1</td>	e(x) 44.1 43.1
Age q(x) I(x) d(x) L(x) T(x) 40-41 0.000922 98,240 91 98,194 4,330,414 41-42 0.000997 98,149 98 98,100 4,232,219 42-43 0.001099 98,051 108 97,997 4,134,119 43-44 0.001237 97,943 121 97,883 4,036,122 44-45 0.001405 97,822 137 97,754 3,938,239 45-46 0.001595 97,685 156 97,607 3,840,486 46-47 0.001789 97,529 174 97,442 3,742,879 47-48 0.001982 97,355 193 97,258 3,645,437 48-49 0.002166 97,162 210 97,056 3,548,179 49-50 0.002342 96,951 227 96,838 3,451,123 50-51 0.002536 96,724 245 96,601 3,354,285	e(x) 44.1 43.1
40-41 0.000922 98,240 91 98,194 4,330,414 41-42 0.000997 98,149 98 98,100 4,232,219 42-43 0.001099 98,051 108 97,997 4,134,119 43-44 0.001237 97,943 121 97,883 4,036,122 44-45 0.001405 97,822 137 97,754 3,938,239 45-46 0.001595 97,685 156 97,607 3,840,486 46-47 0.001789 97,529 174 97,442 3,742,879 47-48 0.001982 97,355 193 97,258 3,645,437 48-49 0.002166 97,162 210 97,056 3,548,179 49-50 0.002342 96,951 227 96,838 3,451,123 50-51 0.002536 96,724 245 96,601 3,354,285	44.1 43.1
41-42 0.000997 98,149 98 98,100 4,232,219 42-43 0.001099 98,051 108 97,997 4,134,119 43-44 0.001237 97,943 121 97,883 4,036,122 44-45 0.001405 97,822 137 97,754 3,938,239 45-46 0.001595 97,685 156 97,607 3,840,486 46-47 0.001789 97,529 174 97,442 3,742,879 47-48 0.001982 97,355 193 97,258 3,645,437 48-49 0.002166 97,162 210 97,056 3,548,179 49-50 0.002342 96,951 227 96,838 3,451,123 50-51 0.002536 96,724 245 96,601 3,354,285	
43-44 0.001237 97,943 121 97,883 4,036,122 44-45 0.001405 97,822 137 97,754 3,938,239 45-46 0.001595 97,685 156 97,607 3,840,486 46-47 0.001789 97,529 174 97,442 3,742,879 47-48 0.001982 97,355 193 97,258 3,645,437 48-49 0.002166 97,162 210 97,056 3,548,179 49-50 0.002342 96,951 227 96,838 3,451,123 50-51 0.002536 96,724 245 96,601 3,354,285	42.2
44-45 0.001405 97,822 137 97,754 3,938,239 45-46 0.001595 97,685 156 97,607 3,840,486 46-47 0.001789 97,529 174 97,442 3,742,879 47-48 0.001982 97,355 193 97,258 3,645,437 48-49 0.002166 97,162 210 97,056 3,548,179 49-50 0.002342 96,951 227 96,838 3,451,123 50-51 0.002536 96,724 245 96,601 3,354,285	
45-46 0.001595 97,685 156 97,607 3,840,486 46-47 0.001789 97,529 174 97,442 3,742,879 47-48 0.001982 97,355 193 97,258 3,645,437 48-49 0.002166 97,162 210 97,056 3,548,179 49-50 0.002342 96,951 227 96,838 3,451,123 50-51 0.002536 96,724 245 96,601 3,354,285	41.2
46-47 0.001789 97,529 174 97,442 3,742,879 47-48 0.001982 97,355 193 97,258 3,645,437 48-49 0.002166 97,162 210 97,056 3,548,179 49-50 0.002342 96,951 227 96,838 3,451,123 50-51 0.002536 96,724 245 96,601 3,354,285	40.3
47-48 0.001982 97,355 193 97,258 3,645,437 48-49 0.002166 97,162 210 97,056 3,548,179 49-50 0.002342 96,951 227 96,838 3,451,123 50-51 0.002536 96,724 245 96,601 3,354,285	39.3
48-49 0.002166 97,162 210 97,056 3,548,179 49-50 0.002342 96,951 227 96,838 3,451,123 50-51 0.002536 96,724 245 96,601 3,354,285	38.4
49-50 0.002342 96,951 227 96,838 3,451,123 50-51 0.002536 96,724 245 96,601 3,354,285	37.4
50-51 0.002536 96,724 245 96,601 3,354,285	36.5
	35.6
	34.7
51-52 0.002748 96,479 265 96,346 3,257,684	33.8
52-53 0.002950 96,214 284 96,072 3,161,337	32.9
53-54 0.003126 95,930 300 95,780 3,065,266	32.0
54-55 0.003286 95,630 314 95,473 2,969,486	31.1
55-56 0.003442 95,316 328 95,152 2,874,013	30.2
56-57 0.003624 94,988 344 94,815 2,778,861	29.3
57-58 0.003862 94,643 366 94,461 2,684,046	28.4
58-59 0.004190 94,278 395 94,080 2,589,585	27.5
59-60 0.004617 93,883 433 93,666 2,495,505	26.6
60-61 0.005131 93,449 480 93,210 2,401,839	25.7
61-62 0.005713 92,970 531 92,704 2,308,629	24.8
62-63 0.006352 92,439 587 92,145 2,215,925	24.0
63-64 0.007010 91,852 644 91,530 2,123,780	23.1
64-65 0.007683 91,208 701 90,857 2,032,250	22.3
65-66 0.008410 90,507 761 90,126 1,941,393	21.5
66-67 0.009236 89,746 829 89,331 1,851,266	20.6
67-68 0.010154 88,917 903 88,465 1,761,935	19.8
68-69 0.011193 88,014 985 87,521 1,673,470	19.0
69-70 0.012362 87,029 1,076 86,491 1,585,948	18.2
70-71 0.013605 85,953 1,169 85,368 1,499,457	17.4
71-72 0.014949 84,784 1,267 84,150 1,414,089	16.7
72-73 0.016506 83,516 1,379 82,827 1,329,939	15.9
73-74 0.018334 82,138 1,506 81,385 1,247,112	15.2
74-75 0.020408 80,632 1,646 79,809 1,165,727	14.5
75-76 0.022620 78,986 1,787 78,093 1,085,918	13.7
76-77 0.024825 77,200 1,916 76,241 1,007,825	13.1
77-78 0.027279 75,283 2,054 74,256 931,584	12.4
78-79 0.030126 73,229 2,206 72,126 857,328	11.7
79-80 0.033431 71,023 2,374 69,836 785,201	11.7

Table 12. Life table for Hispanic females: United States, 2006

	•				Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
80-81	0.037156	68,649	2,551	67,374	715,365	10.4
81-82	0.041337	66,098	2,732	64,732	647,992	9.8
82-83	0.045975	63,366	2,913	61,909	583,260	9.2
83-84	0.051187	60,453	3,094	58,905	521,350	8.6
84-85	0.057511	57,358	3,299	55 , 709	462,445	8.1
85-86	0.065666	54,059	3,550	52,285	406,736	7.5
86-87	0.073914	50,510	3,733	48,643	354,452	7.0
87-88	0.083041	46,776	3,884	44,834	305,809	6.5
88-89	0.093104	42,892	3,993	40,895	260,975	6.1
89-90	0.104150	38,898	4,051	36,873	220,079	5.7
90-91	0.116218	34,847	4,050	32,822	183,207	5.3
91-92	0.129335	30,797	3,983	28,806	150,384	4.9
92-93	0.143511	26,814	3,848	24,890	121,579	4.5
93-94	0.158740	22,966	3,646	21,143	96,689	4.2
94-95	0.174994	19,320	3,381	17,630	75,545	3.9
95-96	0.192222	15,939	3,064	14,407	57,915	3.6
96-97	0.210348	12,876	2,708	11,521	43,508	3.4
97-98	0.229272	10,167	2,331	9,002	31,987	3.1
98-99	0.248871	7,836	1,950	6,861	22,985	2.9
99-100	0.268999	5,886	1,583	5,094	16,124	2.7
100 and over	1.000000	4,303	4,303	11,030	11,030	2.6

Table 13. Life table for non-Hispanic white population: United States, 2006

Table 13. Life table	e for non-Hispar	nic white popu	ilation: United S	States, 2006	-	
					Total	
	Probablity		Number	Person-years	number of	_
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
0-1	0.005589	100,000	559	99,509	7,819,760	78.2
1-2	0.000405	99,441	40	99,421	7,720,251	77.6
2-3	0.000259	99,401	26	99,388	7,620,830	76.7
3-4	0.000200	99,375	20	99,365	7,521,442	75.7
4-5	0.000161	99,355	16	99,347	7,422,077	74.7
5-6	0.000156	99,339	15	99,331	7,322,730	73.7
6-7	0.000147	99,324	15	99,316	7,223,399	72.7
7-8	0.000137	99,309	14	99,302	7,124,082	71.7
8-9	0.000119	99,295	12	99,290	7,024,780	70.7
9-10	0.000096	99,284	9	99,279	6,925,490	69.8
10-11	0.000076	99,274	8	99,270	6,826,211	68.8
11-12	0.000075	99,267	7	99,263	6,726,941	67.8
12-13	0.000108	99,259	11	99,254	6,627,678	66.8
13-14	0.000185	99,248	18	99,239	6,528,424	65.8
14-15	0.000290	99,230	29	99,216	6,429,185	64.8
15-16	0.000402	99,201	40	99,181	6,329,969	63.8
16-17	0.000506	99,161	50	99,136	6,230,788	62.8
17-18	0.000603	99,111	60	99,081	6,131,651	61.9
18-19	0.000691	99,052	68	99,017	6,032,570	60.9
19-20	0.000770	98,983	76	98,945	5,933,553	59.9
20-21	0.000854	98,907	84	98,865	5,834,607	59.0
21-22	0.000936	98,823	92	98,776	5,735,743	58.0
22-23	0.000992	98,730	98	98,681	5,636,966	57.1
23-24	0.001015	98,632	100	98,582	5,538,285	56.2
24-25	0.001013	98,532	100	98,482	5,439,703	55.2
25-26	0.000999	98,432	98	98,383	5,341,221	54.3
26-27	0.000992	98,334	98	98,285	5,242,838	53.3
27-28	0.000988	98,237	97	98,188	5,144,552	52.4
28-29	0.000988	98,140	97	98,091	5,046,364	51.4
29-30	0.000331	98,042	98	97,993	4,948,273	50.5
30-31	0.001004	97,944	100	97,894	4,850,280	49.5
31-32	0.001024	97,944 97,844	100	97,894	4,830,280	49.5 48.6
32-33	0.001031	97,8 44 97,741	103	97,792	4,752,586 4,654,594	48.6 47.6
33-34	0.001097	97,741	110	97,687	4,654,594 4,556,907	46.7
34-35						
	0.001177	97,523	115 120	97,466	4,459,329	45.7
35-36 36 37	0.001233	97,409	120 127	97,349	4,361,863	44.8
36-37	0.001305	97,289	127	97,225	4,264,514	43.8
37-38	0.001400	97,162	136	97,094	4,167,289	42.9
38-39	0.001526	97,026	148	96,952	4,070,195	41.9
39-40	0.001676	96,878	162	96,796	3,973,244	41.0

Table 13. Life table for non-Hispanic white population: United States, 2006

Table 13. Life table	tor non-Hispan	iic white popu	lation: United S	States, 2006		
					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
40-41	0.001836	96,715	178	96,626	3,876,447	40.1
41-42	0.002004	96,538	193	96,441	3,779,821	39.2
42-43	0.002188	96,344	211	96,239	3,683,380	38.2
43-44	0.002389	96,133	230	96,019	3,587,141	37.3
44-45	0.002602	95,904	250	95,779	3,491,123	36.4
45-46	0.002824	95,654	270	95,519	3,395,344	35.5
46-47	0.003053	95,384	291	95,238	3,299,825	34.6
47-48	0.003293	95,093	313	94,936	3,204,586	33.7
48-49	0.003551	94,780	337	94,611	3,109,650	32.8
49-50	0.003834	94,443	362	94,262	3,015,039	31.9
50-51	0.004144	94,081	390	93,886	2,920,776	31.0
51-52	0.004479	93,691	420	93,481	2,826,890	30.2
52-53	0.004832	93,272	451	93,046	2,733,409	29.3
53-54	0.005193	92,821	482	92,580	2,640,363	28.4
54-55	0.005558	92,339	513	92,082	2,547,783	27.6
55-56	0.005931	91,826	545	91,553	2,455,701	26.7
56-57	0.006332	91,281	578	90,992	2,364,147	25.9
57-58	0.006789	90,703	616	90,395	2,273,155	25.1
58-59	0.007341	90,087	661	89,757	2,182,760	24.2
59-60	0.008012	89,426	716	89,068	2,093,003	23.4
60-61	0.008827	88,709	783	88,318	2,003,936	22.6
61-62	0.009746	87,926	857	87,498	1,915,618	21.8
62-63	0.010706	87,070	932	86,603	1,828,120	21.0
63-64	0.011618	86,137	1,001	85,637	1,741,516	20.2
64-65	0.012491	85,137	1,063	84,605	1,655,879	19.4
65-66	0.013442	84,073	1,130	83,508	1,571,274	18.7
66-67	0.014574	82,943	1,209	82,339	1,487,766	17.9
67-68	0.015848	81,734	1 ,2 95	81,087	1,405,428	17.2
68-69	0.017260	80,439	1,388	79,745	1,324,341	16.5
69-70	0.018859	79,051	1,491	78,305	1,244,596	15.7
70-71	0.020609	77,560	1,598	76,761	1,166,291	15.0
71-72	0.022557	75,961	1,713	75,105	1,089,531	14.3
72-73	0.024772	74,248	1,839	73,328	1,014,426	13.7
73-74	0.027306	72,409	1,977	71,420	941,098	13.0
74-75	0.030028	70,431	2,115	69,374	869,678	12.3
75-76	0.032856	68,317	2,245	67,194	800,304	11.7
76-77	0.035987	66,072	2,378	64,883	733,109	11.1
77-78	0.039616	63,694	2,523	62,433	668,226	10.5
78-79	0.043692	61,171	2,673	59,835	605,794	9.9
79-80	0.048315	58,498	2,826	57,085	545,959	9.3
•		•	•	•	•	

Table 13. Life table for non-Hispanic white population: United States, 2006

Tuble 13. Life tuble				,	Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
80-81	0.053505	55,672	2,979	54,183	488,874	8.8
81-82	0.059178	52,693	3,118	51,134	434,692	8.2
82-83	0.065293	49,575	3,237	47,956	383,558	7.7
83-84	0.071899	46,338	3,332	44,672	335,601	7.2
84-85	0.079630	43,006	3,425	41,294	290,929	6.8
85-86	0.089565	39,582	3,545	37,809	249,635	6.3
86-87	0.099773	36,037	3,595	34,239	211,826	5.9
87-88	0.110921	32,441	3,598	30,642	177,587	5.5
88-89	0.123043	28,843	3,549	27,068	146,945	5.1
89-90	0.136167	25,294	3,444	23,572	119,877	4.7
90-91	0.150303	21,850	3,284	20,208	96,305	4.4
91-92	0.165449	18,566	3,072	17,030	76,097	4.1
92-93	0.181584	15,494	2,813	14,087	59,067	3.8
93-94	0.198669	12,680	2,519	11,421	44,980	3.5
94-95	0.216644	10,161	2,201	9,061	33,559	3.3
95-96	0.235427	7,960	1,874	7,023	24,499	3.1
96-97	0.254916	6,086	1,551	5,310	17,476	2.9
97-98	0.274989	4,535	1,247	3,911	12,166	2.7
98-99	0.295509	3,288	972	2,802	8,255	2.5
99-100	0.316323	2,316	733	1,950	5,453	2.4
100 and over	1.000000	1,583	1,583	3,503	3,503	2.2

Table 14. Life table for non-Hispanic white males: United States, 2006

Table 14. Life table	tor non-Hispar	lic white male	s: United States	s, 2006	Tatal	<u> </u>
	Dark Lin		N		Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
0-1	0.006196	100,000	620	99,455	7,572,118	75.7
1-2	0.000406	99,380	40	99,360	7,472,663	75.2
2-3	0.000282	99,340	28	99,326	7,373,302	74.2
3-4	0.000228	99,312	23	99,301	7,273,976	73.2
4-5	0.000172	99,289	17	99,281	7,174,676	72.3
5-6	0.000171	99,272	17	99,264	7,075,395	71.3
6-7	0.000163	99,255	16	99,247	6,976,131	70.3
7-8	0.000151	99,239	15	99,232	6,876,884	69.3
8-9	0.000129	99,224	13	99,218	6,777,652	68.3
9-10	0.000100	99,211	10	99,207	6,678,434	67.3
10-11	0.000077	99,202	8	99,198	6,579,228	66.3
11-12	0.000078	99,194	8	99,190	6,480,030	65.3
12-13	0.000124	99,186	12	99,180	6,380,840	64.3
13-14	0.000226	99,174	22	99,163	6,281,660	63.3
14-15	0.000367	99,152	36	99,133	6,182,497	62.4
15-16	0.000514	99,115	51	99,090	6,083,364	61.4
16-17	0.000652	99,064	65	99,032	5,984,274	60.4
17-18	0.000793	98,999	79	98,960	5,885,242	59.4
18-19	0.000937	98,921	93	98,875	5,786,282	58.5
19-20	0.001080	98,828	107	98,775	5,687,407	57.5
20-21	0.001235	98,722	122	98,661	5,588,632	56.6
21-22	0.001382	98,600	136	98,531	5,489,972	55.7
22-23	0.001481	98,463	146	98,390	5,391,440	54.8
23-24	0.001512	98,318	149	98,243	5,293,050	53.8
24-25	0.001491	98,169	146	98,096	5,194,807	52.9
25-26	0.001451	98,023	142	97,951	5,096,711	52.0
26-27	0.001420	97,880	139	97,811	4,998,760	51.1
27-28	0.001394	97,741	136	97,673	4,900,949	50.1
28-29	0.001383	97,605	135	97,538	4,803,276	49.2
29-30	0.001387	97,470	135	97,403	4,705,738	48.3
30-31	0.001399	97,335	136	97,267	4,608,336	47.3
31-32	0.001416	97,199	138	97,130	4,511,069	46.4
32-33	0.001460	97,061	142	96,990	4,413,939	45.5
33-34	0.001479	96,919	143	96,848	4,316,948	44.5
34-35	0.001528	96,776	148	96,702	4,220,100	43.6
35-36	0.001588	96,628	153	96,551	4,123,398	42.7
36-37	0.001667	96,475	161	96,394	4,026,847	41.7
37-38	0.001778	96,314	171	96,228	3,930,452	40.8
38-39	0.001778	96,143	185	96,050	3,834,224	39.9
39-40	0.001323	95,958	202	95,857	3,738,174	39.0
100 10	0.002103	33,330	202	55,057	3,, 33, 1, 4	55.0

Table 14. Life table for non-Hispanic white males: United States, 2006

Table 14. Life table	tor non-Hispan	lic white male	s: United States	5, 2006		
				_	Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
40-41	0.002299	95,756	220	95,646	3,642,318	38.0
41-42	0.002503	95,535	239	95,416	3,546,672	37.1
42-43	0.002732	95,296	260	95,166	3,451,256	36.2
43-44	0.002985	95,036	284	94,894	3,356,090	35.3
44-45	0.003256	94,752	309	94,598	3,261,196	34.4
45-46	0.003535	94,444	334	94,277	3,166,598	33.5
46-47	0.003823	94,110	360	93,930	3,072,321	32.6
47-48	0.004134	93,750	388	93,556	2,978,391	31.8
48-49	0.004478	93,363	418	93,153	2,884,835	30.9
49-50	0.004860	92,944	452	92,719	2,791,681	30.0
50-51	0.005280	92,493	488	92,249	2,698,963	29.2
51-52	0.005726	92,004	527	91,741	2,606,714	28.3
52-53	0.006180	91,478	565	91,195	2,514,973	27.5
53-54	0.006619	90,912	602	90,611	2,423,778	26.7
54-55	0.007045	90,311	636	89,992	2,333,167	25.8
55-56	0.007474	89,674	670	89,339	2,243,174	25.0
56-57	0.007939	89,004	707	88,651	2,153,835	24.2
57-58	0.008468	88,297	748	87,924	2,065,184	23.4
58-59	0.009112	87,550	798	87,151	1,977,261	22.6
59-60	0.009896	86,752	858	86,323	1,890,110	21.8
60-61	0.010842	85,894	931	85,428	1,803,787	21.0
61-62	0.011911	84,962	1,012	84,456	1,718,359	20.2
62-63	0.013046	83,950	1,095	83,403	1,633,903	19.5
63-64	0.014154	82,855	1,173	82,269	1,550,500	18.7
64-65	0.015236	81,682	1,245	81,060	1,468,232	18.0
65-66	0.016418	80,438	1,321	79,778	1,387,171	17.2
66-67	0.017810	79,117	1,409	78,413	1,307,394	16.5
67-68	0.019349	77,708	1,504	76,956	1,228,981	15.8
68-69	0.021000	76,205	1,600	75,404	1,152,025	15.1
69-70	0.022864	74,604	1,706	73,751	1,076,621	14.4
70-71	0.024875	72,899	1,813	71,992	1,002,869	13.8
71-72	0.027105	71,085	1,927	70,122	930,877	13.1
72-73	0.029722	69,158	2,056	68,131	860,756	12.4
73-74	0.032777	67,103	2,199	66,003	792,625	11.8
74-75	0.036110	64,903	2,344	63,732	726,622	11.2
75-76	0.039628	62,560	2,479	61,320	662,890	10.6
76-77	0.043497	60,081	2,613	58,774	601,570	10.0
77-78	0.047936	57,467	2,755	56,090	542,796	9.4
78-79	0.052824	54,713	2,890	53,267	486,706	8.9
79-80	0.058393	51,822	3,026	50,309	433,439	8.4

Table 14. Life table for non-Hispanic white males: United States, 2006

Tuble 14. Life tuble	•			,	Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
80-81	0.064830	48,796	3,163	47,215	383,130	7.9
81-82	0.071802	45,633	3,277	43,995	335,915	7.4
82-83	0.079206	42,356	3,355	40,679	291,920	6.9
83-84	0.086870	39,001	3,388	37,307	251,242	6.4
84-85	0.096646	35,613	3,442	33,892	213,934	6.0
85-86	0.107482	32,171	3,458	30,443	180,042	5.6
86-87	0.119278	28,714	3,425	27,001	149,599	5.2
87-88	0.132064	25,289	3,340	23,619	122,598	4.8
88-89	0.145854	21,949	3,201	20,348	98,979	4.5
89-90	0.160652	18,748	3,012	17,242	78,631	4.2
90-91	0.176443	15,736	2,776	14,348	61,389	3.9
91-92	0.193193	12,959	2,504	11,707	47,042	3.6
92-93	0.210849	10,456	2,205	9,353	35,334	3.4
93-94	0.229337	8,251	1,892	7,305	25,981	3.1
94-95	0.248563	6,359	1,581	5,569	18,676	2.9
95-96	0.268411	4,778	1,283	4,137	13,107	2.7
96-97	0.288749	3,496	1,009	2,991	8,970	2.6
97-98	0.309431	2,486	769	2,102	5,979	2.4
98-99	0.330300	1,717	567	1,433	3,878	2.3
99-100	0.351192	1,150	404	948	2,444	2.1
100 and over	1.000000	746	746	1,496	1,496	2.0

Table 15. Life table for non-Hispanic white females: United States, 2006

					Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
0-1	0.004950	100,000	495	99,566	8,059,051	80.6
1-2	0.000405	99,505	40	99,485	7,959,485	80.0
2-3	0.000236	99,465	23	99,453	7,860,000	79.0
3-4	0.000169	99,441	17	99,433	7,760,547	78.0
4-5	0.000149	99,424	15	99,417	7,661,114	77.1
5-6	0.000140	99,410	14	99,403	7,561,697	76.1
6-7	0.000132	99,396	13	99,389	7,462,295	75.1
7-8	0.000123	99,383	12	99,377	7,362,906	74.1
8-9	0.000109	99,370	11	99,365	7,263,529	73.1
9-10	0.000091	99,360	9	99,355	7,164,164	72.1
10-11	0.000075	99,351	7	99,347	7,064,809	71.1
11-12	0.000072	99,343	7	99,340	6,965,462	70.1
12-13	0.000092	99,336	9	99,331	6,866,123	69.1
13-14	0.000140	99,327	14	99,320	6,766,791	68.1
14-15	0.000208	99,313	21	99,303	6,667,471	67.1
15-16	0.000283	99,292	28	99,278	6,568,169	66.1
16-17	0.000350	99,264	35	99,247	6,468,891	65.2
17-18	0.000402	99,229	40	99,209	6,369,644	64.2
18-19	0.000431	99,190	43	99,168	6,270,434	63.2
19-20	0.000444	99,147	44	99,125	6,171,266	62.2
20-21	0.000455	99,103	45	99,080	6,072,141	61.3
21-22	0.000470	99,058	47	99,034	5,973,061	60.3
22-23	0.000485	99,011	48	98,987	5,874,027	59.3
23-24	0.000502	98,963	50	98,938	5,775,040	58.4
24-25	0.000520	98,913	51	98,888	5,676,101	57.4
25-26	0.000541	98,862	53	98,835	5,577,214	56.4
26-27	0.000562	98,809	56	98,781	5,478,378	55.4
27-28	0.000582	98,753	57	98,724	5,379,598	54.5
28-29	0.000600	98,696	59	98,666	5,280,873	53.5
29-30	0.000620	98,636	61	98,606	5,182,207	52.5
30-31	0.000646	98,575	64	98,543	5,083,602	51.6
31-32	0.000682	98,512	67	98,478	4,985,058	50.6
32-33	0.000729	98,444	72	98,408	4,886,580	49.6
33-34	0.000770	98,372	76	98,335	4,788,172	48.7
34-35	0.000821	98,297	81	98,256	4,689,837	47.7
35-36	0.000874	98,216	86	98,173	4,591,581	46.7
36-37	0.000937	98,130	92	98,084	4,493,408	45.8
37-38	0.001018	98,038	100	97,988	4,395,324	44.8
38-39	0.001122	97,938	110	97,884	4,297,335	43.9
						42.9
38-39 39-40	0.001122 0.001245	97,938 97,829	110 122	97,884 97,768	4,297,335 4,199,452	

Table 15. Life table for non-Hispanic white females: United States, 2006

Table 15. Life table	i lor non-mispar	iic willte fema	lies. Officed Sta	les, 2006	Total	
	Drobablity		Number	Dorson voors		
	Probablity	Niconala au	Number	Person-years	number of	Fun a station
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
A	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
40-41	0.001373	97,707	134	97,640	4,101,684	42.0
41-42	0.001505	97,573	147	97,499	4,004,044	41.0
42-43	0.001646	97,426	160	97,346	3,906,545	40.1
43-44	0.001796	97,265	175	97,178	3,809,199	39.2
44-45	0.001953	97,091	190	96,996	3,712,021	38.2
45-46	0.002118	96,901	205	96,799	3,615,025	37.3
46-47	0.002288	96,696	221	96,585	3,518,227	36.4
47-48	0.002459	96,475	237	96,356	3,421,641	35.5
48-49	0.002634	96,238	253	96,111	3,325,285	34.6
49-50	0.002821	95,984	271	95,849	3,229,174	33.6
50-51	0.003025	95,713	290	95,569	3,133,325	32.7
51-52	0.003253	95,424	310	95,269	3,037,757	31.8
52-53	0.003512	95,113	334	94,946	2,942,488	30.9
53-54	0.003800	94,779	360	94,599	2,847,542	30.0
54-55	0.004109	94,419	388	94,225	2,752,943	29.2
55-56	0.004430	94,031	417	93,823	2,658,717	28.3
56-57	0.004773	93,615	447	93,391	2,564,894	27.4
57-58	0.005164	93,168	481	92,927	2,471,503	26.5
58-59	0.005635	92,687	522	92,426	2,378,576	25.7
59-60	0.006205	92,164	572	91,878	2,286,150	24.8
60-61	0.006904	91,593	632	91,276	2,194,272	24.0
61-62	0.007695	90,960	700	90,610	2,102,996	23.1
62-63	0.008502	90,260	767	89,877	2,012,385	22.3
63-64	0.009245	89,493	827	89,079	1,922,509	21.5
64-65	0.009938	88,665	881	88,225	1,833,430	20.7
65-66	0.010695	87,784	939	87,315	1,745,205	19.9
66-67	0.011613	86,845	1,009	86,341	1,657,890	19.1
67-68	0.012673	85,837	1,088	85,293	1,571,549	18.3
68-69	0.013901	84,749	1,178	84,160	1,486,256	17.5
69-70	0.015301	83,571	1,279	82,932	1,402,096	16.8
70-71	0.016863	82,292	1,388	81,598	1,319,165	16.0
71-72	0.018617	80,904	1,506	80,151	1,237,566	15.3
72-73	0.020548	79,398	1,631	78,583	1,157,415	14.6
73-74	0.022723	77,767	1,767	76,883	1,078,832	13.9
74-75	0.025031	76,000	1,902	75,049	1,001,949	13.2
75-76	0.027396	74,097	2,030	73,082	926,901	12.5
76-77	0.030062	72,067	2,166	70,984	853,818	11.8
77-78	0.033225	69,901	2,322	68,740	782,834	11.2
78-79	0.036888	67,578	2,493	66,332	714,095	10.6
79-80	0.041061	65,086	2,673	63,749	647,763	10.0

Table 15. Life table for non-Hispanic white females: United States, 2006

				,	Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
80-81	0.045678	62,413	2,851	60,988	584,013	9.4
81-82	0.050811	59,562	3,026	58,049	523,026	8.8
82-83	0.056398	56,536	3,189	54,941	464,977	8.2
83-84	0.062658	53,347	3,343	51,676	410,035	7.7
84-85	0.070225	50,005	3,512	48,249	358,359	7.2
85-86	0.079941	46,493	3,717	44,635	310,111	6.7
86-87	0.089720	42,776	3,838	40,857	265,476	6.2
87-88	0.100490	38,938	3,913	36,982	224,619	5.8
88-89	0.112301	35,025	3,933	33,059	187,637	5.4
89-90	0.125193	31,092	3,893	29,146	154,578	5.0
90-91	0.139194	27,200	3,786	25,307	125,432	4.6
91-92	0.154314	23,414	3,613	21,607	100,126	4.3
92-93	0.170545	19,801	3,377	18,112	78,518	4.0
93-94	0.187858	16,424	3,085	14,881	60,406	3.7
94-95	0.206199	13,338	2,750	11,963	45,525	3.4
95-96	0.225486	10,588	2,387	9,394	33,562	3.2
96-97	0.245615	8,201	2,014	7,193	24,168	2.9
97-98	0.266456	6,186	1,648	5,362	16,975	2.7
98-99	0.287856	4,538	1,306	3,885	11,612	2.6
99-100	0.309645	3,232	1,001	2,731	7,727	2.4
100 and over	1.000000	2,231	2,231	4,996	4,996	2.2

Table 16. Life table for non-Hispanic black population: United States, 2006

Table 10. Life table	for non-Hispar	iic biack popu	iationi. Oiliteu S	, tates, 2000	Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Λαο	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
Age 0-1	0.013441	100,000	1,344	98,814	7,307,329	73.1
1-2	0.013441	98,656	1,5 44 77	98,617	7,307,329 7,208,515	73.1 73.1
2-3	0.000780	98,579	52	98,553	7,208,313	73.1 72.1
2-3 3-4	0.000328	98,527	34	98,510	7,109,897	72.1
		•		•		
4-5 5-6	0.000285 0.000269	98,493	28 26	98,479	6,912,835	70.2 69.2
6-7		98,465		98,452	6,814,356	
	0.000241	98,439	24	98,427	6,715,904	68.2
7-8	0.000215	98,415	21	98,404	6,617,477	67.2
8-9	0.000185	98,394	18	98,385	6,519,073	66.3
9-10	0.000152	98,376	15	98,368	6,420,688	65.3
10-11	0.000128	98,361	13	98,354	6,322,320	64.3
11-12	0.000130	98,348	13	98,342	6,223,966	63.3
12-13	0.000177	98,335	17	98,327	6,125,624	62.3
13-14	0.000277	98,318	27	98,304	6,027,298	61.3
14-15	0.000416	98,291	41	98,270	5,928,993	60.3
15-16	0.000568	98,250	56	98,222	5,830,723	59.3
16-17	0.000713	98,194	70	98,159	5,732,501	58.4
17-18	0.000854	98,124	84	98,082	5,634,343	57.4
18-19	0.000987	98,040	97	97,992	5,536,261	56.5
19-20	0.001117	97,943	109	97,889	5,438,269	55.5
20-21	0.001262	97,834	124	97,772	5,340,380	54.6
21-22	0.001414	97,710	138	97,641	5,242,608	53.7
22-23	0.001543	97,572	151	97,497	5,144,967	52.7
23-24	0.001630	97,422	159	97,342	5,047,470	51.8
24-25	0.001682	97,263	164	97,181	4,950,128	50.9
25-26	0.001726	97,099	168	97,015	4,852,947	50.0
26-27	0.001775	96,932	172	96,846	4,755,931	49.1
27-28	0.001817	96,759	176	96,672	4,659,086	48.2
28-29	0.001854	96,584	179	96,494	4,562,414	47.2
29-30	0.001890	96,405	182	96,313	4,465,920	46.3
30-31	0.001929	96,222	186	96,130	4,369,607	45.4
31-32	0.001977	96,037	190	95,942	4,273,477	44.5
32-33	0.002074	95,847	199	95,747	4,177,535	43.6
33-34	0.002118	95,648	203	95,547	4,081,788	42.7
34-35	0.002214	95,445	211	95,340	3,986,241	41.8
35-36	0.002321	95,234	221	95,124	3,890,901	40.9
36-37	0.002445	95,013	232	94,897	3,795,778	40.0
37-38	0.002599	94,781	246	94,658	3,700,881	39.0
38-39	0.002788	94,534	264	94,403	3,606,223	38.1
39-40	0.003008	94,271	284	94,129	3,511,821	37.3

Table 16. Life table for non-Hispanic black population: United States, 2006

Table 10. Life table	Tot Holl-Hispai	iic biack popu	lation: United S	tates, 2000	Total	
	Probablity		Number	Person-years	number of	
	•	Number		lived		Evnoctation
	of dying between		dying		person-years lived above	Expectation of life
		surviving to	between	between		
٨٥٥	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
40-41	0.003241	93,987	305	93,835	3,417,691	36.4
41-42	0.003490	93,683	327	93,519	3,323,857	35.5
42-43	0.003780	93,356	353	93,179	3,230,338	34.6
43-44	0.004118	93,003	383	92,811	3,137,158	33.7
44-45	0.004501	92,620	417	92,411	3,044,347	32.9
45-46	0.004902	92,203	452	91,977	2,951,936	32.0
46-47	0.005321	91,751	488	91,507	2,859,959	31.2
47-48	0.005785	91,263	528	90,999	2,768,452	30.3
48-49	0.006312	90,735	573	90,448	2,677,453	29.5
49-50	0.006901	90,162	622	89,851	2,587,005	28.7
50-51	0.007550	89,540	676	89,202	2,497,154	27.9
51-52	0.008235	88,864	732	88,498	2,407,952	27.1
52-53	0.008929	88,132	787	87,739	2,319,454	26.3
53-54	0.009596	87,345	838	86,926	2,231,716	25.6
54-55	0.010237	86,507	886	86,064	2,144,790	24.8
55-56	0.010900	85,621	933	85,155	2,058,726	24.0
56-57	0.011607	84,688	983	84,197	1,973,571	23.3
57-58	0.012339	83,705	1,033	83,189	1,889,374	22.6
58-59	0.013133	82,672	1,086	82,129	1,806,186	21.8
59-60	0.014030	81,587	1,145	81,014	1,724,056	21.1
60-61	0.015094	80,442	1,214	79,835	1,643,042	20.4
61-62	0.016316	79,228	1,293	78,581	1,563,207	19.7
62-63	0.017604	77,935	1,372	77,249	1,484,626	19.0
63-64	0.018803	76,563	1,440	75,843	1,407,377	18.4
64-65	0.019874	75,123	1,493	74,377	1,331,534	17.7
65-66	0.020894	73,630	1,538	72,861	1,257,157	17.1
66-67	0.022038	72,092	1,589	71,298	1,184,296	16.4
67-68	0.023421	70,503	1,651	69,678	1,112,998	15.8
68-69	0.025070	68,852	1,726	67,989	1,043,321	15.2
69-70	0.026997	67,126	1,812	66,220	975,332	14.5
70-71	0.029094	65,314	1,900	64,364	909,112	13.9
71-72	0.031240	63,413	1,981	62,423	844,748	13.3
72-73	0.033666	61,432	2,068	60,398	782,325	12.7
73-74	0.036368	59,364	2,159	58,285	721,927	12.2
74-75	0.039168	57,205	2,241	56,085	663,642	11.6
75-76	0.042299	54,965	2,325	53,802	607,557	11.1
76-77	0.045759	52,640	2,409	51,435	553,755	10.5
77-78	0.049314	50,231	2,477	48,992	502,320	10.0
78-79	0.053597	47,754	2,559	46,474	453,327	9.5
79-80	0.058753	45,194	2,655	43,867	406,853	9.0

Table 16. Life table for non-Hispanic black population: United States, 2006

	•	ne black popu		•	Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
80-81	0.064596	42,539	2,748	41,165	362,987	8.5
81-82	0.070666	39,791	2,812	38,385	321,821	8.1
82-83	0.076369	36,979	2,824	35,567	283,436	7.7
83-84	0.083900	34,155	2,866	32,722	247,869	7.3
84-85	0.090705	31,290	2,838	29,871	215,146	6.9
85-86	0.097970	28,452	2,787	27,058	185,276	6.5
86-87	0.105709	25,664	2,713	24,308	158,218	6.2
87-88	0.113937	22,951	2,615	21,644	133,910	5.8
88-89	0.122666	20,336	2,495	19,089	112,267	5.5
89-90	0.131904	17,842	2,353	16,665	93,178	5.2
90-91	0.141656	15,488	2,194	14,391	76,513	4.9
91-92	0.151925	13,294	2,020	12,284	62,122	4.7
92-93	0.162708	11,275	1,834	10,357	49,837	4.4
93-94	0.173996	9,440	1,643	8,619	39,480	4.2
94-95	0.185780	7,798	1,449	7,073	30,861	4.0
95-96	0.198041	6,349	1,257	5,720	23,788	3.7
96-97	0.210756	5,092	1,073	4,555	18,068	3.5
97-98	0.223897	4,018	900	3,569	13,513	3.4
98-99	0.237431	3,119	740	2,749	9,944	3.2
99-100	0.251319	2,378	598	2,079	7,195	3.0
100 and over	1.000000	1,781	1,781	5,116	5,116	2.9

Table 17. Life table for non-Hispanic black males: United States, 2006

Table 17. Life table	ior non-mispan	The black males	s: United States	, 2006	Total	
	Drobob!:+.		Number	Dorson was-		
	Probablity	N1	Number	Person-years	number of	Fun a statia
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
0-1	0.014466	100,000	1,447	98,724	6,948,513	69.5
1-2	0.000853	98,553	84	98,511	6,849,789	69.5
2-3	0.000504	98,469	50	98,444	6,751,277	68.6
3-4	0.000411	98,420	40	98,399	6,652,833	67.6
4-5	0.000295	98,379	29	98,365	6,554,433	66.6
5-6	0.000295	98,350	29	98,336	6,456,069	65.6
6-7	0.000279	98,321	27	98,307	6,357,733	64.7
7-8	0.000256	98,294	25	98,281	6,259,426	63.7
8-9	0.000214	98,269	21	98,258	6,161,145	62.7
9-10	0.000156	98,248	15	98,240	6,062,887	61.7
10-11	0.000107	98,232	11	98,227	5,964,647	60.7
11-12	0.000101	98,222	10	98,217	5,866,420	59.7
12-13	0.000174	98,212	17	98,203	5,768,203	58.7
13-14	0.000346	98,195	34	98,178	5,670,000	57.7
14-15	0.000587	98,161	58	98,132	5,571,823	56.8
15-16	0.000851	98,103	83	98,061	5,473,691	55.8
16-17	0.001096	98,019	107	97,966	5,375,630	54.8
17-18	0.001328	97,912	130	97,847	5,277,664	53.9
18-19	0.001538	97,782	150	97,707	5,179,817	53.0
19-20	0.001737	97,632	170	97,547	5,082,110	52.1
20-21	0.001954	97,462	190	97,367	4,984,563	51.1
21-22	0.002182	97,272	212	97,165	4,887,197	50.2
22-23	0.002376	97,059	231	96,944	4,790,031	49.4
23-24	0.002510	96,829	243	96,707	4,693,087	48.5
24-25	0.002591	96,586	250	96,461	4,596,380	47.6
25-26	0.002657	96,335	256	96,207	4,499,919	46.7
26-27	0.002726	96,079	262	95,948	4,403,712	45.8
27-28	0.002774	95,818	266	95,685	4,307,763	45.0
28-29	0.002800	95,552	268	95,418	4,212,079	44.1
29-30	0.002811	95,284	268	95,150	4,116,661	43.2
30-31	0.002814	95,016	267	94,883	4,021,510	42.3
31-32	0.002824	94,749	268	94,615	3,926,628	41.4
32-33	0.002929	94,481	277	94,343	3,832,012	40.6
33-34	0.002907	94,205	274	94,068	3,737,669	39.7
34-35	0.002989	93,931	281	93,791	3,643,602	38.8
35-36	0.003090	93,650	289	93,505	3,549,811	37.9
36-37	0.003210	93,361	300	93,211	3,456,306	37.0
37-38	0.003360	93,061	313	92,905	3,363,095	36.1
38-39	0.003543	92,748	329	92,584	3,270,190	35.3
39-40	0.003762	92,420	348	92,246	3,177,606	34.4
		,		- =,= . •	-,, , 5 0 0	- ···•

Table 17. Life table for non-Hispanic black males: United States, 2006

Table 17. Life table	ioi iioii-nispaii	iic Diack Illales	. Officed States	, 2000	Total	
	Probablity		Number	Person-years	number of	
	_	Number		lived		Evportation
	of dying between	surviving to	dying between	between	person-years lived above	Expectation of life
		_				
Λσο	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age 40-41	q(x) 0.003999	l(x) 92,072	d(x)	L(x)	T(x)	e(x)
41-42		•	368	91,888	3,085,360	33.5
	0.004268 0.004601	91,704 91,313	391	91,508	2,993,472	32.6
42-43		•	420 456	91,103	2,901,963	31.8
43-44	0.005012	90,893	456 407	90,665	2,810,861	30.9
44-45	0.005494	90,437	497	90,189	2,720,196	30.1
45-46	0.005998	89,940	539	89,670	2,630,007	29.2
46-47	0.006529	89,401	584	89,109	2,540,337	28.4
47-48	0.007151	88,817	635	88,499	2,451,228	27.6
48-49	0.007899	88,182	697	87,834	2,362,729	26.8
49-50	0.008763	87,485	767	87,102	2,274,895	26.0
50-51	0.009732	86,719	844	86,297	2,187,793	25.2
51-52	0.010747	85,875	923	85,413	2,101,497	24.5
52-53	0.011742	84,952	998	84,453	2,016,083	23.7
53-54	0.012642	83,954	1,061	83,424	1,931,630	23.0
54-55	0.013456	82,893	1,115	82,335	1,848,207	22.3
55-56	0.014278	81,777	1,168	81,194	1,765,872	21.6
56-57	0.015165	80,610	1,222	79,999	1,684,678	20.9
57-58	0.016090	79,387	1,277	78,749	1,604,679	20.2
58-59	0.017112	78,110	1,337	77,442	1,525,931	19.5
59-60	0.018282	76,773	1,404	76,072	1,448,489	18.9
60-61	0.019676	75,370	1,483	74,628	1,372,418	18.2
61-62	0.021266	73,887	1,571	73,101	1,297,789	17.6
62-63	0.022906	72,316	1,656	71,487	1,224,688	16.9
63-64	0.024364	70,659	1,722	69,798	1,153,201	16.3
64-65	0.025590	68,938	1,764	68,055	1,083,403	15.7
65-66	0.026695	67,173	1,793	66,277	1,015,347	15.1
66-67	0.027973	65,380	1,829	64,466	949,070	14.5
67-68	0.029628	63,551	1,883	62,610	884,605	13.9
68-69	0.031696	61,668	1,955	60,691	821,995	13.3
69-70	0.034171	59,714	2,040	58,694	761,304	12.7
70-71	0.036935	57,673	2,130	56,608	702,610	12.2
71-72	0.039698	55,543	2,205	54,441	646,002	11.6
72-73	0.042942	53,338	2,290	52,193	591,561	11.1
73-74	0.046509	51,048	2,374	49,861	539,368	10.6
74-75	0.050227	48,674	2,445	47,451	489,508	10.1
75-76	0.054517	46,229	2,520	44,969	442,056	9.6
76-77	0.058967	43,709	2,577	42,420	397,088	9.1
77-78	0.063281	41,131	2,603	39,830	354,668	8.6
78-79	0.068417	38,528	2,636	37,210	314,838	8.2
79-80	0.074568	35,892	2,676	34,554	277,628	7.7

Table 17. Life table for non-Hispanic black males: United States, 2006

Tuble 17. Life tuble	•			,	Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
80-81	0.081388	33,216	2,703	31,864	243,073	7.3
81-82	0.088844	30,513	2,711	29,157	211,209	6.9
82-83	0.096688	27,802	2,688	26,458	182,052	6.5
83-84	0.104465	25,114	2,623	23,802	155,594	6.2
84-85	0.112743	22,490	2,536	21,222	131,792	5.9
85-86	0.121536	19,955	2,425	18,742	110,570	5.5
86-87	0.130853	17,529	2,294	16,382	91,828	5.2
87-88	0.140699	15,236	2,144	14,164	75,445	5.0
88-89	0.151077	13,092	1,978	12,103	61,282	4.7
89-90	0.161985	11,114	1,800	10,214	49,179	4.4
90-91	0.173416	9,314	1,615	8,506	38,965	4.2
91-92	0.185357	7,699	1,427	6,985	30,459	4.0
92-93	0.197791	6,272	1,240	5,651	23,474	3.7
93-94	0.210694	5,031	1,060	4,501	17,822	3.5
94-95	0.224036	3,971	890	3,526	13,321	3.4
95-96	0.237782	3,081	733	2,715	9,795	3.2
96-97	0.251892	2,349	592	2,053	7,080	3.0
97-98	0.266319	1,757	468	1,523	5,027	2.9
98-99	0.281013	1,289	362	1,108	3,504	2.7
99-100	0.295918	927	274	790	2,396	2.6
100 and over	1.000000	653	653	1,606	1,606	2.5

Table 18. Life table for non-Hispanic black females: United States, 2006

Table 18. Life table	. 101 Hon-mispai	iic biack icilia	ics. Omiteu stat	cs, 2000	Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
0-1	0.012377	100,000	1,238	98,907	7,638,990	76.4
1-2	0.000673	98,762	66	98,729	7,540,083	76. 4 76.3
2-3	0.000531	98,696	52	98,670	7,441,354	75.4
3-4	0.000351	98,643	26	98,631	7,342,684	74.4
4-5	0.000262	98,618	26	98,605	7,244,054	73.5
5-6	0.000231	98,592	23	98,580	7,145,449	72.5
6-7	0.000192	98,569	19	98,560	7,046,868	71.5
7-8	0.000165	98,550	16	98,542	6,948,309	70.5
8-9	0.000147	98,534	15	98,527	6,849,767	69.5
9-10	0.000139	98,519	14	98,513	6,751,240	68.5
10-11	0.000140	98,506	14	98,499	6,652,728	67.5
11-12	0.000149	98,492	15	98,485	6,554,229	66.5
12-13	0.000168	98,477	17	98,469	6,455,744	65.6
13-14	0.000197	98,461	19	98,451	6,357,275	64.6
14-15	0.000232	98,441	23	98,430	6,258,824	63.6
15-16	0.000273	98,418	27	98,405	6,160,395	62.6
16-17	0.000317	98,391	31	98,376	6,061,990	61.6
17-18	0.000366	98,360	36	98,342	5,963,614	60.6
18-19	0.000421	98,324	41	98,304	5,865,271	59.7
19-20	0.000485	98,283	48	98,259	5,766,968	58.7
20-21	0.000558	98,235	55	98,208	5,668,709	57.7
21-22	0.000636	98,181	62	98,149	5,570,501	56.7
22-23	0.000708	98,118	69	98,083	5,472,351	55.8
23-24	0.000766	98,049	75	98,011	5,374,268	54.8
24-25	0.000812	97,974	80	97,934	5,276,257	53.9
25-26	0.000859	97,894	84	97,852	5,178,323	52.9
26-27	0.000913	97,810	89	97,765	5,080,471	51.9
27-28	0.000966	97,721	94	97,673	4,982,706	51.0
28-29	0.001020	97,626	100	97,576	4,885,032	50.0
29-30	0.001078	97,527	105	97,474	4,787,456	49.1
30-31	0.001146	97,421	112	97,366	4,689,982	48.1
31-32	0.001225	97,310	119	97,250	4,592,616	47.2
32-33	0.001327	97,191	129	97,126	4,495,366	46.3
33-34	0.001416	97,062	137	96,993	4,398,240	45.3
34-35	0.001526	96,924	148	96,850	4,301,247	44.4
35-36	0.001640	96,776	159	96,697	4,204,397	43.4
36-37	0.001769	96,618	171	96,532	4,107,699	42.5
37-38	0.001927	96,447	186	96,354	4,011,167	41.6
38-39	0.002120	96,261	204	96,159	3,914,813	40.7
39-40	0.002341	96,057	225	95,944	3,818,655	39.8

Table 18. Life table for non-Hispanic black females: United States, 2006

Probability of dying between surviving to letween ages x to x+1 age x ages x to x+1 age x ages x to x+1 ages x ages x to x+1 ages x ages x to x+1 ages x t	Table 18. Life table	tor non-Hispar	iic biack tema	ies: United Stat	es, 2006	Total	
Person-years Detween Surviving to Detween Det		Duckahilit.		Ni, waa la a w	Dorsen	Total	
between ages x to x+1 ag		_	Ni		•		From a state to
Age ages x to x+1 age x ages x to x+1 ages x to x+1 age x at age x 40-41 0.002569 95,832 246 95,709 3,722,710 38.8 41-42 0.002800 95,832 246 95,709 3,722,710 38.8 42-43 0.003051 95,838 291 95,173 3,531,549 37.1 43-44 0.00322 94,711 343 94,540 3,341,507 35.3 45-46 0.003934 94,368 371 94,183 3,246,967 34.4 46-47 0.004254 93,997 400 93,797 3,152,784 33.5 48-49 0.004921 93,168 458 92,939 2,965,604 31.8 49-50 0.005278 92,710 489 92,465 2,872,665 31.0 50-51 0.005600 92,221 522 91,960 2,780,206 30.1 51-52 0.00674 91,699 557 91,420 2,688,240 2		, ,					•
Age q(x) I(x) d(x) L(x) T(x) e(x) 40-41 0.002569 95,832 246 95,709 3,722,710 38.8 41-42 0.002800 95,586 268 95,452 3,627,001 37.9 42-43 0.003051 95,318 291 95,173 3,531,549 37.1 43-44 0.003326 95,027 316 94,869 3,436,376 36.2 44-45 0.003934 94,368 371 94,183 3,246,967 34.4 46-47 0.004254 93,997 400 93,797 3,152,784 33.5 47-48 0.004582 93,597 429 93,383 3,058,987 32.7 48-49 0.004921 93,168 458 92,939 2,965,604 31.8 49-50 0.005278 92,710 489 92,465 2,872,665 31.0 50-51 0.05660 92,221 522 91,960 2,780,200 30.1			J				
40-41				_	_		
41-42							
42-43 0.003051 95,318 291 95,173 3,531,549 37.1 43-44 0.003326 95,027 316 94,869 3,436,376 36.2 44-45 0.003622 94,711 343 94,540 3,341,507 35.3 45-46 0.003934 94,368 371 94,183 3,246,667 34.4 46-47 0.004524 93,997 400 93,797 3,152,784 33.5 47-48 0.004521 93,168 458 92,939 2,965,604 31.8 49-50 0.005278 92,710 489 92,465 2,872,665 31.0 50-51 0.005600 92,221 522 91,960 2,780,200 30.1 51-52 0.006074 91,699 557 91,420 2,688,240 29.3 52-53 0.006521 91,421 594 90,845 2,596,820 27.7 53-54 0.006978 90,547 634 90,231 2,505,975 27.7 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
43-44 0.003326 95,027 316 94,869 3,436,376 36.2 44-45 0.003622 94,711 343 94,540 3,341,507 35.3 45-46 0.003934 94,368 371 94,183 3,246,967 34.4 46-47 0.004254 93,997 400 93,797 3,152,784 33.5 47-48 0.004582 93,597 429 93,383 3,058,987 32.7 48-49 0.004921 93,168 458 92,939 2,965,604 31.8 49-50 0.005278 92,710 489 92,465 2,872,665 31.0 50-51 0.005660 92,221 522 91,960 2,780,200 30.1 51-52 0.006074 91,699 557 91,420 2,688,240 29.3 52-53 0.006521 91,142 594 90,845 2,596,820 28.5 53-54 0.00698 90,547 634 90,231 2,505,975 27.7 54-55 0.007496 89,914 674 89,577 2,415,745 26.9 55-56 0.008028 89,240 716 88,882 2,326,168 26.1 56-57 0.008590 88,523 760 88,143 2,237,286 25.3 58-59 0.009773 87,763 805 87,360 2,149,143 24.5 58-59 0.009797 86,958 852 86,532 2,061,783 23.7 59-60 0.010500 86,106 904 85,654 1,975,251 22.9 60-61 0.011334 85,202 966 84,719 1,889,597 22.2 61-62 0.012307 84,236 1,037 83,718 1,804,878 21.4 62-63 0.013363 83,199 1,112 82,644 1,721,160 20.7 63-64 0.014398 82,088 1,182 81,497 1,638,517 20.0 64-65 0.015375 80,906 1,244 80,284 1,557,020 19.2 66-66 0.016353 79,662 1,303 79,010 1,476,730 18.5 66-66 0.016353 79,662 1,303 79,010 1,476,730 18.5 66-66 0.016353 79,662 1,303 79,010 1,476,730 18.5 66-66 0.016353 79,662 1,303 79,010 1,476,730 18.5 66-66 0.016353 79,662 1,303 79,010 1,476,730 18.5 66-66 0.016353 79,662 1,303 79,010 1,476,730 18.5 66-66 0.016353 79,662 1,303 79,010 1,476,730 18.5 66-66 0.016353 79,662 1,303 79,010 1,476,730 18.5 66-66 0.016353 79,662 1,303 79,010 1,476,730 18.5 66-66 0.016353 79,662 1,303 79,010 1,476,730 18.5 66-66 0.016353 79,662 1,303 79,010 1,476,730 18.5 66-66 0.016353 79,662 1,303 79,010 1,476,730 18.5 66-66 0.016353 79,662 1,303 79,010 1,476,730 18.5 66-66 0.016353 79,662 1,303 79,010 1,476,730 18.5 66-66 0.016353 79,662 1,303 79,010 1,476,730 18.5 66-66 0.016353 79,662 1,303 79,010 1,476,730 18.5 66-66 0.016353 79,662 1,303 79,010 1,476,730 18.5 66-66 0.016353 79,662 1,512 74,804 1,243,772 16.5 66-66 0.016353 79,662 1,505 76,691 1.20 0.025098 70,760 1,776 69,872 1,024,115 14.5							
444-45 0.003622 94,711 343 94,540 3,341,507 35.3 45-46 0.003934 94,368 371 94,183 3,246,967 34.4 46-47 0.004254 93,997 400 93,797 3,152,784 33.5 47-48 0.004582 93,997 429 93,383 3,058,987 32.7 48-49 0.004921 93,168 458 92,939 2,965,604 31.8 49-50 0.005278 92,710 489 92,465 2,872,665 31.0 50-51 0.005600 92,221 522 91,960 2,780,200 30.1 51-52 0.006074 91,699 557 91,420 2,688,240 29.3 52-53 0.006521 91,142 594 90,845 2,596,820 28.5 53-54 0.006998 90,547 634 90,231 2,505,975 27.7 54-55 0.007496 89,914 674 89,577 2,415,745 26.9 <td></td> <td></td> <td>•</td> <td></td> <td>•</td> <td></td> <td></td>			•		•		
45-46 0.003934 94,368 371 94,183 3,246,967 34.4 46-47 0.004254 93,997 400 93,797 3,152,784 33.5 47-48 0.004582 93,597 429 93,383 3,058,987 32.7 48-49 0.004921 93,168 458 92,939 2,965,604 31.8 49-50 0.005278 92,710 489 92,465 2,872,665 31.0 50-51 0.005660 92,221 522 91,960 2,780,200 30.1 51-52 0.006074 91,699 557 91,420 2,688,240 29.3 52-53 0.006521 91,142 594 90,845 2,596,820 28.5 53-54 0.006998 90,547 634 90,231 2,505,975 27.7 54-55 0.007496 89,914 674 89,577 2,415,745 26.9 55-56 0.008028 89,240 716 88,882 2,326,168 26.1 56-57 0.008590 88,523 760 88,143 2,237,286 25.3 58-59 0.009797 86,958 852 86,532 2,061,783 23.7 59-60 0.010500 86,106 904 85,654 1,975,251 22.9 60-61 0.011334 85,202 966 84,719 1,889,597 22.2 61-62 0.012307 84,236 1,037 83,718 1,804,878 21.4 66-65 0.013363 83,199 1,112 82,644 1,721,160 20.7 63-64 0.014398 82,088 1,182 81,497 1,638,517 20.0 64-65 0.015375 80,906 1,244 80,284 1,557,020 19.2 66-66 0.016353 79,662 1,303 79,010 1,476,736 18.5 66-67 0.017419 78,359 1,365 77,677 1,397,726 17.8 67-67-6 0.02303 72,448 1,688 71,604 1,095,720 15.1 71-72 0.025098 70,760 1,776 69,872 1,024,115 14.5 71-72 0.023096 67,117 1,967 66,134 886,193 13.2 77-75 0.034274 63,086 2,166 68,051 954,243 13.8 78-79 0.044734 56,264 2,517 55,005 576,691 10.2					•		
46-47 0.004254 93,997 400 93,797 3,152,784 33.5 47-48 0.004582 93,597 429 93,383 3,058,987 32.7 48-49 0.004921 93,168 458 92,939 2,965,604 31.8 49-50 0.005278 92,710 489 92,465 2,872,665 31.0 50-51 0.005660 92,221 522 91,960 2,780,200 30.1 51-52 0.006074 91,699 557 91,420 2,688,240 29.3 52-53 0.006521 91,142 594 90,845 2,596,820 28.5 33-54 0.006998 90,547 634 90,231 2,505,975 27.7 54-55 0.007496 89,914 674 89,577 2,415,745 26.9 55-56 0.008028 89,240 716 88,882 2,326,168 26.1 56-57 0.008590 88,523 760 88,143 2,237,286 25.3 <td></td> <td></td> <td></td> <td></td> <td>•</td> <td></td> <td></td>					•		
47-48 0.004582 93,597 429 93,383 3,058,987 32.7 48-49 0.004921 93,168 458 92,939 2,965,604 31.8 49-50 0.005278 92,710 489 92,465 2,872,665 31.0 50-51 0.005660 92,221 522 91,960 2,780,200 30.1 51-52 0.006074 91,699 557 91,420 2,688,240 29.3 52-53 0.006521 91,142 594 90,845 2,596,820 28.5 53-54 0.006998 90,547 634 90,231 2,505,975 27.7 54-55 0.007496 89,914 674 89,577 2,415,745 26.9 55-56 0.008028 89,240 716 88,882 2,326,168 26.1 56-57 0.008590 88,523 760 81,43 2,237,286 25.3 57-58 0.009173 87,763 805 87,360 2,149,143 24.5							
48-49 0.004921 93,168 458 92,939 2,965,604 31.8 49-50 0.005278 92,710 489 92,465 2,872,665 31.0 50-51 0.005660 92,221 522 91,960 2,780,200 30.1 51-52 0.006074 91,699 557 91,420 2,688,240 29.3 52-53 0.006521 91,142 594 90,845 2,596,820 28.5 53-54 0.006998 90,547 634 90,231 2,505,975 27.7 54-55 0.007496 89,914 674 89,577 2,415,745 26.9 55-56 0.008028 89,240 716 88,882 2,326,168 26.1 56-57 0.008590 88,523 760 81,143 2,237,286 25.3 57-58 0.009173 87,763 805 87,360 2,149,143 24.5 58-59 0.009797 86,958 852 86,532 2,061,783 23.7 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
49-50 0.005278 92,710 489 92,465 2,872,665 31.0 50-51 0.005660 92,221 522 91,960 2,780,200 30.1 51-52 0.006074 91,699 557 91,420 2,688,240 29.3 52-53 0.006521 91,142 594 90,845 2,596,820 28.5 53-54 0.006998 90,547 634 90,231 2,505,975 27.7 54-55 0.007496 89,914 674 89,577 2,415,745 26.9 55-56 0.008028 89,240 716 88,882 2,326,168 26.1 56-57 0.008590 88,523 760 88,143 2,237,286 25.3 57-58 0.009173 87,763 805 87,360 2,149,143 24.5 58-59 0.009797 86,958 852 86,532 2,061,783 23.7 59-60 0.010500 86,106 904 85,654 1,975,251 22.9 <td>47-48</td> <td></td> <td>•</td> <td></td> <td>•</td> <td></td> <td></td>	47-48		•		•		
50-51 0.005660 92,221 522 91,960 2,780,200 30.1 51-52 0.006074 91,699 557 91,420 2,688,240 29.3 52-53 0.006521 91,142 594 90,845 2,596,820 28.5 53-54 0.006998 90,547 634 90,231 2,505,975 27.7 54-55 0.007496 89,914 674 89,577 2,415,745 26.9 55-5-56 0.008028 89,240 716 88,882 2,326,168 26.1 56-57 0.008590 88,523 760 88,143 2,237,286 25.3 57-58 0.009173 87,763 805 87,360 2,149,143 24.5 58-59 0.009797 86,958 852 86,532 2,061,783 23.7 59-60 0.010500 86,106 904 85,654 1,975,251 22.9 60-61 0.011334 85,202 966 84,719 1,889,597 22.2 </td <td>48-49</td> <td></td> <td></td> <td></td> <td>•</td> <td></td> <td></td>	48-49				•		
51-52 0.006074 91,699 557 91,420 2,688,240 29.3 52-53 0.006521 91,142 594 90,845 2,596,820 28.5 53-54 0.006998 90,547 634 90,231 2,505,975 27.7 54-55 0.007496 89,914 674 89,577 2,415,745 26.9 55-56 0.00828 89,240 716 88,882 2,326,168 26.1 56-57 0.008590 88,523 760 88,143 2,237,286 25.3 57-58 0.009173 87,63 805 87,360 2,149,143 24.5 58-59 0.009797 86,958 852 86,532 2,061,783 23.7 59-60 0.010500 86,106 904 85,654 1,975,251 22.9 60-61 0.011334 85,202 966 84,719 1,889,597 22.2 61-62 0.012307 84,236 1,037 83,718 1,804,878 21.4 <td>49-50</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	49-50						
52-53 0.006521 91,142 594 90,845 2,596,820 28.5 53-54 0.006998 90,547 634 90,231 2,505,975 27.7 54-55 0.007496 89,914 674 89,577 2,415,745 26.9 55-56 0.008028 89,240 716 88,882 2,326,168 26.1 56-57 0.008590 88,523 760 88,143 2,237,286 25.3 57-58 0.009173 87,763 805 87,360 2,149,143 24.5 58-59 0.009797 86,958 852 86,532 2,061,783 23.7 59-60 0.010500 86,106 904 85,654 1,975,251 22.9 60-61 0.011334 85,202 966 84,719 1,889,597 22.2 61-62 0.012307 84,236 1,037 83,718 1,804,878 21.4 62-63 0.013363 83,199 1,112 82,644 1,721,160 20.7	50-51	0.005660	92,221	522	91,960	2,780,200	30.1
53-54 0.006998 90,547 634 90,231 2,505,975 27.7 54-55 0.007496 89,914 674 89,577 2,415,745 26.9 55-56 0.008028 89,240 716 88,882 2,326,168 26.1 56-57 0.008590 88,523 760 88,143 2,237,286 25.3 57-58 0.009173 87,763 805 87,360 2,149,143 24.5 58-59 0.009797 86,958 852 86,532 2,061,783 23.7 59-60 0.010500 86,106 904 85,654 1,975,251 22.9 66-61 0.011334 85,202 966 84,719 1,889,597 22.2 61-62 0.012307 84,236 1,037 83,718 1,804,878 21.4 62-63 0.013363 83,199 1,112 82,644 1,721,160 20.7 63-64 0.014398 82,088 1,182 81,497 1,638,517 20.0	51-52	0.006074	91,699	557	91,420	2,688,240	29.3
54-55 0.007496 89,914 674 89,577 2,415,745 26.9 55-56 0.008028 89,240 716 88,882 2,326,168 26.1 56-57 0.008590 88,523 760 88,143 2,237,286 25.3 57-58 0.009173 87,763 805 87,360 2,149,143 24.5 58-59 0.009797 86,958 852 86,532 2,061,783 23.7 59-60 0.010500 86,106 904 85,654 1,975,251 22.9 60-61 0.011334 85,202 966 84,719 1,889,597 22.2 61-62 0.012307 84,236 1,037 83,718 1,804,878 21.4 62-63 0.013363 83,199 1,112 82,644 1,721,160 20.7 63-64 0.014398 82,088 1,182 81,497 1,638,517 20.0 66-65 0.015375 80,906 1,244 80,284 1,557,020 19.2	52-53	0.006521	91,142	594	90,845	2,596,820	28.5
55-56 0.008028 89,240 716 88,882 2,326,168 26.1 56-57 0.008590 88,523 760 88,143 2,237,286 25.3 57-58 0.009173 87,763 805 87,360 2,149,143 24.5 58-59 0.009797 86,958 852 86,532 2,061,783 23.7 59-60 0.010500 86,106 904 85,654 1,975,251 22.9 60-61 0.011334 85,202 966 84,719 1,889,597 22.2 61-62 0.012307 84,236 1,037 83,718 1,804,878 21.4 62-63 0.013363 83,199 1,112 82,644 1,721,160 20.7 63-64 0.014398 82,088 1,182 81,497 1,638,517 20.0 65-66 0.015375 80,906 1,244 80,284 1,557,020 19.2 65-66 0.016353 79,662 1,303 79,010 1,476,736 18.5 <td>53-54</td> <td>0.006998</td> <td>90,547</td> <td>634</td> <td>90,231</td> <td>2,505,975</td> <td>27.7</td>	53-54	0.006998	90,547	634	90,231	2,505,975	27.7
56-57 0.008590 88,523 760 88,143 2,237,286 25.3 57-58 0.009173 87,763 805 87,360 2,149,143 24.5 58-59 0.009797 86,958 852 86,532 2,061,783 23.7 59-60 0.010500 86,106 904 85,654 1,975,251 22.9 60-61 0.011334 85,202 966 84,719 1,889,597 22.2 61-62 0.012307 84,236 1,037 83,718 1,804,878 21.4 62-63 0.013363 83,199 1,112 82,644 1,721,160 20.7 63-64 0.014398 82,088 1,182 81,497 1,638,517 20.0 65-66 0.015375 80,906 1,244 80,284 1,557,020 19.2 65-66 0.016353 79,662 1,303 79,010 1,476,736 18.5 67-68 0.018626 76,994 1,434 76,277 1,320,049 17.1 </td <td>54-55</td> <td>0.007496</td> <td>89,914</td> <td>674</td> <td>89,577</td> <td>2,415,745</td> <td>26.9</td>	54-55	0.007496	89,914	674	89,577	2,415,745	26.9
57-58 0.009173 87,763 805 87,360 2,149,143 24.5 58-59 0.009797 86,958 852 86,532 2,061,783 23.7 59-60 0.010500 86,106 904 85,654 1,975,251 22.9 60-61 0.011334 85,202 966 84,719 1,889,597 22.2 61-62 0.012307 84,236 1,037 83,718 1,804,878 21.4 62-63 0.013363 83,199 1,112 82,644 1,721,160 20.7 63-64 0.014398 82,088 1,182 81,497 1,638,517 20.0 64-65 0.015375 80,906 1,244 80,284 1,557,020 19.2 65-66 0.016353 79,662 1,303 79,010 1,476,736 18.5 66-67 0.017419 78,359 1,365 77,677 1,397,726 17.8 67-68 0.018626 76,994 1,434 76,277 1,320,049 17.1	55-56	0.008028	89,240	716	88,882	2,326,168	26.1
58-59 0.009797 86,958 852 86,532 2,061,783 23.7 59-60 0.010500 86,106 904 85,654 1,975,251 22.9 60-61 0.011334 85,202 966 84,719 1,889,597 22.2 61-62 0.012307 84,236 1,037 83,718 1,804,878 21.4 62-63 0.013363 83,199 1,112 82,644 1,721,160 20.7 63-64 0.014398 82,088 1,182 81,497 1,638,517 20.0 64-65 0.015375 80,906 1,244 80,284 1,557,020 19.2 65-66 0.016353 79,662 1,303 79,010 1,476,736 18.5 66-67 0.017419 78,359 1,365 77,677 1,320,049 17.1 68-69 0.020009 75,560 1,512 74,804 1,243,772 16.5 69-70 0.021605 74,048 1,600 73,248 1,168,968 15	56-57	0.008590	88,523	760	88,143	2,237,286	25.3
59-60 0.010500 86,106 904 85,654 1,975,251 22.9 60-61 0.011334 85,202 966 84,719 1,889,597 22.2 61-62 0.012307 84,236 1,037 83,718 1,804,878 21.4 62-63 0.013363 83,199 1,112 82,644 1,721,160 20.7 63-64 0.014398 82,088 1,182 81,497 1,638,517 20.0 64-65 0.015375 80,906 1,244 80,284 1,557,020 19.2 65-66 0.016353 79,662 1,303 79,010 1,476,736 18.5 66-67 0.017419 78,359 1,365 77,677 1,397,726 17.8 67-68 0.018626 76,994 1,434 76,277 1,320,049 17.1 68-69 0.020009 75,560 1,512 74,804 1,243,772 16.5 69-70 0.021605 74,048 1,600 73,248 1,168,968	57-58	0.009173	87,763	805	87,360	2,149,143	24.5
60-61 0.011334 85,202 966 84,719 1,889,597 22.2 61-62 0.012307 84,236 1,037 83,718 1,804,878 21.4 62-63 0.013363 83,199 1,112 82,644 1,721,160 20.7 63-64 0.014398 82,088 1,182 81,497 1,638,517 20.0 64-65 0.015375 80,906 1,244 80,284 1,557,020 19.2 65-66 0.016353 79,662 1,303 79,010 1,476,736 18.5 66-67 0.017419 78,359 1,365 77,677 1,397,726 17.8 67-68 0.018626 76,994 1,434 76,277 1,320,049 17.1 68-69 0.020009 75,560 1,512 74,804 1,243,772 16.5 69-70 0.021605 74,048 1,600 73,248 1,168,968 15.8 70-71 0.023303 72,448 1,688 71,604 1,095,720 <t< td=""><td>58-59</td><td>0.009797</td><td>86,958</td><td>852</td><td>86,532</td><td>2,061,783</td><td>23.7</td></t<>	58-59	0.009797	86,958	852	86,532	2,061,783	23.7
61-62 0.012307 84,236 1,037 83,718 1,804,878 21.4 62-63 0.013363 83,199 1,112 82,644 1,721,160 20.7 63-64 0.014398 82,088 1,182 81,497 1,638,517 20.0 64-65 0.015375 80,906 1,244 80,284 1,557,020 19.2 65-66 0.016353 79,662 1,303 79,010 1,476,736 18.5 66-67 0.017419 78,359 1,365 77,677 1,397,726 17.8 67-68 0.018626 76,994 1,434 76,277 1,320,049 17.1 68-69 0.020009 75,560 1,512 74,804 1,243,772 16.5 69-70 0.021605 74,048 1,600 73,248 1,168,968 15.8 70-71 0.023303 72,448 1,688 71,604 1,095,720 15.1 71-72 0.025098 70,760 1,776 69,872 1,024,115 14.5 72-73 0.027061 68,984 1,867 68,051	59-60	0.010500	86,106	904	85,654	1,975,251	22.9
62-63 0.013363 83,199 1,112 82,644 1,721,160 20.7 63-64 0.014398 82,088 1,182 81,497 1,638,517 20.0 64-65 0.015375 80,906 1,244 80,284 1,557,020 19.2 65-66 0.016353 79,662 1,303 79,010 1,476,736 18.5 66-67 0.017419 78,359 1,365 77,677 1,397,726 17.8 67-68 0.018626 76,994 1,434 76,277 1,320,049 17.1 68-69 0.020009 75,560 1,512 74,804 1,243,772 16.5 69-70 0.021605 74,048 1,600 73,248 1,168,968 15.8 70-71 0.023303 72,448 1,688 71,604 1,095,720 15.1 71-72 0.025098 70,760 1,776 69,872 1,024,115 14.5 72-73 0.027061 68,984 1,867 68,051 954,243 13.8 73-74 0.031679 65,150 2,064 64,118	60-61	0.011334	85,202	966	84,719	1,889,597	22.2
63-64 0.014398 82,088 1,182 81,497 1,638,517 20.0 64-65 0.015375 80,906 1,244 80,284 1,557,020 19.2 65-66 0.016353 79,662 1,303 79,010 1,476,736 18.5 66-67 0.017419 78,359 1,365 77,677 1,397,726 17.8 67-68 0.018626 76,994 1,434 76,277 1,320,049 17.1 68-69 0.020009 75,560 1,512 74,804 1,243,772 16.5 69-70 0.021605 74,048 1,600 73,248 1,168,968 15.8 70-71 0.023303 72,448 1,688 71,604 1,095,720 15.1 71-72 0.025098 70,760 1,776 69,872 1,024,115 14.5 72-73 0.027061 68,984 1,867 68,051 954,243 13.8 73-74 0.031679 65,150 2,064 64,118 820,059 12.6 75-76 0.034274 63,086 2,162 62,005	61-62	0.012307	84,236	1,037	83,718	1,804,878	21.4
64-65 0.015375 80,906 1,244 80,284 1,557,020 19.2 65-66 0.016353 79,662 1,303 79,010 1,476,736 18.5 66-67 0.017419 78,359 1,365 77,677 1,397,726 17.8 67-68 0.018626 76,994 1,434 76,277 1,320,049 17.1 68-69 0.020009 75,560 1,512 74,804 1,243,772 16.5 69-70 0.021605 74,048 1,600 73,248 1,168,968 15.8 70-71 0.023303 72,448 1,688 71,604 1,095,720 15.1 71-72 0.025098 70,760 1,776 69,872 1,024,115 14.5 72-73 0.027061 68,984 1,867 68,051 954,243 13.8 73-74 0.029306 67,117 1,967 66,134 886,193 13.2 74-75 0.031679 65,150 2,064 64,118 820,059 12.6 75-76 0.034274 63,086 2,162 62,005 <	62-63	0.013363	83,199	1,112	82,644	1,721,160	20.7
65-66 0.016353 79,662 1,303 79,010 1,476,736 18.5 66-67 0.017419 78,359 1,365 77,677 1,397,726 17.8 67-68 0.018626 76,994 1,434 76,277 1,320,049 17.1 68-69 0.020009 75,560 1,512 74,804 1,243,772 16.5 69-70 0.021605 74,048 1,600 73,248 1,168,968 15.8 70-71 0.023303 72,448 1,688 71,604 1,095,720 15.1 71-72 0.025098 70,760 1,776 69,872 1,024,115 14.5 72-73 0.027061 68,984 1,867 68,051 954,243 13.8 73-74 0.029306 67,117 1,967 66,134 886,193 13.2 74-75 0.031679 65,150 2,064 64,118 820,059 12.6 75-76 0.034274 63,086 2,162 62,005 755,940 12.0 76-77 0.037327 60,924 2,274 59,787 <td< td=""><td>63-64</td><td>0.014398</td><td>82,088</td><td>1,182</td><td>81,497</td><td>1,638,517</td><td>20.0</td></td<>	63-64	0.014398	82,088	1,182	81,497	1,638,517	20.0
66-67 0.017419 78,359 1,365 77,677 1,397,726 17.8 67-68 0.018626 76,994 1,434 76,277 1,320,049 17.1 68-69 0.020009 75,560 1,512 74,804 1,243,772 16.5 69-70 0.021605 74,048 1,600 73,248 1,168,968 15.8 70-71 0.023303 72,448 1,688 71,604 1,095,720 15.1 71-72 0.025098 70,760 1,776 69,872 1,024,115 14.5 72-73 0.027061 68,984 1,867 68,051 954,243 13.8 73-74 0.029306 67,117 1,967 66,134 886,193 13.2 74-75 0.031679 65,150 2,064 64,118 820,059 12.6 75-76 0.034274 63,086 2,162 62,005 755,940 12.0 76-77 0.037327 60,924 2,274 59,787 634,148 10.8 78-79 0.044693 58,650 2,387 57,457 6	64-65	0.015375	80,906	1,244	80,284	1,557,020	19.2
67-68 0.018626 76,994 1,434 76,277 1,320,049 17.1 68-69 0.020009 75,560 1,512 74,804 1,243,772 16.5 69-70 0.021605 74,048 1,600 73,248 1,168,968 15.8 70-71 0.023303 72,448 1,688 71,604 1,095,720 15.1 71-72 0.025098 70,760 1,776 69,872 1,024,115 14.5 72-73 0.027061 68,984 1,867 68,051 954,243 13.8 73-74 0.029306 67,117 1,967 66,134 886,193 13.2 74-75 0.031679 65,150 2,064 64,118 820,059 12.6 75-76 0.034274 63,086 2,162 62,005 755,940 12.0 76-77 0.037327 60,924 2,274 59,787 693,935 11.4 77-78 0.040693 58,650 2,387 57,457 634,148 10.8 78-79 0.044734 56,264 2,517 55,005 576	65-66	0.016353	79,662	1,303	79,010	1,476,736	18.5
68-69 0.020009 75,560 1,512 74,804 1,243,772 16.5 69-70 0.021605 74,048 1,600 73,248 1,168,968 15.8 70-71 0.023303 72,448 1,688 71,604 1,095,720 15.1 71-72 0.025098 70,760 1,776 69,872 1,024,115 14.5 72-73 0.027061 68,984 1,867 68,051 954,243 13.8 73-74 0.029306 67,117 1,967 66,134 886,193 13.2 74-75 0.031679 65,150 2,064 64,118 820,059 12.6 75-76 0.034274 63,086 2,162 62,005 755,940 12.0 76-77 0.037327 60,924 2,274 59,787 693,935 11.4 77-78 0.040693 58,650 2,387 57,457 634,148 10.8 78-79 0.044734 56,264 2,517 55,005 576,691 10.2	66-67	0.017419	78,359	1,365	77,677	1,397,726	17.8
69-70 0.021605 74,048 1,600 73,248 1,168,968 15.8 70-71 0.023303 72,448 1,688 71,604 1,095,720 15.1 71-72 0.025098 70,760 1,776 69,872 1,024,115 14.5 72-73 0.027061 68,984 1,867 68,051 954,243 13.8 73-74 0.029306 67,117 1,967 66,134 886,193 13.2 74-75 0.031679 65,150 2,064 64,118 820,059 12.6 75-76 0.034274 63,086 2,162 62,005 755,940 12.0 76-77 0.037327 60,924 2,274 59,787 693,935 11.4 77-78 0.040693 58,650 2,387 57,457 634,148 10.8 78-79 0.044734 56,264 2,517 55,005 576,691 10.2	67-68	0.018626	76,994	1,434	76,277	1,320,049	17.1
70-71 0.023303 72,448 1,688 71,604 1,095,720 15.1 71-72 0.025098 70,760 1,776 69,872 1,024,115 14.5 72-73 0.027061 68,984 1,867 68,051 954,243 13.8 73-74 0.029306 67,117 1,967 66,134 886,193 13.2 74-75 0.031679 65,150 2,064 64,118 820,059 12.6 75-76 0.034274 63,086 2,162 62,005 755,940 12.0 76-77 0.037327 60,924 2,274 59,787 693,935 11.4 77-78 0.040693 58,650 2,387 57,457 634,148 10.8 78-79 0.044734 56,264 2,517 55,005 576,691 10.2	68-69	0.020009	75,560	1,512	74,804	1,243,772	16.5
71-72 0.025098 70,760 1,776 69,872 1,024,115 14.5 72-73 0.027061 68,984 1,867 68,051 954,243 13.8 73-74 0.029306 67,117 1,967 66,134 886,193 13.2 74-75 0.031679 65,150 2,064 64,118 820,059 12.6 75-76 0.034274 63,086 2,162 62,005 755,940 12.0 76-77 0.037327 60,924 2,274 59,787 693,935 11.4 77-78 0.040693 58,650 2,387 57,457 634,148 10.8 78-79 0.044734 56,264 2,517 55,005 576,691 10.2	69-70	0.021605	74,048	1,600	73,248	1,168,968	15.8
72-73 0.027061 68,984 1,867 68,051 954,243 13.8 73-74 0.029306 67,117 1,967 66,134 886,193 13.2 74-75 0.031679 65,150 2,064 64,118 820,059 12.6 75-76 0.034274 63,086 2,162 62,005 755,940 12.0 76-77 0.037327 60,924 2,274 59,787 693,935 11.4 77-78 0.040693 58,650 2,387 57,457 634,148 10.8 78-79 0.044734 56,264 2,517 55,005 576,691 10.2	70-71	0.023303	72,448	1,688	71,604	1,095,720	15.1
73-74 0.029306 67,117 1,967 66,134 886,193 13.2 74-75 0.031679 65,150 2,064 64,118 820,059 12.6 75-76 0.034274 63,086 2,162 62,005 755,940 12.0 76-77 0.037327 60,924 2,274 59,787 693,935 11.4 77-78 0.040693 58,650 2,387 57,457 634,148 10.8 78-79 0.044734 56,264 2,517 55,005 576,691 10.2	71-72	0.025098	70,760	1,776	69,872	1,024,115	14.5
74-75 0.031679 65,150 2,064 64,118 820,059 12.6 75-76 0.034274 63,086 2,162 62,005 755,940 12.0 76-77 0.037327 60,924 2,274 59,787 693,935 11.4 77-78 0.040693 58,650 2,387 57,457 634,148 10.8 78-79 0.044734 56,264 2,517 55,005 576,691 10.2	72-73	0.027061	68,984	1,867	68,051	954,243	13.8
75-76 0.034274 63,086 2,162 62,005 755,940 12.0 76-77 0.037327 60,924 2,274 59,787 693,935 11.4 77-78 0.040693 58,650 2,387 57,457 634,148 10.8 78-79 0.044734 56,264 2,517 55,005 576,691 10.2	73-74	0.029306	67,117	1,967	66,134	886,193	13.2
75-76 0.034274 63,086 2,162 62,005 755,940 12.0 76-77 0.037327 60,924 2,274 59,787 693,935 11.4 77-78 0.040693 58,650 2,387 57,457 634,148 10.8 78-79 0.044734 56,264 2,517 55,005 576,691 10.2	74-75	0.031679	65,150	2,064	64,118	820,059	12.6
76-77 0.037327 60,924 2,274 59,787 693,935 11.4 77-78 0.040693 58,650 2,387 57,457 634,148 10.8 78-79 0.044734 56,264 2,517 55,005 576,691 10.2	75-76						
77-78 0.040693 58,650 2,387 57,457 634,148 10.8 78-79 0.044734 56,264 2,517 55,005 576,691 10.2	76-77						
78-79 0.044734 56,264 2,517 55,005 576,691 10.2	77-78						
· · · · · · · · · · · · · · · · · · ·	78-79						
	79-80						

Table 18. Life table for non-Hispanic black females: United States, 2006

			ies. Omiteu stat	,	Total	
	Probablity		Number	Person-years	number of	
	of dying	Number	dying	lived	person-years	Expectation
	between	surviving to	between	between	lived above	of life
	ages x to x+1	age x	ages x to x+1	ages x to x+1	age x	at age x
Age	q(x)	l(x)	d(x)	L(x)	T(x)	e(x)
80-81	0.055153	51,082	2,817	49,673	469,271	9.2
81-82	0.060771	48,265	2,933	46,798	419,598	8.7
82-83	0.066129	45,332	2,998	43,833	372,800	8.2
83-84	0.072868	42,334	3,085	40,792	328,967	7.8
84-85	0.079471	39,249	3,119	37,690	288,175	7.3
85-86	0.086586	36,130	3,128	34,566	250,486	6.9
86-87	0.094235	33,002	3,110	31,447	215,920	6.5
87-88	0.102441	29,892	3,062	28,361	184,473	6.2
88-89	0.111223	26,830	2,984	25,338	156,113	5.8
89-90	0.120596	23,845	2,876	22,408	130,775	5.5
90-91	0.130574	20,970	2,738	19,601	108,368	5.2
91-92	0.141164	18,232	2,574	16,945	88,767	4.9
92-93	0.152369	15,658	2,386	14,465	71,822	4.6
93-94	0.164185	13,272	2,179	12,183	57,357	4.3
94-95	0.176603	11,093	1,959	10,114	45,174	4.1
95-96	0.189606	9,134	1,732	8,268	35,061	3.8
96-97	0.203169	7,402	1,504	6,650	26,793	3.6
97-98	0.217260	5,898	1,281	5,258	20,142	3.4
98-99	0.231840	4,617	1,070	4,082	14,885	3.2
99-100	0.246861	3,546	875	3,109	10,803	3.0
100 and over	1.000000	2,671	2,671	7,694	7,694	2.9