## Leading Causes of Death by Age Group, American Indian/Alaska Native Females-United States, 2013\*

Age in Groups

| Rank | 1-4                                | 5-9                                | 10-14                          | 15-19  | 20-24                                | 25-34   | 35-44                              | 45-54  | 55-64  | 65+  | 65-74  | 75-84  | 85+  | All Ages   |
|------|------------------------------------|------------------------------------|--------------------------------|--|--------------------------------------|---|------------------------------------|--|--|--|--|--|--|--|
| 1    | Unintentional<br>injuries<br>48.7% | Unintentional<br>injuries<br>45.8% | Unintentional injuries 35.3%   | Unintentional<br>injuries<br>44.2%                   | Unintentional injuries 46.3%         | Unintentional injuries 36.4%                                  | Unintentional<br>injuries<br>23.0% | Cancer<br>20.6%                                  | Cancer<br>25.2%                                  | Heart<br>disease<br>21.1%                        | Cancer<br>28.4%                                  | Heart<br>disease<br>20.6%                            | Heart<br>disease<br>26.1%                        | Cancer<br>18.9%                                  |
| 2    | Homicide<br>12.8%                  | Homicide<br>8.3%                   | Suicide<br>23.5%               | Suicide<br>25.0%                                     | Suicide<br>20.4%                     | Chronic liver<br>disease<br>10.7%                             | Chronic liver<br>disease<br>14.9%  | Chronic liver<br>disease<br>15.9%                | Heart<br>disease<br>16.3%                        | Cancer<br>19.8%                                  | Heart<br>disease<br>16.7%                        | Cancer<br>20.4%                                      | Cancer<br>10.5%                                  | Heart<br>disease<br>16.8%                        |
| 3    | Birth<br>defects<br>10.3%          | Viral<br>hepatitis<br>(3) 4.2%     | Homicide<br>11.8%              | Homicide<br>7.7%                                     | Homicide<br>7.4%                     | Suicide<br>8.8%   | Cancer<br>10.9%                    | Unintentional<br>injuries<br>12.6%               | Diabetes<br>8.6%                                 | Chronic lower<br>respiratory<br>diseases<br>6.7% | Chronic lower<br>respiratory<br>diseases<br>8.4% | Chronic lower<br>respiratory<br>diseases<br>7.3%     | Stroke<br>7.4%                                   | Unintentional<br>injuries<br>8.5%                |
| 4    | Influenza & pneumonia 5.1%         | Cancer<br>(3) 4.2%                 | Cancer<br>(4) 5.9%             | Cancer<br>3.8%                                       | Cancer<br>(4) 3.7%                   | Cancer<br>6.8%  | Heart<br>disease<br>9.1%           | Heart<br>disease<br>11.1%                        | Chronic liver<br>disease<br>7.8%                 | Diabetes<br>6.5%                                 | Diabetes<br>8.2%                                 | Diabetes<br>6.4%                                     | Alzheimer's<br>disease<br>6.6%                   | Diabetes<br>6.1%                                 |
| 5    | Cancer<br>(5) 2.6%                 | Birth<br>defects<br>(3) 4.2%       | Heart disease<br>(4) 5.9%      | Septicemia<br>(5) 1.9%                               | Heart<br>disease<br>(4) 3.7%         | Homicide<br>4.2%  | Diabetes<br>4.0%                   | Diabetes<br>4.4%                                 | Unintentional injuries 6.1%                      | Stroke<br>5.9%                                   | Stroke<br>4.6%                                   | Stroke<br>5.8%                                       | Diabetes<br>5.0%                                 | Chronic liver<br>disease<br>5.6%                 |
| 6    | Bronchitis<br>(5) 2.6%             |                                    | Influenza & pneumonia (4) 5.9% | Heart<br>disease<br>(5) 1.9%                         | Pregnancy<br>complications<br>2.8%   | Heart<br>disease<br>3.9%                                      | Influenza & pneumonia (6) 3.8%     | Chronic lower<br>respiratory<br>diseases<br>3.2% | Chronic lower<br>respiratory<br>diseases<br>4.8% | Alzheimer's<br>disease<br>3.7%                   | Chronic liver<br>disease<br>3.8%                 | Alzheimer's<br>disease<br>3.9%                       | Chronic lower<br>respiratory<br>diseases<br>4.3% | Chronic lower<br>respiratory<br>diseases<br>5.0% |
| 7    |                                    |                                    |                                | Chronic lower<br>respiratory<br>diseases<br>(5) 1.9% | Diabetes<br>(7) 0.9%                 | Diabetes<br>3.6%  | Suicide<br>(6) 3.8%                | Septicemia<br>(7) 2.7%                           | Stroke<br>3.1%                                   | Influenza & pneumonia 2.8%                       | Kidney<br>disease<br>2.7%                        | Unintentional injuries 3.1%                          | Influenza & pneumonia 4.1%                       | Stroke<br>4.4%                                   |
| 8    |                                    |                                    |                                | Birth<br>defects<br>(5) 1.9%                         | Influenza & pneumonia (7) 0.9%       | Pregnancy complications 2.3%                                  | Stroke<br>2.8%                     | Stroke<br>(7) 2.7%                               | Kidney<br>disease<br>2.6%                        | Unintentional<br>injuries<br>2.7%                | Septicemia<br>(8) 2.2%                           | Kidney<br>disease<br>2.6%                            | Unintentional<br>injuries<br>2.7%                | Influenza & pneumonia 2.4%                       |
| 9    |                                    |                                    |                                |  | Chronic liver<br>disease<br>(7) 0.9% | Septicemia<br>1.6%  | Septicemia<br>(9) 2.0%             | Viral<br>hepatitis<br>2.4%                       | Influenza & pneumonia 1.8%                       | Kidney<br>disease<br>2.3%                        | Unintentional<br>injuries<br>(8) 2.2%            | Influenza & pneumonia 2.4%                           | Hypertension 2.3%                                | Alzheimer's<br>disease<br>2.1%                   |
| 10   |                                    |                                    |                                |  |                                      | HIV<br>disease<br>(10) 1.3%<br>Kidney<br>disease<br>(10) 1.3% | Homicide<br>(9) 2.0%               | Suicide<br>1.8%                                  | Septicemia<br>1.7%                               | Septicemia<br>2.0%                               | Influenza & pneumonia 2.0%                       | Septicemia<br>(10) 1.8%<br>Hypertension<br>(10) 1.8% | Septicemia<br>1.9%                               | Kidney<br>disease<br>2.1%                        |

<sup>\*</sup>Percentages represent total deaths in the age group due to the cause indicated. Numbers in parentheses indicate tied rankings. The white, black, American Indian/Alaska Native, and Asian/Pacific Islander race groups include persons of Hispanic and non-Hispanic origin may be of any race. Some terms have been shortened from those used in the National Vital Statistics Report. See the next page for a listing of the shortened terms in the table and their full unabridged equivalents used in the report. To learn more, visit *Mortality Tables* at <a href="http://www.cdc.gov/nchs/nvss/mortality\_tables.htm">http://www.cdc.gov/nchs/nvss/mortality\_tables.htm</a> or <a href="http://www.cdc.gov/nchs/deaths.htm">http://www.cdc.gov/nchs/nvss/mortality\_tables.htm</a> (HHS, CDC, NCHS).

## **Short and Full Terms for Leading Causes of Death (Females)**

Some terms in the leading causes of death table have been shortened from those used in the National Vital Statistics Report. Below is a listing of the shortened terms used in the table and their full, unabridged equivalents used in the report.

SHORT TERMS FULL TERMS

Aortic aneurism Aortic aneurism and dissection

Appendix disease Diseases of appendix

Benign neoplasms In situ neoplasms and neoplasms of uncertain or unknown behavior

Birth defects Congenital malformations, deformations and chromosomal abnormalities

**Bronchitis** Acute bronchitis and bronchiolitis

**Cancer** Malignant neoplasms

C. difficile infectionChronic liver diseaseEntercolitis due to clostridiumChronic liver disease and cirrhosis

Chronic lower respiratory diseases Includes bronchitis, emphysema, asthma, bronchiectasis,

and other chronic obstructive pulmonary disease

**Diabetes** Diabetes mellitus

Gallbladder disorders Cholethiasis and other disorders of gallbladder

**Heart disease** Diseases of the heart

HIV disease Human immunodeficiency virus (HIV) disease

Homicide Assault (homicide)

**Hypertension** Essential (primary) hypertension and hypertensive renal disease

Kidney disease Nephritis, nephrotic syndrome and nephrosis

**Kidney infection** Infections of kidney

**Legal intervention\*** Physical or other force used by police or other law-enforcing agents, including military on duty, in

the course of arresting or attempting to arrest lawbreakers, suppressing disturbances, maintaining

order, and other legal action. Includes legal execution and excludes citizen arrest

Pelvic Inflammatory diseases Inflammatory diseases of female pelvic organs

Perinatal conditions Certain conditions originating in the perinatal period

Pneumonitis Pneumonitis due to solids and liquids

Pregnancy complications Pregnancy, childbirth and the peurperium

Stroke Cerebrovascular diseases
Suicide Intentional self-harm

Unintentional injuries Accidents (unintentional injuries)

\*World Health Organization. International statistical Classification of Diseases and Related Health Problems, Tenth Revision (ICD-10). Geneva: World Health Organization, 1992. Available at http://www.who.int/classifications/icd/en/. Accessed April 15, 2010.