Deaths: Final Data for 2012

Supplemental tables

- Table I-1. Number of deaths, death rates, and age-adjusted death rates for injury by firearms, by race and sex: United States, 1999-2012
- Table I–2. Number of deaths, death rates, and age-adjusted death rates for injury by firearms, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2012
- Table I-3. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by race and sex: United States, 1999-2012
- Table I–4. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2012
- Table I-5. Number of deaths, death rates, and age-adjusted death rates for alcohol-induced causes, by race and sex: United States, 1999–2012
- Table I–6. Number of deaths, death rates, and age-adjusted death rates for alcohol-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2012
- Table I-7. Number of deaths, death rates, and age-adjusted death rates for ages 15 and over, by marital status and sex: United States, 2012
- Table I–8. Number of deaths, death rates, and age-adjusted death rates for ages 25–64, by educational attainment and sex: Total of 38 reporting states and District of Columbia using 2003 version of U.S. Standard Certificate of Death, and total of 10 reporting states using 1989 version of U.S. Standard Certificate of Death, 2012
- Table I–9. Number of deaths, death rates, and age-adjusted death rates for injury at work for ages 15 and over, by race and sex: United States, 2012
- Table I-10. Number of deaths, death rates, and age-adjusted death rates for injury at work, by race and sex: United States, 1993-2012

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10) codes included in this table can be found in the note at the bottom of the table]

		All races			White ¹			Black ¹			rican In ska Nat		Asian o	r Pacific I	slander ^{1,3}
Year	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
								Numbe	r						
2012	33,563	28,838	4,725	24,727	20,955	3,772	8,021	7,191	830	337	297	40	478	395	83
2011	32,351	27,738	4,613	24,092	20,363	3,729	7,525	6,775	750	305	255	50	429	345	84
2010	31,672	27,356	4,316	23,490	20,014	3,476	7,454	6,721	733	317	267	50	411	354	57
2009	31,347	26,921	4,426	23,163	19,623	3,540	7,455	6,700	755	291	241	50	438	357	81
2008	31,593	27,336	4,257	23,065	19,679	3,386	7,847	7,088	759	279	233	46	402	336	66
2007	31,224	27,047	4,177	22,296	19,020	3,276	8,242	7,430	812	246	213	33	440	384	56
2006	30,896	26,712	4,184	21,721	18,496	3,225	8,409	7,563	846	291	253	38	475	400	75
2005		26,657	4,037	21,958	18,788	3,170	7,984	7,226	758	305	264	41	447	379	68
2004	29,569	25,498	4,071	21,442	18,223	3,219	7,448	6,709	739	281	236	45	398	330	68
2003	30,136	26,124	4,012	21,763	18,647	3,116	7,659	6,882	777	269	229	40	445	366	79
2002	30,242	26,098	4,144	21,902	18,714	3,188	7,623	6,798	825	287	235	52	430	351	79
2001	29,573	25,480	4,093	21,760	18,527	3,233	7,184	6,438	746	240	196	44	389	319	70
2000	28,663	24,582	4,081	20,945	17,750	3,195	7,054	6,284	770	240	196	44	424	352	72
1999	28,874	24,700	4,174	21,143	17,942	3,201	7,017	6,184	833	268	228	40	446	346	100
								Rate							
2012	10.7	18.7	3.0	10.0	17.0	3.0	18.6	34.8	3.7	7.7	13.4	1.8	2.6	4.6	0.9
2011	10.4	18.1	2.9	9.8	16.6	3.0	17.6	33.2	3.4	7.0	11.7	2.3	2.5	4.1	0.9
2010	10.3	18.0	2.7	9.6	16.5	2.8	17.7	33.4	3.3	7.4	12.5	2.4	2.4	4.4	0.6
2009	10.2	17.9	2.8	9.5	16.2	2.9	17.9	33.7	3.5	7.0	11.6	2.4	2.6	4.5	0.9
2008	10.4	18.3	2.8	9.5	16.4	2.8	19.1	36.2	3.5	7.0	11.7	2.3	2.5	4.4	8.0
2007	10.4	18.3	2.7	9.2	15.9	2.7	20.4	38.5	3.8	6.4	11.1	1.7	2.8	5.1	0.7
2006	10.4	18.2	2.8	9.1	15.6	2.7	21.1	39.8	4.1	7.9	13.7	2.1	3.2	5.5	1.0
2005	10.4	18.4	2.7	9.2	16.0	2.6	20.3	38.6	3.7	8.6	14.9	2.3	3.1	5.4	0.9
2004	10.1	17.7	2.7	9.1	15.6	2.7	19.2	36.3	3.6	8.2	13.8	2.6	2.8	4.9	0.9
2003	10.4	18.3	2.7	9.3	16.1	2.6	20.0	37.8	3.9	8.1	13.9	2.4	3.3	5.6	1.1
2002	10.5	18.5	2.8	9.4	16.2	2.7	20.2	37.8	4.2	9.0	14.7	3.2	3.3	5.6	1.2
2001	10.4	18.2	2.8	9.4	16.2	2.7	19.3	36.3	3.8	7.7	12.7	2.8	3.1	5.3	1.1
2000	10.2	17.8	2.8	9.1	15.6	2.7	19.3	36.1	4.0	8.0	13.2	2.9	3.6	6.2	1.2
1999	10.3	18.1	2.9	9.2	15.9	2.8	19.4	36.0	4.4	9.5	16.2	2.8	3.9	6.3	1.7
							Age	-adjusted	d rate4						
2012	10.5	18.5	3.0	9.5	16.5	2.9	17.9	33.4	3.6	7.6	13.5	1.8	2.5	4.4	0.9
2011	10.2	18.0	2.9	9.4	16.2	2.9	16.9	31.7	3.3	7.1	11.9	2.4	2.4	4.0	8.0
2010	10.1	17.9	2.7	9.2	16.1	2.7	16.9	31.8	3.3	7.3	11.7	2.6	2.3	4.2	0.6
2009	10.1	17.8	2.8	9.1	15.9	2.8	17.2	32.3	3.4	7.0	11.4	2.5	2.5	4.4	0.9
2008	10.3	18.3	2.7	9.2	16.1	2.7	18.2	34.3	3.4	6.9	11.7	2.3	2.4	4.2	0.7
2007	10.3	18.3	2.7	9.0	15.8	2.6	19.4	36.2	3.8	6.3	11.0	1.8	2.7	5.0	0.7
2006	10.3	18.2	2.7	8.8	15.5	2.6	20.0	37.6	3.9	7.6	13.3	2.1	3.0	5.2	0.9
2005	10.3	18.5	2.7	9.0	15.9	2.6	19.4	36.7	3.6	8.3	14.4	2.2	2.9	5.1	0.9
2004	10.0	17.9	2.7	8.9	15.6	2.7	18.3	34.7	3.6	7.9	13.4	2.6	2.7	4.7	0.9
2003	10.3	18.5	2.7	9.1	16.1	2.6	19.1	35.8	3.8	7.9	13.6	2.3	3.1	5.4	1.1
2002	10.5	18.7	2.8	9.2	16.3	2.7	19.3	36.1	4.1	8.6	14.4	3.0	3.2	5.4	1.1
2001	10.3	18.5	2.8	9.2	16.3	2.7	18.4	34.5	3.8	7.7	12.9	2.7	3.0	5.1	1.0
2000	10.2	18.1	2.8	9.0	15.9	2.7	18.4	34.2	3.9	7.9	13.1	2.9	3.4	6.0	1.1
1999	10.3	18.4	2.9	9.1	16.2	2.7	18.4	34.1	4.3	9.3	16.1	2.6	3.7	5.9	1.6

¹Multiple-race data were reported by 42 states and the District of Columbia in 2012, by 38 states and the District of Columbia in 2011, by 37 states and the District of Columbia in 2006, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2008, by 21 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

NOTE: Causes of death attributable to injury by firearms include ICD-10 codes *U01.4, W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0.

²Includes Aleuts and Eskimos.

³Includes Chinese, Filipino, Hawaiian, Japanese, and other Asian or Pacific Islander persons.

⁴For method of computation, see Technical Notes.

Table I–2. Number of deaths, death rates, and age-adjusted death rates for injury by firearms, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999–2012

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. A listing of the International Classification of Diseases, Tenth Revision (ICD-10) codes included in this table can be found in the note at the bottom of the table]

		All origins	31		Hispani	С	N	on-Hispan	ic ²	Non-	Hispanic	white ³	Non-	-Hispanic	black ³
Year	Both	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
								Number							
2012	33,563	28,838	4,725	3,061	2,724	337	30,396	26,021	4,375	21,716	18,273	3,443	7,922	7,107	815
2011		27,738	4,613	2,947	2,608	339	29,300	25,042	4,258	21,174	17,785	3,389	7,436	6,696	740
2010	31,672	27,356	4,316	3,008	2,694	314	28,519	24,532	3,987	20,513	17,350	3,163	7,330	6,607	723
2009	31,347	26,921	4,426	3,202	2,867	335	27,981	23,908	4,073	19,955	16,752	3,203	7,345	6,604	741
2008	31,593	27,336	4,257	3,256	2,912	344	28,252	24,351	3,901	19,873	16,822	3,051	7,741	6,997	744
2007		27,047	4,177	3,492	3,155	337	27,641	23,809	3,832	18,861	15,925	2,936	8,133	7,326	807
2006		26,712	4,184	3,464	3,142	322	27,329	23,482	3,847	18,312	15,411	2,901	8,294	7,460	834
2005		26,657	4,037	3,469	3,144	325	27,103	23,406	3,697	18,521	15,672	2,849	7,865	7,122	743
2004		25,498	4,071	3,278	2,973	305	26,189	22,436	3,753	18,200	15,283	2,917	7,347	6,620	727
2003		26,124	4,012	3,319	2,998	321	26,710	23,036	3,674	18,457	15,670	2,787	7,566	6,794	772
2002	30,242	26,098	4,144	3,143	2,834	309	26,944	23,127	3,817	18,762	15,881	2,881	7,494	6,681	813
2001		25,480	4,093	3,087	2,774	313	26,341	22,573	3,768	18,676	15,760	2,916	7,063	6,323	740
2000		24,582	4,081	2,891	2,582	309	25,637	21,881	3,756	18,042	15,160	2,882	6,958	6,193	765
1999	28,874	24,700	4,174	2,878	2,549	329	25,877	22,050	3,827	18,260	15,384	2,876	6,933	6,114	819
								Rate							
2012	10.7	18.7	3.0	5.8	10.1	1.3	11.7	20.4	3.3	10.8	18.5	3.4	19.6	36.8	3.9
2011		18.1	2.9	5.7	9.9	1.3	11.3	19.7	3.2	10.6	18.0	3.3	18.6	35.1	3.5
2010		18.0	2.7	6.0	10.5	1.3	11.0	19.4	3.0	10.2	17.6	3.1	18.6	35.1	3.5
2009		17.9	2.8	6.5	11.4	1.4	10.9	19.0	3.1	10.0	17.0	3.1	18.8	35.4	3.6
2008		18.3	2.8	6.8	12.0	1.5	11.0	19.5	3.0	9.9	17.1	3.0	20.0	38.0	3.7
2007		18.3	2.7	7.6	13.4	1.5	10.8	19.1	2.9	9.5	16.3	2.9	21.3	40.3	4.0
2006		18.2	2.8	7.8	13.8	1.5	10.8	19.0	3.0	9.2	15.8	2.9	22.0	41.5	4.2
2005		18.4	2.7	8.1	14.3	1.5	10.7	19.0	2.9	9.3	16.1	2.8	21.1	40.1	3.8
2004		17.7	2.7	7.9	14.0	1.5	10.4	18.3	2.9	9.2	15.7	2.9	19.9	37.7	3.8
2003	10.4	18.3	2.7	8.3	14.6	1.6	10.7	18.9	2.9	9.3	16.1	2.8	20.8	39.2	4.0
2002		18.5	2.8	8.1	14.3	1.6	10.8	19.0	3.0	9.5	16.4	2.9	20.8	39.0	4.3
2001	10.4	18.2	2.8	8.3	14.5	1.7	10.6	18.7	3.0	9.4	16.3	2.9	19.8	37.3	4.0
2000	10.2	17.8	2.8	8.2	14.2	1.8	10.4	18.3	3.0	9.1	15.7	2.9	19.8	37.1	4.2
1999	10.3	18.1	2.9	8.5	14.6	2.0	10.6	18.5	3.0	9.3	15.9	2.9	20.0	37.1	4.5
							Age	-adjusted	rate ⁴						
2012	10.5	18.5	3.0	5.7	10.1	1.3	11.3	19.9	3.2	10.0	17.2	3.3	19.0	35.3	3.8
2011	10.2	18.0	2.9	5.6	9.8	1.3	11.0	19.3	3.1	9.8	16.9	3.2	17.9	33.5	3.5
2010		17.9	2.7	5.9	10.5	1.3	10.7	19.1	2.9	9.5	16.6	3.0	17.8	33.4	3.4
2009	10.1	17.8	2.8	6.4	11.4	1.4	10.6	18.7	3.0	9.3	16.1	3.0	18.1	34.0	3.5
2008	10.3	18.3	2.7	6.6	11.7	1.5	10.8	19.2	2.9	9.3	16.2	2.9	19.1	36.2	3.6
2007		18.3	2.7	7.2	12.9	1.5	10.6	19.0	2.9	8.9	15.5	2.8	20.3	38.0	4.0
2006	10.3	18.2	2.7	7.3	12.8	1.4	10.6	18.8	2.9	8.7	15.1	2.7	20.9	39.4	4.1
2005	10.3	18.5	2.7	7.6	13.4	1.5	10.6	18.9	2.8	8.8	15.5	2.7	20.1	38.2	3.7
2004	10.0	17.9	2.7	7.5	13.2	1.5	10.3	18.3	2.9	8.7	15.2	2.8	19.1	36.2	3.7
2003	10.3	18.5	2.7	7.8	13.7	1.6	10.5	18.9	2.8	8.8	15.7	2.7	19.8	37.3	4.0
2002		18.7	2.8	7.7	13.6	1.6	10.7	19.1	3.0	9.0	16.0	2.8	19.9	37.2	4.2
2001	10.3	18.5	2.8	7.8	13.7	1.7	10.5	18.8	2.9	9.1	16.0	2.8	18.9	35.4	3.9
2000		18.1	2.8	7.8	13.6	1.8	10.3	18.4	3.0	8.8	15.5	2.8	18.9	35.2	4.1
1999	10.3	18.4	2.9	8.2	14.2	2.0	10.5	18.7	3.0	8.9	15.8	2.8	19.0	35.2	4.4

¹Figures for origin not stated are included in "All origins" but are not distributed among specified origins.

NOTE: Causes of death attributable to injury by firearms include ICD-10 codes *U01.4, W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0.

²Includes races other than white and black.

³Multiple-race data were reported by 42 states and the District of Columbia in 2012, by 38 states and the District of Columbia in 2011, by 37 states and the District of Columbia in 2006, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2008, by 21 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2010, by 34 states and the District of Columbia in 2010, by 35 states and the District of Columbia in 2010, by 35 states and the District of Columbia in 2010, by 36 states and the District of Columbia in 2010, by 37 states and the District of Columbia in 2010, by 37 states and the District of Columbia in 2010, by 38 states and the District of Columbia in 2010, by 38 states and the District of Columbia in 2010, by 36 states and the District of Columbia in 2010, by 37 states and the District of Columbia in 2010, by 38 states and the District of Columbia in 2010, by 38 states and the District of Columbia in 2010, by 38 states and the District of Columbia in 2010, by 38 states and the District of Columbia in 2010, by 38 states and the District of Columbia in 2010, by 38 states and the District of Columbia in 2010, by 38 states and the District of Columbia in 2010, by 38 states and the District of Columbia in 2010, by 39 states and the District of Columbia in 2010, by 31 states and the District of Columbia in 2010, by 31 states and the District of Columbia in 2010, by 31 states and the District of Columbia in 2010, by 31 states and the District of Columbia in 2010, by 31 states and the

Table I-3. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by race and sex: United States, 1999–2012

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. A listing of the *International Classification of Diseases, Tenth Revision* (ICD–10) codes included in this table can be found in the note at the bottom of the table]

	All races			White ¹			Black ¹			rican Ind ska Nat		Asian o	r Pacific I	slander ^{1,3}	
Year	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
								Numbe	r						
2012	43,819	26,594	17,225	38,890	23,540	15,350	3,940	2,473	1,467	562	294	268	427	287	140
2011	43,544	26,444	17,100	38,719	23,443	15,276	3,852	2,418	1,434	519	289	230	454	294	160
2010	40,393	24,376	16,017	36,020	21,697	14,323	3,561	2,210	1,351	458	250	208	354	219	135
2009	39,147	24,015	15,132	34,633	21,162	13,471	3,660	2,322	1,338	495	292	203	359	239	120
2008	38,649	23,928	14,721	34,237	21,093	13,144	3,662	2,381	1,281	451	273	178	299	181	118
2007		23,883	14,488	33,480	20,795	12,685	4,194	2,708	1,486	388	205	183	309	175	134
2006		24,507	13,889	32,866	20,786	12,080	4,790	3,261	1,529	407	253	154	333	207	126
2005	-	21,208	12,333	28,804	18,152	10,652	4,098	2,677	1,421	362	205	157	277	174	103
2004		19,362	11,349	26,474	16,634	9,840	3,633	2,352	1,281	354	212	142	250	164	86
2003	28,723	18,426	10,297	24,683	15,824	8,859	3,527	2,303	1,224	295	168	127	218	131	87
2002	,	16,734	9,306	22,146	14,170	7,976	3,463	2,307	1,156	230	136	94	201	121	80
2001		14,253	7,452	18,195	11,882	6,313	3,165	2,163	1,002	184	100	84	161	108	53
2000		13,137	6,583	16,388	10,857	5,531	3,034	2,094	940	160	99	61	138	87	51 50
1999	19,128	12,885	6,243	15,714	10,506	5,208	3,100	2,191	909	164	96	68	150	92	58
								Rate							
2012	14.0	17.2	10.8	15.7	19.1	12.3	9.1	12.0	6.5	12.8	13.3	12.2	2.4	3.3	1.5
2011	14.0	17.3	10.8	15.7	19.2	12.2	9.0	11.8	6.4	11.9	13.2	10.6	2.6	3.5	1.8
2010	13.1	16.1	10.2	14.7	17.9	11.5	8.5	11.0	6.2	10.7	11.7	9.8	2.1	2.7	1.5
2009	12.8	15.9	9.7	14.2	17.5	10.9	8.8	11.7	6.2	12.0	14.0	9.8	2.2	3.0	1.4
2008	12.7	16.0	9.5	14.1	17.6	10.7	8.9	12.1	6.0	11.3	13.7	9.0	1.9	2.3	1.4
2007	12.7	16.1	9.5	13.9	17.4	10.4	10.4	14.0	7.0	10.1	10.7	9.6	2.0	2.3	1.7
2006	12.9	16.7	9.2	13.7	17.5	10.0	12.0	17.1	7.3	11.0	13.7	8.4	2.2	2.9	1.6
2005	11.3	14.6	8.2	12.1	15.4	8.8	10.4	14.3	6.9	10.2	11.5	8.8	1.9	2.5	1.4
2004	10.5	13.5	7.6	11.2	14.2	8.2	9.4	12.7	6.3	10.3	12.4	8.3	1.8	2.4	1.2
2003	9.9	12.9	7.0	10.5	13.6	7.4	9.2	12.7	6.1	8.9	10.2	7.7	1.6	2.0	1.3
2002	9.1	11.8	6.4	9.5	12.3	6.7	9.2	12.8	5.8	7.2	8.5	5.9	1.6	1.9	1.2
2001	7.6	10.2	5.1	7.8	10.4	5.4	8.5 8.3	12.2 12.0	5.1	5.9	6.5	5.4	1.3 1.2	1.8	0.8
2000	7.0 6.9	9.5 9.4	4.6 4.4	7.1 6.9	9.6 9.3	4.7 4.5	8.6	12.7	4.9 4.8	5.4 5.8	6.7 6.8	4.1 4.8	1.3	1.5 1.7	0.8 1.0
1999	0.9	9.4	4.4	0.9	9.3	4.5				3.0	0.0	4.0	1.3	1.7	1.0
								-adjusted							
2012	13.8	17.0	10.7	15.6	19.0	12.1	9.3	12.5	6.6	13.4	13.8	13.0	2.3	3.2	1.4
2011	13.9	17.0	10.7	15.6	19.0	12.1	9.2	12.4	6.5	12.6	13.9	11.3	2.5	3.3	1.7
2010	12.9	15.9	10.0	14.6	17.7	11.4	8.7	11.6	6.2	11.4	12.3	10.4	2.0	2.7	1.5
2009	12.6	15.7	9.5	14.0	17.3	10.7	9.1	12.4	6.3	12.6	14.7	10.4	2.1	3.0	1.4
2008	12.6	15.8	9.4	14.0	17.4	10.5	9.3	13.0	6.1	11.7	14.2	9.3	1.8	2.3	1.3
2007	12.6	16.0	9.3	13.8	17.3	10.2	10.9	15.0	7.2	10.8	11.1	10.3	1.9	2.3	1.6
2006	12.8	16.6	9.1	13.6	17.4	9.8	12.7	18.6	7.6	12.3	14.9	9.6	2.3	3.0	1.6
2005	11.3	14.5	8.1	12.0	15.3	8.7	11.1	15.6	7.2	11.0	12.4	9.6	1.9	2.6	1.4
2004	10.5	13.4	7.6	11.2	14.1	8.2	10.0	14.1	6.6	10.9	13.0	8.8	1.8	2.5	1.2
	9.9 9.1	12.9	7.0 6.3	10.5 9.5	13.5 12.2	7.4 6.7	9.9 9.9	14.0 14.2	6.4	9.4 7.6	10.7	8.2 6.2	1.6 1.6	2.0 2.1	1.2 1.2
2002	9.1 7.6	11.8	5.1	9.5 7.8	10.2	5.3	9.9	13.6	6.1 5.4	7.6 6.5	8.8 7.3		1.6	1.8	0.8
2001	7.6 7.0	10.1 9.5	5.1 4.6	7.8 7.1	9.4	5.3 4.7	9.2	13.5	5.4 5.2	5.6	7.3 6.9	5.7 4.3	1.3	1.8	0.8
1999	6.8	9.5 9.4	4.6	6.8	9.4	4. <i>1</i> 4.4	9.0	14.3	5.∠ 5.1	5.6 6.1	7.2	4.3 5.0	1.1	1.7	1.0
1000	0.0	9.4	4.4	0.0	9.2	4.4	9.3	14.3	5.1	0.1	1.2	5.0	1.4	1./	1.0

¹Multiple-race data were reported by 42 states and the District of Columbia in 2012, by 38 states and the District of Columbia in 2011, by 37 states and the District of Columbia in 2008, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2008, by 21 states and the District of Columbia in 2008, by 21 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2008, by 21 states and the District of Columbia in 2007, by 15 states in 2004, and by 7 states in 2003; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

NOTE: Causes of death attributable to drug-induced mortality include ICD-10 codes D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.1-F11.5, F11.7-F11.9, F12.1-F12.5, F12.7-F12.9, F13.1-F13.5, F13.7-F13.9, F14.1-F14.5, F14.7-F14.9, F15.1-F15.5, F15.7-F15.9, F16.1-F16.5, F16.7-F16.9, F17.3-F17.5, F17.7-F17.9, F18.1-F18.5, F18.7-F18.9, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, K85.3, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R50.2, R78.1-R78.5, X40-X44, X60-X64, X85, and Y10-Y14. In 2006, the list of drug-induced codes was modified to include two new ICD-10 codes, Drug-induced acute pancreatitis (K85.3) and Drug-induced fever (R50.2). SOURCE: CDC/NCHS, National Vital Statistics System, Mortality.

²Includes Aleuts and Eskimos.

³Includes Chinese, Filipino, Hawaiian, Japanese, and other Asian or Pacific Islander persons.

⁴For method of computation, see Technical Notes.

Table I-4. Number of deaths, death rates, and age-adjusted death rates for drug-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2012

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. A listing of the *International Classification of Diseases, Tenth Revision* (ICD-10) codes included in this table can be found in the note at the bottom of the table]

		All origins	31		Hispani	С	N	on-Hispan	ic ²	Non-	Hispanic	white ³	Non-	Hispanio	black ³
Year	Both sexes	Male	Female	Both	Male	Female	Both	Male	Female	Both	Male	Female	Both sexes	Male	Female
								Number							
2012	43,819	26,594	17,225	3,272	2,283	989	40,271	24,130	16,141	35,497	21,175	14,322	3,842	2,402	1,440
2011	-	26,444	17,100	3,152	2,175	977	40,178	24,121	16,057	35,510	21,233	14,277	3,766	2,355	1,411
2010	40,393	24,376	16,017	2,788	1,944	844	37,420	22,303	15,117	33,145	19,689	13,456	3,502	2,170	1,332
2009	39,147	24,015	15,132	2,811	2,013	798	36,124	21,864	14,260	31,749	19,107	12,642	3,588	2,274	1,314
2008		23,928	14,721	2,761	2,033	728	35,735	21,791	13,944	31,448	19,044	12,404	3,589	2,326	1,263
2007	38,371	23,883	14,488	2,723	2,045	678	35,532	21,771	13,761	30,755	18,760	11,995	4,126	2,662	1,464
2006	38,396	24,507	13,889	2,871	2,135	736	35,379	22,262	13,117	29,970	18,634	11,336	4,722	3,212	1,510
2005		21,208	12,333	2,596	1,969	627	30,809	19,140	11,669	26,186	16,170	10,016	4,019	2,612	1,407
2004		19,362	11,349	2,257	1,671	586	28,339	17,605	10,734	24,201	14,952	9,249	3,577	2,309	1,268
2003		18,426	10,297	2,358	1,800	558	26,199	16,497	9,702	22,245	13,959	8,286	3,466	2,256	1,210
2002		16,734	9,306	2,137	1,647	490	23,756	14,978	8,778	19,949	12,478	7,471	3,404	2,264	1,140
2001		14,253	7,452	1,731	1,335	396	19,799	12,778	7,021	16,367	10,465	5,902	3,099	2,113	986
2000		13,137	6,583	1,700	1,348	352	17,835	11,656	6,179	14,585	9,439	5,146	2,977	2,050	927
1999	19,128	12,885	6,243	1,965	1,605	360	16,966	11,136	5,830	13,644	8,831	4,813	3,030	2,134	896
								Rate							
2012	14.0	17.2	10.8	6.2	8.5	3.8	15.4	18.9	12.1	17.7	21.4	14.1	9.5	12.4	6.8
2011	14.0	17.3	10.8	6.1	8.2	3.8	15.5	19.0	12.1	17.7	21.5	14.0	9.4	12.3	6.8
2010	13.1	16.1	10.2	5.5	7.6	3.4	14.5	17.7	11.4	16.6	20.0	13.2	8.9	11.5	6.5
2009	12.8	15.9	9.7	5.7	8.0	3.3	14.0	17.4	10.8	15.9	19.4	12.4	9.2	12.2	6.4
2008	12.7	16.0	9.5	5.8	8.4	3.1	13.9	17.4	10.6	15.7	19.4	12.2	9.3	12.6	6.2
2007	12.7	16.1	9.5	5.9	8.7	3.0	13.9	17.5	10.5	15.4	19.1	11.8	10.8	14.6	7.3
2006	12.9	16.7	9.2	6.4	9.4	3.4	13.9	18.0	10.1	15.0	19.1	11.2	12.5	17.9	7.6
2005	11.3	14.6	8.2	6.0	9.0	3.0	12.2	15.5	9.0	13.2	16.6	9.9	10.8	14.7	7.2
2004	10.5	13.5	7.6	5.4	7.9	2.9	11.3	14.4	8.3	12.2	15.4	9.1	9.7	13.2	6.6
2003	9.9	12.9	7.0	5.9	8.8	2.9	10.5	13.5	7.6	11.2	14.4	8.2	9.5	13.0	6.3
2002	9.1	11.8	6.4	5.5	8.3	2.6	9.5	12.3	6.9	10.1	12.9	7.4	9.4	13.2	6.0
2001	7.6	10.2	5.1	4.7	7.0	2.2	8.0	10.6	5.5	8.3	10.8	5.8	8.7	12.5	5.3
2000	7.0	9.5	4.6	4.8	7.4	2.1	7.2	9.7	4.9	7.4	9.8	5.1	8.5	12.3	5.0
1999	6.9	9.4	4.4	5.8	9.2	2.2	6.9	9.3	4.6	6.9	9.2	4.8	8.7	12.9	4.9
							Age	-adjusted	rate ⁴						
2012	13.8	17.0	10.7	6.8	9.3	4.2	15.2	18.7	11.8	17.6	21.4	13.8	9.6	12.8	6.8
2011	13.9	17.0	10.7	6.6	8.9	4.3	15.2	18.7	11.8	17.6	21.4	13.8	9.5	12.7	6.8
2010	12.9	15.9	10.0	6.1	8.4	3.8	14.2	17.3	11.1	16.4	19.8	12.9	9.0	11.9	6.5
2009	12.6	15.7	9.5	6.4	8.9	3.7	13.7	17.1	10.5	15.7	19.2	12.1	9.4	12.8	6.5
2008	12.6	15.8	9.4	6.4	9.3	3.5	13.7	17.1	10.3	15.6	19.2	11.9	9.6	13.3	6.3
2007	12.6	16.0	9.3	6.6	9.7	3.4	13.7	17.2	10.2	15.2	19.0	11.5	11.2	15.5	7.5
2006	12.8	16.6	9.1	7.3	10.6	3.9	13.7	17.7	9.8	14.9	18.9	10.9	13.1	19.2	7.9
2005	11.3	14.5	8.1	6.9	10.2	3.5	12.0	15.3	8.8	13.0	16.3	9.6	11.3	15.9	7.4
2004	10.5	13.4	7.6	6.3	9.1	3.4	11.1	14.2	8.2	12.1	15.2	8.9	10.3	14.5	6.8
2003	9.9	12.9	7.0	6.7	10.1	3.3	10.4	13.4	7.4	11.1	14.2	8.0	10.1	14.3	6.6
2002	9.1	11.8	6.3	6.3	9.5	3.0	9.4	12.1	6.8	9.9	12.6	7.2	10.1	14.5	6.3
2001	7.6	10.1	5.1	5.3	8.0	2.5	7.9	10.4	5.4	8.1	10.5	5.7	9.3	13.8	5.5
2000	7.0	9.5	4.6	5.4	8.3	2.4	7.1	9.5	4.8	7.2	9.6	4.9	9.1	13.6	5.3
1999	6.8	9.4	4.4	6.4	10.3	2.5	6.8	9.2	4.6	6.8	8.9	4.6	9.4	14.4	5.2

¹Figures for origin not stated are included in "All origins" but are not distributed among specified origins.

³Multiple-race data were reported by 42 states and the District of Columbia in 2012, by 38 states and the District of Columbia in 2011, by 37 states and the District of Columbia in 2006, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2007, by 15 states in 2004, and by 7 states in 2003; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

NOTE: Causes of death attributable to drug-induced mortality include ICD-10 codes D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.1-F11.5, F11.7-F11.9, F12.1-F12.5, F12.7-F12.9, F13.1-F13.5, F13.7-F13.9, F14.1-F14.5, F14.7-F14.9, F15.1-F15.5, F15.7-F15.9, F16.1-F16.5, F16.7-F16.9, F17.3-F17.5, F17.7-F17.9, F18.1-F18.5, F18.7-F18.9, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, K85.3, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R50.2, R78.1-R78.5, X40-X44, X60-X64, X85, and Y10-Y14. In 2006, the list of drug-induced codes was modified to include two new ICD-10 codes, Drug-induced acute pancreatitis (K85.3) and Drug-induced fever (R50.2). SOURCE: CDC/NCHS, National Vital Statistics System, Mortality.

²Includes races other than white and black.

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. A listing of the *International Classification of Diseases, Tenth Revision* (ICD–10) codes included in this table can be found in the note at the bottom of the table]

		All races			White ¹			Black ¹			rican In ska Nat		Asian o	or Pacific I	slander ^{1,3}
Year	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
								Numbe	r						
2012	27,762	20,418	7,344	23,961	17,713	6,248	2,434	1,762	672	1,045	672	373	322	271	51
2011	26,654	19,492	7,162	22,940	16,894	6,046	2,430	1,736	694	946	585	361	338	277	61
2010	25,692	19,038	6,654	22,167	16,527	5,640	2,330	1,686	644	931	611	320	264	214	50
2009	24,518	18,088	6,430	21,066	15,629	5,437	2,340	1,721	619	830	511	319	282	227	55
2008	24,189	18,152	6,037	20,783	15,689	5,094	2,279	1,692	587	853	542	311	274	229	45
2007	23,199	17,428	5,771	19,921	15,027	4,894	2,248	1,703	545	774	495	279	256	203	53
2006	22,073	16,472	5,601	18,917	14,186	4,731	2,172	1,599	573	717	458	259	267	229	38
2005	21,634	16,238	5,396	18,432	13,917	4,515	2,316	1,698	618	655	432	223	231	191	40
2004	21,081	15,906	5,175	17,875	13,525	4,350	2,351	1,784	567	645	417	228	210	180	30
2003	20,687	15,630	5,057	17,437	13,218	4,219	2,406	1,824	582	664	431	233	180	157	23
2002	20,218	15,272	4,946	16,988	12,926	4,062	2,434	1,798	636	597	387	210	199	161	38
2001	20,114	15,149	4,965	16,640	12,588	4,052	2,723	2,048	675	591	387	204	160	126	34
2000	19,643	14,993	4,650	16,223	12,509	3,714	2,712	1,993	719	537	353	184	171	138	33
1999	19,469	14,894	4,575	15,903	12,277	3,626	2,832	2,100	732	589	397	192	145	120	25
								Rate							
2012	8.8	13.2	4.6	9.7	14.4	5.0	5.6	8.5	3.0	23.8	30.4	17.0	1.8	3.1	0.5
2011	8.6	12.7	4.5	9.3	13.8	4.8	5.7	8.5	3.1	21.8	26.8	16.7	1.9	3.3	0.7
2010	8.3	12.5	4.2	9.0	13.6	4.5	5.5	8.4	2.9	21.8	28.5	15.1	1.6	2.6	0.6
2009	8.0	12.0	4.1	8.6	12.9	4.4	5.6	8.7	2.8	20.0	24.6	15.5	1.7	2.9	0.6
2008	8.0	12.1	3.9	8.6	13.1	4.1	5.6	8.6	2.7	21.4	27.1	15.7	1.7	3.0	0.5
2007	7.7	11.8	3.8	8.3	12.6	4.0	5.6	8.8	2.6	20.2	25.8	14.6	1.6	2.7	0.7
2006	7.4	11.2	3.7	7.9	12.0	3.9	5.4	8.4	2.7	19.4	24.8	14.1	1.8	3.2	0.5
2005	7.3	11.2	3.6	7.7	11.8	3.7	5.9	9.1	3.0	18.4	24.3	12.5	1.6	2.7	0.5
2004	7.2	11.1	3.5	7.6	11.6	3.6	6.1	9.7	2.8	18.8	24.3	13.3	1.5	2.7	0.4
2003	7.1	11.0	3.4	7.4	11.4	3.5	6.3	10.0	2.9	20.0	26.1	14.0	1.3	2.4	0.3
2002	7.0	10.8	3.4	7.3	11.2	3.4	6.4	10.0	3.2	18.6	24.2	13.1	1.5	2.6	0.6
2001	7.1	10.8	3.4	7.2	11.0	3.4	7.3	11.5	3.5	19.1	25.0	13.1	1.3	2.1	0.5
2000	7.0	10.9	3.2	7.1	11.0	3.2	7.4	11.4	3.7	18.0	23.7	12.3	1.5	2.4	0.5
1999	7.0	10.9	3.2	7.0	10.9	3.1	7.8	12.2	3.9	20.8	28.1	13.5	1.3	2.2	0.4
								-adjusted							
0010	0.0	10.1	4.0	0.4	407	4.4	•	•		07.4	00.4	40.0	4.0	0.0	0.5
2012	8.0	12.1	4.2	8.4	12.7	4.4	5.9	9.5	3.0	27.4	36.1	19.2	1.8	3.3	0.5
2011	7.7	11.7	4.1	8.2	12.3	4.3	5.9	9.4	3.1	24.9	32.2	18.3	1.9	3.5	0.7
2010	7.6	11.7	3.9	8.0	12.2	4.0	5.9	9.6	3.0	25.4	34.9	16.7	1.6	2.8	0.5
2009	7.4	11.3	3.8	7.7	11.7	3.9	6.1	10.0	2.9	23.4	29.1	17.8	1.8	3.1	0.6
2008	7.4	11.5	3.6	7.7	11.9	3.7	6.1	10.2	2.8	25.5	33.7	18.1	1.8	3.2	0.6
2007	7.2	11.3	3.5	7.5	11.6	3.6	6.2	10.6	2.7	23.9	32.1	16.4	1.7	3.0	0.7
2006	7.0	10.9	3.4	7.2	11.2	3.5	6.1	10.1	2.9	23.4	31.0	16.4	1.9	3.5	0.5
2005	7.0	11.0	3.4	7.2	11.1	3.4	6.7	11.1	3.3	22.3	30.8	14.6	1.7	3.1	0.6
2004	7.0	11.0	3.3	7.1	11.1	3.3	7.0	12.0	3.1	23.0	31.6	15.3	1.7	3.2	0.5
2003	7.0	11.0	3.3	7.0	11.0	3.3	7.4	12.6	3.2	24.4	33.3	16.4	1.5	2.8	0.4
2002	6.9	11.0	3.3	7.0	11.0	3.2	7.7	13.0	3.6	23.0	31.4	15.3	1.8	3.2	0.6
2001	7.0	11.2	3.3	6.9	10.9	3.3	8.8	15.0	3.9	23.7	33.3	15.3	1.5	2.6	0.6
2000	7.0	11.4	3.2	6.9	11.1	3.0	9.1	15.3	4.3	22.7	31.4	14.9	1.7	2.9	0.7
1999	7.1	11.5	3.2	6.8	11.0	3.0	9.8	16.7	4.5	26.7	38.8	16.2	1.6	2.8	0.5

¹Multiple-race data were reported by 42 states and the District of Columbia in 2012, by 38 states and the District of Columbia in 2011, by 37 states and the District of Columbia in 2008 and 2009, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2008, by 21 states and the District of Columbia in 2008, by 15 states in 2004, and by 7 states in 2003; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

NOTE: Causes of death attributable to alcohol-induced mortality include ICD-10 codes E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K85.2, K86.0, R78.0, X45, X65, and Y15. In 2006, the list of alcohol-induced codes was modified to include a new ICD-10 code, Alcohol-induced acute pancreatitis (K85.2).

²Includes Aleuts and Eskimos.

³Includes Chinese, Filipino, Hawaiian, Japanese, and other Asian or Pacific Islander persons.

⁴For method of computation, see Technical Notes.

Table I-6. Number of deaths, death rates, and age-adjusted death rates for alcohol-induced causes, by Hispanic origin, race for non-Hispanic population, and sex: United States, 1999-2012

[Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. A listing of the *International Classification of Diseases, Tenth Revision* (ICD–10) codes included in this table can be found in the note at the bottom of the table]

		All origins	1		Hispani	С	N	on-Hispan	ic ²	Non-	Hispanic	white ³	Non-	Hispanic	black ³
Year	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both	Male	Female
								Number							
2012	27,762	20,418	7,344	3,513	2,903	610	24,080	17,381	6,699	20,384	14,754	5,630	2,385	1,726	659
2011	26,654	19,492	7,162	3,445	2,842	603	23,084	16,546	6,538	19,471	14,026	5,445	2,392	1,706	686
2010	25,692	19,038	6,654	3,326	2,759	567	22,242	16,178	6,064	18,806	13,735	5,071	2,296	1,661	635
2009	24,518	18,088	6,430	3,139	2,618	521	21,265	15,375	5,890	17,902	12,986	4,916	2,299	1,688	611
2008		18,152	6,037	3,021	2,522	499	21,085	15,561	5,524	17,759	13,160	4,599	2,240	1,660	580
2007		17,428	5,771	2,977	2,539	438	20,130	14,811	5,319	16,935	12,474	4,461	2,210	1,674	536
2006	22,073	16,472	5,601	2,804	2,341	463	19,187	14,055	5,132	16,114	11,837	4,277	2,128	1,561	567
2005	21,634	16,238	5,396	2,658	2,265	393	18,877	13,890	4,987	15,729	11,610	4,119	2,282	1,670	612
2004	21,081	15,906	5,175	2,406	2,056	350	18,567	13,761	4,806	15,418	11,428	3,990	2,318	1,754	564
2003	20,687	15,630	5,057	2,422	2,048	374	18,160	13,490	4,670	14,977	11,133	3,844	2,367	1,787	580
2002		15,272	4,946	2,408	2,065	343	17,661	13,078	4,583	14,494	10,783	3,711	2,396	1,768	628
2001		15,149	4,965	2,381	2,026	355	17,593	13,009	4,584	14,186	10,497	3,689	2,677	2,016	661
2000	19,643	14,993	4,650	2,323	2,024	299	17,177	12,843	4,334	13,815	10,408	3,407	2,672	1,959	713
1999		14,894	4,575	2,184	1,864	320	17,143	12,905	4,238	13,633	10,337	3,296	2,794	2,066	728
								Rate							
2012	8.8	13.2	4.6	6.6	10.8	2.3	9.2	13.6	5.0	10.2	14.9	5.5	5.9	8.9	3.1
2011	8.6	12.7	4.5	6.6	10.7	2.4	8.9	13.0	4.9	9.7	14.2	5.3	6.0	8.9	3.3
2010	8.3	12.5	4.2	6.6	10.8	2.3	8.6	12.8	4.6	9.4	14.0	5.0	5.8	8.8	3.1
2009	8.0	12.0	4.1	6.4	10.4	2.1	8.3	12.2	4.5	9.0	13.2	4.8	5.9	9.1	3.0
2008	8.0	12.1	3.9	6.3	10.4	2.1	8.2	12.4	4.2	8.9	13.4	4.5	5.8	9.0	2.9
2007	7.7	11.8	3.8	6.4	10.8	1.9	7.9	11.9	4.1	8.5	12.7	4.4	5.8	9.2	2.7
2006	7.4	11.2	3.7	6.3	10.3	2.1	7.6	11.3	4.0	8.1	12.1	4.2	5.6	8.7	2.9
2005	7.3	11.2	3.6	6.2	10.3	1.9	7.5	11.3	3.9	7.9	11.9	4.1	6.1	9.4	3.1
2004	7.2	11.1	3.5	5.8	9.7	1.7	7.4	11.2	3.7	7.8	11.7	3.9	6.3	10.0	2.9
2003	7.1	11.0	3.4	6.0	10.0	1.9	7.3	11.1	3.6	7.6	11.5	3.8	6.5	10.3	3.0
2002	7.0	10.8	3.4	6.2	10.4	1.8	7.1	10.8	3.6	7.3	11.1	3.7	6.6	10.3	3.3
2001	7.1	10.8	3.4	6.4	10.6	2.0	7.1	10.8	3.6	7.2	10.8	3.7	7.5	11.9	3.5
2000	7.0	10.9	3.2	6.6	11.1	1.7	7.0	10.7	3.4	7.0	10.8	3.4	7.6	11.7	3.9
1999	7.0	10.9	3.2	6.4	10.7	1.9	7.0	10.8	3.4	6.9	10.7	3.3	8.0	12.5	4.0
							Age	-adjusted	rate4						
2012	8.0	12.1	4.2	8.8	15.2	3.0	7.8	11.7	4.3	8.3	12.2	4.6	6.0	9.7	3.1
2011	7.7	11.7	4.1	9.0	15.6	3.0	7.6	11.3	4.3	8.0	11.7	4.5	6.1	9.7	3.2
2010	7.7	11.7	3.9	9.1	16.0	3.0	7.4	11.2	4.0	7.8	11.6	4.2	6.1	9.8	3.1
2009	7.4	11.3	3.8	8.9	15.6	2.9	7.4	10.8	3.9	7.5	11.1	4.1	6.2	10.2	3.0
2008	7.4	11.5	3.6	8.9	15.5	2.8	7.2	11.1	3.7	7.5	11.4	3.9	6.2	10.4	2.9
2007	7.4	11.3	3.5	9.4	16.8	2.7	7.2	10.7	3.6	7.2	10.9	3.8	6.3	10.4	2.8
	7.0	10.9	3.4	9.2	16.2	3.0	6.8	10.7	3.5	6.9	10.5	3.6	6.2	10.3	3.0
2006	7.0	11.0	3.4	9.2	16.5	2.6	6.7	10.3	3.5	6.8	10.5	3.5	6.9	11.3	3.3
2004	7.0	11.0	3.4	8.6	15.4	2.5	6.8	10.4	3.4	6.8	10.4	3.5	7.2	12.2	3.2
2003	7.0 7.0	11.0	3.3	9.2	16.4	2.5	6.7	10.5	3.4	6.7	10.5	3.5 3.4	7.2 7.5	12.2	3.2
2002	6.9	11.0	3.3	9.2	17.4	2.6	6.7	10.5	3.3	6.6	10.4	3.4	7.9	13.2	3.7
	7.0		3.3		18.2	2.7	6.7		3.3 3.4			3.3		15.2	
2001	7.0 7.0	11.2	3.3 3.2	10.1		2.9	6.7	10.5	3.4	6.5	10.0		9.0		4.0
2000		11.4		10.5	19.4			10.6		6.4	10.1	3.1	9.3	15.5	4.4
1999	7.1	11.5	3.2	10.3	18.6	3.0	6.8	10.8	3.2	6.4	10.2	3.0	10.0	16.9	4.6

¹Figures for origin not stated are included in "All origins" but are not distributed among specified origins.

NOTE: Causes of death attributable to alcohol-induced mortality include ICD-10 codes E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K85.2, K86.0, R78.0, X45, X65, and Y15. In 2006, the list of alcohol-induced codes was modified to include a new ICD-10 code, Alcohol-induced acute pancreatitis (K85.2).

²Includes races other than white and black.

³Multiple-race data were reported by 42 states and the District of Columbia in 2012, by 38 states and the District of Columbia in 2011, by 37 states and the District of Columbia in 2006, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2008 and 2009, by 27 states and the District of Columbia in 2007, by 25 states and the District of Columbia in 2006, by 21 states and the District of Columbia in 2005, by 15 states in 2004, and by 7 states in 2003; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes.

⁴For method of computation, see Technical Notes.

Table I–7. Number of deaths, death rates, and age-adjusted death rates for ages 15 and over, by marital status and sex: United States, 2012

[Rates are per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Population estimates used for computing death rates are based on the American Community Survey adjusted to postcensal July 1, 2012, resident population control totals for the United States; see Technical Notes]

				Age gr	oup (years)				A
Marital status and sex	15 and over ¹	15–24	25–34	35–44	45–54	55–64	65–74	75 and over	Age- adjusted rate ²
					Number				
Both sexes	2,510,085	29,182	44,591	69,162	179,463	329,606	432,346	1,425,735	
Never married	280,516	27,464	29,382	25,831	47,512	52,864	34,154	63,309	
Ever married	2,213,957	1,642	14,929	42,691	129,513	272,502	394,531	1,358,149	
Married	950,526	1,398	10,846	27,193	74,334	155,260	223,239	458,256	
Widowed	894,172	28	222	1,012	6,538	25,999	78,752	781,621	
Divorced	369,259	216	3,861	14,486	48,641	91,243	92,540	118,272	
Not stated	15,612	76	280	640	2,438	4,240	3,661	4,277	
Male	1,255,052	21,456	30,783	42,929	109,214	200,951	244,935	604,784	
Never married	174,702	20,415	21,466	17,679	32,470	35,174	20,490	27,008	
Ever married	1,069,352	982	9,121	24,798	75,009	162,514	221,724	575,204	
Married	636,770	837	6,678	15,825	42,850	96,659	146,678	327,243	
Widowed	235,893	17	88	384	2,353	9,016	23,832	200,203	
Divorced	196,689	128	2,355	8,589	29,806	56,839	51,214	47,758	
Not stated	10,998	59	196	452	1,735	3,263	2,721	2,572	
Female	1,255,033	7,726	13,808	26,233	70,249	128,655	187,411	820,951	
Never married	105,814	7,049	7,916	8,152	15,042	17,690	13,664	36,301	
Ever married	1,144,605	660	5,808	17,893	54,504	109,988	172,807	782,945	
Married	313,756	561	4,168	11,368	31,484	58,601	76,561	131,013	
Widowed	658,279	11	134	628	4,185	16,983	54,920	581,418	
Divorced	172,570	88	1,506	5,897	18,835	34,404	41,326	70,514	
Not stated	4,614	17	84	188	703	977	940	1,705	
					Rate ³				
Both sexes	993.1	66.3	105.9	169.9	406.0	854.2	1,801.1	7,450.6	1,144.1
Never married	339.4	66.9	141.3	295.5	750.3	1,451.8	2,659.4	7,704.7	1,446.9
Ever married	1,301.7	55.2	70.1	133.6	342.0	779.8	1,736.5	7,415.9	1,094.2
Married	748.7	50.6	57.8	102.9	255.1	602.8	1,435.1	5,342.9	817.7
Widowed	5,963.1	163.8	236.7	373.3	732.5	1,242.4	2,236.5	9,641.6	1,592.1
Divorced	1,312.7	109.3	157.5	274.9	620.3	1,285.9	2,539.8	7,254.4	1,341.4
Male	1,018.9	95.2	145.1	211.8	501.8	1,081.4	2,184.5	7,965.0	1,300.6
Never married	394.4	95.3	185.3	359.9	916.9	1,833.9	3,372.2	8,862.8	1,739.5
Ever married	1,355.6	87.6	94.7	161.5	411.7	975.2	2,090.8	7,892.2	1,227.9
Married	1,000.3	79.9	78.0	122.3	296.5	736.9	1,743.2	6,383.2	982.1
Widowed	7,537.8	*	313.8	530.7	1,047.4	1,914.7	3,270.5	12,528.9	2,179.2
Divorced	1,625.9	193.6	226.7	366.2	840.8	1,847.3	3,504.4	8,471.2	1,712.6
Female	968.6	36.0	66.1	128.4	313.0	643.1	1,465.0	7,112.3	1,011.5
Never married	275.8	35.9	85.9	212.8	539.0	1,026.5	2,019.4	7,022.1	1,184.0
Ever married	1,255.0	35.6	49.8	107.8	277.3	601.6	1,426.3	7,101.1	984.9
Married	495.6	32.7	40.9	84.4	214.4	463.6	1,072.1	3,797.1	600.9
Widowed	5,547.8	*	203.8	316.0	626.6	1,047.2	1,966.7	8,932.8	1,428.6
Divorced	1,076.4	66.9	106.6	201.7	438.3	856.1	1,893.8	6,611.3	1,090.4

^{...} Category not applicable.

^{*} Figure does not meet standards of reliability or precision; see Technical Notes.

¹Excludes figures for age not stated.

²Calculated based on ages 25 and over. For method of computation, see Technical Notes.

³Figures for marital status not stated are included in totals for "Both sexes," "Male," and "Female" but are not distributed among specified marital status groups.

Table I–8. Number of deaths, death rates, and age-adjusted death rates for ages 25–64, by educational attainment and sex: Total of 38 reporting states and District of Columbia using 2003 version of U.S. Standard Certificate of Death, and total of 10 reporting states using 1989 version of U.S. Standard Certificate of Death, 2012

[Rates are per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Population estimates used for computing death rates are based on the American Community Survey adjusted to postcensal July 1, 2012, resident population control totals for reporting areas; see Technical Notes]

38 reporting states a 2003 version of U.S.								ting states Standard					
		Age	group (y	ears)		Age- adjusted	Years of school completed ⁵		Age	group (y	ears)	,	Age- adjusted
Education level and sex	25–64 ³	25–34	35–44	45–54	55–64	rate ⁴	and sex	25–64 ³	25–34	35–44	45–54	55–64	rate ⁴
			Nun	nber						Nun	nber		
Both sexes	92,522 215,717 184,687	7,285 15,526	10,856 23,704	64,974	45,842 111,513		Both sexes	101,015 18,223 43,177 34,395 5,220	7,238 1,358 3,133 2,306 441	11,543 2,018 4,986 3,901 638	28,986 5,611 12,861 9,029 1,485	53,248 9,236 22,197 19,159 2,656	
Male	59,488 136,420 106,978	5,211	7,134	89,228 18,350 41,297 26,645 2,936	28,793		Male	61,825 11,893 27,084 19,350 3,498	4,976 991 2,262 1,411 312	7,062 1,309 3,199 2,128 426	17,475 3,680 8,052 4,760 983	5,913	
Female	33,034 79,297 77,709	11,189 2,074 4,230 4,662 223	21,131 3,722 8,221 8,738 450	57,132 10,189 23,677 21,983 1,283	,		Female	39,190 6,330 16,093 15,045 1,722	2,262 367 871 895 129	4,481 709 1,787 1,773 212	11,511 1,931 4,809 4,269 502	20,936 3,323 8,626 8,108 879	
			R	ate ⁸						R	ate ⁸		
Both sexes	552.9 597.7	104.7 176.5 186.5 57.3	167.6 254.5 286.7 96.1		852.6 1,205.4 1,244.6 549.9	327.6 490.7 506.7 197.0	Both sexes	375.6 675.1 616.1 200.1	107.9 205.4 201.8 51.3	175.1 307.1 312.8 89.9		840.2 1,407.1 1,234.2 493.5	327.3 586.1 518.8 176.6
Male	654.4 715.9	143.5 218.6 235.3 78.2	209.2 302.5 339.8 116.3	746.2	1,079.7 1,524.6 1,633.7 668.2	413.6 600.6 635.6 238.9	Male	467.1 776.1 717.8 244.0	147.9 252.8 244.1 69.0	216.3 346.2 355.0 107.2	882.7	1,059.1 1,712.2 1,587.3 597.2	411.1 690.0 632.1 211.9
Female	432.2 465.5	65.2 119.0 120.0 39.2	126.1 195.2 221.5 78.5	311.6 490.3 471.5 195.6	641.6 890.5 903.8 438.1	244.8 368.4 374.3 158.9	Female	287.0 542.4 497.4 162.6	67.7 136.4 139.2 36.6	134.7 254.2 257.9 75.3	310.9 627.0 494.2 176.3	637.0 1,068.3 914.3 399.0	247.1 456.6 398.3 145.7

^{..} Category not applicable.

NOTE: GED is General Educational Development high school equivalency diploma.

¹Includes data for Arizona, Arkansas, California, Connecticut, Delaware, District of Columbia, Florida, Georgia, Idaho, Illinois, Indiana, Iowa, Kansas, Kentucky, Maine, Michigan, Minnesota, Mississippi, Missouri, Montana, Nebraska, Nevada, New Hampshire, New Jersey, New Mexico, New York, North Dakota, Ohio, Oklahoma, Oregon, Pennsylvania, South Carolina, South Dakota, Tennessee, Texas, Utah, Vermont, Washington, and Wyoming; see Technical Notes.

²Includes data for Alabama, Alaska, Colorado, Hawaii, Maryland, Massachusetts, North Carolina, Virginia, West Virginia, and Wisconsin; see Technical Notes.

³Excludes figures for age not stated.

⁴Calculated based on ages 25–64. For method of computation, see Technical Notes.

⁵For rates, the definition of educational attainment differs for the numerator and denominator; see Technical Notes.

⁶ Includes deaths that occurred in states that reported the unrevised education attainment item on the death certificate and in states that did not have an education item on the death certificate.

⁷ Includes deaths that occurred in states that reported the revised education attainment item on the death certificate and in states that did not have an education item on the death certificate.

⁸Figures for education not stated are included in totals for "Both sexes," "Male," and "Female" but are not distributed among specified years of education.

Table I-9. Number of deaths, death rates, and age-adjusted death rates for injury at work for ages 15 and over, by race and sex: United States, 2012

[Rates are per 100,000 population in specified group; age-adjusted rates per 100,000 U.S. standard population; see Technical Notes. Populations used for computing death rates are postcensal estimates based on the 2010 census estimated as of July 1, 2012; see Technical Notes. For a discussion of injury at work, see Technical Notes]

			A	ge group (yea	rs)			
Race and sex	15 and over ¹	15–24	25–34	35–44	45–54	55–64	65 and over	Age-adjusted rate ²
					Number			
All races ³ , both sexes	4,106	309	628	734	1,017	844	574	
Male	3,743	287	575	669	937	779	496	
Female	363	22	53	65	80	65	78	
White ⁴ , both sexes	3,479	265	527	599	847	720	521	
Male	3,190	249	487	551	787	668	448	
Female	289	16	40	48	60	52	73	
Black ⁴ , both sexes	453	29	77	100	131	76	40	
Male	403	25	66	89	116	70	37	
Female	50	4	11	11	15	6	3	
					Rate			
All races ³ , both sexes	1.6	0.7	1.5	1.8	2.3	2.2	1.3	1.6
Male	3.0	1.3	2.7	3.3	4.3	4.2	2.6	3.0
Female	0.3	0.1	0.3	0.3	0.4	0.3	0.3	0.3
White ⁴ , both sexes	1.7	0.8	1.6	1.9	2.4	2.3	1.4	1.7
Male	3.2	1.5	2.9	3.5	4.4	4.3	2.7	3.2
Female	0.3	*	0.3	0.3	0.3	0.3	0.3	0.3
Black ⁴ , both sexes	1.4	0.4	1.3	1.8	2.3	1.7	1.0	1.4
Male	2.6	0.7	2.2	3.4	4.3	3.5	2.4	2.7
Female	0.3	*	*	*	*	*	*	0.3

^{...} Category not applicable.

^{*} Figure does not meet standards of reliability or precision; see Technical Notes.

¹Excludes figures for age not stated.

²Calculated based on ages 15 years and over. For method of computation, see Technical Notes.

³Includes races other than white and black.

⁴Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. This table includes multiple-race data for 42 states and the District of Columbia; see Technical Notes. The multiple-race data for these reporting areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other reporting areas; see Technical Notes. SOURCE: CDC/NCHS, National Vital Statistics System, Mortality.

Table I-10. Number of deaths, death rates, and age-adjusted death rates for injury at work, by race and sex: United States, 1993-2012

[Includes ages 15 and over; excludes figures for age not stated. Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. For a discussion of injury at work, see Technical Notes]

									All o	ther ¹		
		All races			White ¹			Total ¹			Black ¹	
Year	Both sexes	Male	Female	Both sexes	Male	Female	Both	Male	Female	Both sexes	Male	Female
		Maio	Tomalo		Maio	Num		- Ividio	Tomaio		- Ividio	Tomaio
2012	4,106	3,743	363	3,479	3,190	289	627	553	74	453	403	50
2011	4,097	3,736	361	3,535	3,227	308	562	509	53	403	367	36
2010	4,157	3,829	328	3,589	3,324	265	568	505	63	405	359	46
2009	3,919	3,601	318	3,341	3,087	254	578	514	64	427	375	52
2008	4,690	4,317	373	4,018	3,709	309	672	608	64	505	458	47
2007	5,025	4,606	419	4,257	3,914	343	768	692	76	579	521	58
2006	5,298	4,869	429	4,562	4,200	362	736	669	67	565	513	52
2005	5,113	4,670	443	4,351	3,991	360	762	679	83	573	512	61
2004	5,157	4,729	428	4,458	4,111	347	699	618	81	545	482	63
2003	5,025	4,609	416	4,272	3,929	343	753	680	73	577	530	47
2002	5,305	4,859	446	4,568	4,199	369	737	660	77	559	500	59
2001 ²	8,303	7,181	1,122	7,093	6,211	882	1,210	970	240	849	680	169
2000	5,430	4,969	461	4,657	4,270	387	773	699 767	74 70	591 650	536	55 61
1999	5,651 5,543	5,152 5,036	499 507	4,805 4,804	4,385 4,366	420 438	846 739	767 670	79 69	659 587	598 535	61 52
1997	5,666	5,036	522	4,804	4,352	433	881	792	89	684	626	52 58
1996	5,778	5,144	498	4,765	4,535	405	838	745	93	649	582	67
1995	5,872	5,334	538	5,007	4,550	457	865	784	81	692	627	65
1994	5,987	5,425	562	5,103	4,642	461	884	783	101	710	632	78
1993	5,847	5,352	495	4,979	4,581	398	868	771	97	677	608	69
	,	•		•		Ra	ıte.					
2012	1.6	3.0	0.3	1.7	3.2	0.3	1.2	2.3	0.3	1.4	2.6	0.3
2011	1.6	3.1	0.3	1.8	3.3	0.3	1.1	2.2	0.2	1.2	2.4	0.2
2010	1.7	3.2	0.3	1.8	3.4	0.3	1.2	2.2	0.2	1.3	2.4	0.3
2009	1.6	3.0	0.3	1.7	3.2	0.3	1.2	2.3	0.3	1.4	2.5	0.3
2008	1.9	3.6	0.3	2.0	3.9	0.3	1.4	2.8	0.3	1.6	3.2	0.3
2007	2.1	3.9	0.3	2.2	4.1	0.3	1.7	3.2	0.3	1.9	3.7	0.4
2006	2.2	4.2	0.4	2.4	4.4	0.4	1.7	3.2	0.3	1.9	3.7	0.3
2005	2.2	4.1	0.4	2.3	4.3	0.4	1.8	3.3	0.4	2.0	3.7	0.4
2004	2.2	4.2	0.4	2.3	4.4	0.4	1.7	3.1	0.4	1.9	3.6	0.4
2003	2.2	4.1	0.4	2.3	4.3	0.4	1.8	3.5	0.3	2.0	4.0	0.3
2002	2.3	4.4	0.4	2.4	4.6	0.4	1.8	3.5	0.4	2.0	3.9	0.4
2001 ²	3.7	6.6	1.0	3.8	6.9	0.9	3.1	5.3	1.2	3.1	5.4	1.2
2000	2.5	4.6	0.4	2.5	4.8	0.4	2.0	3.7	0.4	2.2	4.3	0.4
1999	2.6	4.9	0.4	2.6	4.9	0.5	2.3	4.4	0.4	2.5	4.9	0.4
1998	2.6	4.8	0.5	2.7	5.0	0.5	2.0	3.9	0.4	2.3	4.5	0.4
1997	2.7 2.7	5.0 5.2	0.5	2.7 2.8	5.0	0.5 0.4	2.5 2.4	4.8 4.6	0.5 0.5	2.7 2.6	5.3 5.1	0.4 0.5
1996	2.7	5.2	0.5 0.5	2.0	5.3 5.4	0.4	2.4	5.0	0.5	2.8	5.1	0.5
1994	2.0	5.5	0.5	3.0	5.5	0.5	2.7	5.1	0.6	3.0	5.7	0.6
1993	2.9	5.5	0.5	2.9	5.5	0.5	2.7	5.2	0.6	2.9	5.6	0.5
	2.0	0.0	0.0	2.0	0.0			0.2	0.0	2.0	0.0	0.0
2012	1.6	3.0	0.3	1.7	3.2	Age-adjus 0.3	1.3	2.4	0.3	1.4	2.7	0.3
2011	1.6	3.0	0.3	1.7	3.2	0.3	1.1	2.4	0.3	1.3	2.7	0.3
2010	1.7	3.1	0.3	1.8	3.3	0.3	1.2	2.3	0.2	1.3	2.5	0.2
2009	1.6	3.0	0.3	1.7	3.1	0.3	1.2	2.3	0.2	1.4	2.6	0.3
2008	1.9	3.6	0.3	2.0	3.8	0.3	1.5	2.8	0.2	1.6	3.3	0.3
2007	2.1	3.9	0.3	2.2	4.0	0.3	1.7	3.3	0.3	1.9	3.8	0.4
2006	2.2	4.2	0.3	2.3	4.4	0.3	1.7	3.3	0.3	1.9	3.8	0.3
2005	2.2	4.1	0.4	2.3	4.2	0.4	1.8	3.4	0.4	2.0	3.9	0.4
2004	2.2	4.2	0.4	2.3	4.4	0.3	1.7	3.2	0.4	2.0	3.8	0.4
2003	2.2	4.1	0.3	2.3	4.2	0.3	1.9	3.6	0.3	2.1	4.2	0.3
2002	2.4	4.4	0.4	2.4	4.6	0.4	1.9	3.7	0.4	2.1	4.1	0.4
2001 ²	3.7	6.6	1.0	3.8	6.8	0.9	3.1	5.3	1.1	3.1	5.5	1.1
2000	2.5	4.6	0.4	2.5	4.8	0.4	2.1	3.9	0.4	2.3	4.6	0.4
1999	2.6	4.9	0.4	2.6	4.9	0.4	2.3	4.5	0.4	2.6	5.1	0.4
1998	2.6	4.8	0.5	2.7	5.0	0.5	2.1	4.1	0.4	2.3	4.7	0.4
See footnotes at end of table												

See footnotes at end of table.

Table I-10. Number of deaths, death rates, and age-adjusted death rates for injury at work, by race and sex: United States, 1993-2012—Con.

[Includes ages 15 and over; excludes figures for age not stated. Rates are on an annual basis per 100,000 population in specified group; age-adjusted rates are per 100,000 U.S. standard population; see Technical Notes. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years; see Technical Notes. Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. For a discussion of injury at work, see Technical Notes]

									All o	ther ¹		
		All races			White ¹			Total ¹			Black ¹	
Year	Both sexes	Male	Female	Both	Male	Female	Both	Male	Female	Both	Male	Female
						Age-adjus	sted rate ³					
1997	2.7 2.8 2.8 2.9 2.9	5.0 5.2 5.3 5.5 5.5	0.5 0.5 0.5 0.5 0.5	2.7 2.8 2.9 3.0 2.9	5.0 5.3 5.4 5.6 5.5	0.5 0.4 0.5 0.5	2.6 2.5 2.7 2.8 2.8	5.0 4.8 5.3 5.4 5.4	0.5 0.5 0.5 0.6 0.6	2.8 2.6 3.0 3.1 3.0	5.5 5.3 6.0 6.0 6.0	0.4 0.5 0.5 0.6 0.5

¹Includes multiple-race data for 42 states and the District of Columbia in 2012, 38 states and the District of Columbia in 2011, 37 states and the District of Columbia in 2008 and 2009, 27 states and the District of Columbia in 2008, 21 states and the District of Columbia in 2008, 22 states and the District of Columbia in 2008, 21 states and the District of Columbia in 2008, 22 states and the District of Columbia in 2008, 22 states and the District of Columbia in 2008, 22 states and the District of Columbia in 2008, 22 states and the District of Columbia in 2008, 22 states and the District of Columbia in 2008, 22 states and the District of Columbia in 2008, 22 states and the District of Columbia in 2008, 22 states and the District of Columb

²Data include September 11, 2001, terrorism-related deaths for which death certificates were filed as of October 24, 2002; see Technical Notes from *National Vital Statistics Reports*, Volume 52 Number 3, "Deaths: Final Data for 2001."

³For method of computation, see Technical Notes.