Name:	
Date:	
Section	

Astron 104 Laboratory #6 The Mass of the Earth More Precisely 1.1, Section 6.1

Although the size of the Earth has been known since ancient times, an accurate measurement of the mass of the Earth was possible only relatively recently. We will investigate two methods to calculate the mass of the Earth.

1. A crude estimate of the mass of the Earth can be made by estimating the density of the Earth. Density, d, measures how much mass is in a volume of space. The density of an object of mass M and volume V is:

$$d = \frac{M}{V}$$

The volume of a sphere of radius R is:

$$V = \frac{4}{3}\pi R^3$$

To calculate the volume, we can use the radius of the Earth that Eratosthenes found, which was about $6.366 \,\mathrm{km} = 6.36 \times 10^6 \,\mathrm{m}$.

Compute the volume of the Earth in m³:

The typical density of a rock on the Earth's crust is $d_{\text{rock}} = 2700 \,\text{kg/m}^3$. If we assume that the overall density of the Earth is the same as rock, compute the mass of the Earth using this value and the volume you found above. Call this number M_1 :

2. We can estimate the mass of the Earth by measuring the amount of gravitation the Earth's mass produces. To do so, we need (1) measurements of the Earth's radius $(6.36 \times 10^6 \,\mathrm{m})$ and of the gravitational acceleration at its surface, g, which measures how quickly objects accelerate when they fall (use $g = 10 \,\mathrm{m/s^2}$); and (2) a formula for the Earth's gravitational acceleration g given the mass and radius. We use Isaac Newton's work. He was the first person to describe how gravity operated, and he showed how a body's mass and radius determined its gravitational acceleration. He found that the acceleration at the surface of the Earth could be expressed as:

$$g = \frac{GM}{R^2}$$

where G is Newton's constant, M is the mass of the Earth, and R is the radius of the Earth. Use this equation to solve for the mass of the Earth (call is M_2 to distinguish it from the result we got before; you don't need to plug in values but leave it in terms of G, g, and R):

3. In 1798 Henry Cavendish made an accurate measurement of G, getting 6.1×10^{-11} m³/kg/s². Using his value of G and the expression for mass, Cavendish was able to compute a better estimate of the mass of the Earth. Following this procedure, compute the mass of the Earth M_2 .

4. Why is this result M_2 different from the previous result M_1 ? Hint: what assumptions were required to get M_1 ?

5. Using the new mass of the Earth M_2 compute the average density of the Earth.

