

Biostat 537 HW 2

David Coomes

2/5/2020

Problem 1

(a)

Maintenance Group Estimates

Time (t)	# at risk (n)	# events (d)	d/n	1-d/n	S(t)	H(t)
9	12	1	0.083	0.917	0.917	0.083
12	11	1	0.091	0.909	0.833	0.174
13	10	0	0.000	1.000	0.833	0.174
18	9	1	0.111	0.889	0.741	0.285
23	8	1	0.125	0.875	0.648	0.410
28	7	0	0.000	1.000	0.648	0.410
31	6	1	0.167	0.833	0.540	0.577
34	5	1	0.200	0.800	0.432	0.777
45	4	1	0.250	0.750	0.324	1.027
48	2	1	0.500	0.500	0.162	1.527
161	1	0	0.000	1.000	0.162	1.527

Control Group Estimates


Time (t)	# at risk (n)	# events (d)	d/n	1-d/n	S(t)	H(t)
4	13	1	0.077	0.923	0.923	0.077
5	12	1	0.083	0.917	0.846	0.160
8	11	2	0.182	0.818	0.692	0.342
10	9	0	0.000	1.000	0.692	0.342
12	8	1	0.125	0.875	0.606	0.467
16	7	0	0.000	1.000	0.606	0.467
23	6	1	0.167	0.833	0.505	0.634
27	5	1	0.200	0.800	0.404	0.834
30	4	1	0.250	0.750	0.303	1.084
38	3	1	0.333	0.667	0.202	1.417
43	2	1	0.500	0.500	0.101	1.917
45	1	1	1.000	0.000	0.000	2.917

- (b) For the maintenance group, we estimate a 56.8% probability that no relapse will occur by 36 months.
For the control group, we estimate a 69.7% probability that no relapse will occur by 36 months.

Problem 2

- (a) The estimated probability that no exit will occur by one year is 60.6% (95% CI: 53.8-66.7).

Kaplan–Meier survival estimate (includes 95% CI)




(b) The median time until exit from maintenance is 504 days (95% CI: 394-550).

- We can obtain the median from looking at the Kaplan-Meier estimator by finding the time where the survival estimate first drops below 0.5. We can estimate the 95% confidence intervals by using the first time period that includes 0.5 in the 95% confidence interval for the lower estimate, and the first time interval that does not include 0.5 that comes after the median time.
- the median estimate and 95% confidence intervals using the *survfit* command returns the same results as the examination of the Kaplan-Meier estimators for each time.

(c)


-

Kaplan–Meier survival estimate by incarceration status



- ii. The probability of no exit occurring by 8 months does not significantly differ at the 95% confidence level between those that were incarcerated and those that were not ($p=0.077$).
- iii. Based on the logrank test, the distribution of time until exit from maintenance does not significantly differ by history of incarceration ($p=0.3$).
- iv. Based on the Wilcoxon-Gehan-Breslow test, the survival time until exit from maintenance does not differ significantly by history of incarceration ($p=0.11$).
- v.


Nelson–Aalen cumulative hazard estimates by incarceration status



(d)

i.

Kaplan–Meier survival estimate by methadone use



- ii. The probability of no exit occurring by 8 months significantly differs at the 95% confidence level between those that had a methadone dose of less than or equal to 60 mg/day and those that recorded a dose of

more than 60 mg/day ($p=1.57 \text{ e-}5$).

iii. Based on the logrank test, the distribution of time until exit from maintenance significantly differs by methadone use ($p=3 \text{ e-}7$).

iv. Based on the Wilcoxon-Gehan-Breslow test, the survival time until exit from maintenance differs significantly by methadone use ($p=7.29 \text{ e-}7$).

```
##          Q          Var          Z          pNorm
## 1          -31.0457        36.3422      -5.1499  2.6067e-07 ***
## n         -4459.0000  810346.8693      -4.9534  7.2934e-07 ***
## sqrtN       -354.1274    4922.5602      -5.0474  4.4796e-07 ***
## S1          -20.9117        17.1100      -5.0555  4.2924e-07 ***
## S2          -20.7304        16.8777      -5.0460  4.5104e-07 ***
## FH_p=1_q=1    -4.7555         1.3376      -4.1119  3.9245e-05 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##          maxAbsZ          Var          Q          pSupBr
## 1          3.1046e+01  3.6342e+01  5.1499  5.2134e-07 ***
## n          4.4590e+03  8.1035e+05  4.9534  1.4587e-06 ***
## sqrtN       3.5413e+02  4.9226e+03  5.0474  8.9593e-07 ***
## S1          2.0912e+01  1.7110e+01  5.0555  8.5848e-07 ***
## S2          2.0730e+01  1.6878e+01  5.0460  9.0209e-07 ***
## FH_p=1_q=1  4.7555e+00  1.3376e+00  4.1119  7.8491e-05 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
## NULL
```

v.

Nelson–Aalen cumulative hazard estimates by methadone use

