

Report ID: S24774.01(01) Generated on 06/17/2021

Report to

Attention: Todd Knepper City of Tecumseh 710 E. Chicago Blvd Tecumseh, MI 49286

Phone: n/a FAX:

Email: tknepper@tecumseh.mi.us

Addtional Contacts: Doug Ervin

Report Summary

Lab Sample ID(s): S24774.01 Project: Yearly Bio-Solids Collected Date(s): 06/01/2021

Submitted Date/Time: 06/01/2021 11:45

Sampled by: Unknown

P.O. #: D1724

Table of Contents

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3)

Method Summary (Page 4)

Sample Summary (Page 5)

Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions:

John Laverty (johnlaverty@meritlabs.com)
Barbara Ball (bball@meritlabs.com)

Maya Murshak Technical Director

Naya Mushah



General Report Notes

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples

for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Report Narrative

There is no additional narrative for this analytical report



Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884

Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
1	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
T	No correction for total solids
X	Elevated reporting limit due to matrix interference
Υ	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
j	Analyte also found in associated method blank
p	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
х	Preserved from bulk sample

Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



Method Summary

Method Version

ASTM D7968-17M ASTM Method D7968 - 17 Modified (Isotopic Dilution)

SM2540B Standard Method 2540 B 2011

Parameter Summary

Parameter	Synonym	Cas #
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Sample Summary (1 samples)

Sample ID Sample Tag Matrix Collected Date/Time

S24774.01 Bio-solids (Grab) Sludge 06/01/21 09:20



Lab Sample ID: S24774.01

Sample Tag: Bio-solids (Grab)

Collected Date/Time: 06/01/2021 09:20

Matrix: Sludge

COC Reference: 146446

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	250ml Plastic	None	Yes	4.6	IR
1	15ml Centrifuge Tube	None	Yes	4.6	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	10.00/6.82/10	ASTM D7968-17M	06/07/21 12:00	KCV	

Inorganics

Method: SM2540B, Run Date: 06/01/21 16:45, Analyst: ELR

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Total Solids*	3.0	1		%	1		

Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 06/09/21 07:30, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	2.1		ug/kg	105	375-22-4	
PFPeA*	1.1	1.1		ug/kg	105	2706-90-3	
4:2 FTSA*	Not detected	1.1		ug/kg	105	757124-72-4	1
PFHxA*	1.6	1.1		ug/kg	105	307-24-4	
PFBS*	Not detected	1.1		ug/kg	105	375-73-5	
PFHpA*	Not detected	1.1		ug/kg	105	375-85-9	
PFPeS*	Not detected	1.1		ug/kg	105	2706-91-4	
6:2 FTSA*	Not detected	1.1		ug/kg	105	27619-97-2	1
PFOA*	2.1	1.1		ug/kg	105	335-67-1	
PFHxS*	Not detected	1.1		ug/kg	105	355-46-4	
PFHxS-LN*	Not detected	1.1		ug/kg	105	355-46-4-LN	
PFHxS-BR*	Not detected	1.1		ug/kg	105	355-46-4-BR	
PFNA*	Not detected	1.1		ug/kg	105	375-95-1	
3:2 FTSA*	Not detected	1.1		ug/kg	105	39108-34-4	1
PFHpS*	Not detected	1.1		ug/kg	105	375-92-8	
PFDA*	7.5	1.1		ug/kg	105	335-76-2	
N-MeFOSAA*	22	1.1		ug/kg	105	2355-31-9	
EtFOSAA*	6.9	1.1		ug/kg	105	2991-50-6	
PFOS*	6.2	1.1		ug/kg	105	1763-23-1	
PFOS-LN*	5.6	1.1		ug/kg	105	1763-23-1-LN	
PFOS-BR*	Not detected	1.1		ug/kg	105	1763-23-1-BR	
PFUnDA*	1.5	1.1		ug/kg	105	2058-94-8	1
PFNS*	Not detected	1.1		ug/kg	105	68259-12-1	
PFDoDA*	2.6	1.1		ug/kg	105	307-55-1	1
PFDS*	Not detected	1.1		ug/kg	105	335-77-3	
PFTrDA*	Not detected	1.1		ug/kg	105	72629-94-8	1
FOSA*	3.8	1.1		ug/kg	105	754-91-6	
PFTeDA*	Not detected	1.1		ug/kg	105	376-06-7	I1
11CI-PF3OUdS*	Not detected	1.1		ug/kg	105	763051-92-9	

I-Matrix interference with internal standard

1-IS recovery <10%



Lab Sample ID: S24774.01 (continued)

Sample Tag: Bio-solids (Grab)

28 PFAs, Method: ASTM D7968-17M, Run Date: 06/09/21 07:30, Analyst: KCV (continued)

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags	
9CI-PF3ONS*	Not detected	1.1		ug/kg	105	756426-58-1		
ADONA*	Not detected	1.1		ug/kg	105	919005-14-4		
HFPO-DA*	Not detected	1.1		ua/ka	105	13252-13-6		

Generated on 06/17/2021

Report ID: S24774.01(01)

Merit Laboratories Login Checklist

Lab Set ID:S24774

Client: AESMISC (City of Tecumseh)

Project: Yearly Bio-Solids

Submitted: 06/01/2021 11:45 Login User: MMC

Attention: Todd Knepper Address: City of Tecumseh 710 E. Chicago Blvd Tecumseh, MI 49286

Phone: n/a FAX: Email: tknepper@tecumseh.mi.us

Selection			Description	Note						
Sample Re	eiving									
01. XY	es No	□ N/A	Samples are received at 4C +/- 2C Thermometer #	IR 4.6						
02. X Y	es No	□ N/A	Received on ice/ cooling process begun							
03. Y	s X No	□ N/A	Samples shipped							
04. Y	es 🗓 No	N/A	Samples left in 24 hr. drop box							
05. Y	es No	X N/A	re there custody seals/tape or is the drop box locked							
Chain of C	stody									
06. X Y	es No	□ N/A	COC adequately filled out							
07. X Y	es No	□ N/A	COC signed and relinquished to the lab							
08. X Y	es No	□ N/A	Sample tag on bottles match COC							
09. Y	es 🗓 No	☐ N/A	Subcontracting needed? Subcontacted to:							
Preservation	n									
10. X Y	es No	□ N/A	Do sample have correct chemical preservation							
11. Y	es No	X N/A	Completed pH checks on preserved samples? (no VOAs)							
12. Y	es 🗓 No	N/A	Did any samples need to be preserved in the lab?							
Bottle Con	litions									
13. X Y	es No	□ N/A	All bottles intact							
14. X Y	es No	N/A	Appropriate analytical bottles are used							
15. X Y	es No	N/A	Merit bottles used							
16. X Y	es No	N/A	Sufficient sample volume received							
17. 🔲 Y	es 🗓 No	□ N/A	Samples require laboratory filtration							
18. X Y	es No	□ N/A	Samples submitted within holding time							
19. Y	es No	X N/A	Do water VOC or TOX bottles contain headspace							

Corrective action f	or all exceptions	is to call the	client and to	notify the	e project m	anager.
Client Review By:				Date:		



2680 East Lansing Dr., East Lansing, MI 48823 Phone (517) 332-0167 Fax (517) 332-4034 www.meritlabs.com

	_ /		
C.O.C. PAGE # _	_ OF	1464	146
		T40-	+ 4

REPORT TO Laboratories, Inc. CHAIN OF CUS											STODY RECORD													INVOICE TO			
CONTACT NAME TODD KNEPPER													□SAME														
ADDRESS 710 E CHICAGO BLVD. STATE ZIP CODE												1.16															
																						-1	, -I- c				
CITY TECUMSEH STATE, ZIP CODE 49286									1								U				STATE ZIP CODE						
PHONE NO. FAX NO.				P.O. NO.	F	PHONE NO.								L ADDI	RESS												
E-MAIL ADDRESS	tk ne no	000	tecumsen-mi, us	QUOTE NO. DI 724	/			de se		L A	W. 1	А	NAL	/SIS (ATTA	ACHI	LIST IF	MO	RE SI	PACE	IS REQUIR	ED)	/ The				
PROJECT NO./NA	ME V EN	01110	in Course	SAMPLER(S) - PLEASE PR		IN NAN	1E		10,4147	1003		7						T			Certificat						
TURNAROUND TIME REQUIRED 1 DAY 2 DAYS 3 DAYS STANDARD OTHER													h						-		□ OHIO W	NP □ Dr	inking V	Vater			
)					100									□ DoD	□NF	PDES				
			D LEVEL II LEVEL III WW=WASTEWATER S=SC	No. 10 Company of the	=SOLI		_	# 0	ontaii	200	9	12	+								Project L	ocations					
MATRIX GW=GROUNDWATER WW=WASTEWATER S=SOIL L=LIQUID SD=SOLID CODE: SL=SLUDGE DW=DRINKING WATER O=OIL WP=WIPE A=AIR W=WASTE										ative		8				1			. "		□ Detroit □ New York						
MERIT LAB NO.	YE	AR	SAMPLE IDENTIFICATION-DE	MATRIX	# OF BOTTLES	NONE	HCI HCI	HNO ₃ H ₂ SO ₄ NaOH		МеОН	0	7								□ Other _		- 1	-				
FOR LAB USE ONLY	. 1 /	TIME			MA	# EOB	ž	- 3	ĪĪ	ž	ž 6			+	+	+	+	+	+-	-	Special Ir	CARLES AND ADDRESS OF THE PARTY	THE RESERVE OF THE PARTY OF				
24774.0	6/1/21	9:20	B10-50LIDS	(GRAB)	\vdash	-	H	_	+		+	X					8.04	-			17.871.5	1.00	Life 6.	-			
		1.021. 2			No.	JF.	H				-			11 118	+	-			-			I IF					
					-		H				+	_		-	+	-	-	-	+	-	-						
nobis	GLS.		mag - 1	a in material call	yr yf	m a			-	ı b	15	100		21/2	+			+-	-	-	-		-				
					\vdash			-	-		-	-		1	1		-				-						
	<u> </u>	1208	<u> </u>	2011-0	797	The second	5.7	O.	+		-		2 1	13	38		210	J. (FF)	-		U.S. E.	Carly.		5			
212718	0/	TOTAL	177 910 -	17 2 17 08	8 1.1	V4-2		90			1 2	96			1	2174		1113	N 62		D96 1 70	. 102		10			
20 787		107/610		Landa -	-	190			-		+	la sp		-		_	4	1	-	-			1				
	18		13.4 ₍₁₎ ×		1	-		18-1			-	_				- 1	()	-	115	111-							
a ky s	8) 10 10 10 m			Ш	18									72	1	4210	-	10000						
									1		_	_			-			-	-	-				579			
3927	11.	i gil i	18 9 QLQ B3	1927 314 - 31	obs	-,27		94	13				1111	1 34 2	1			1 2	PIG	ta (s	70 - 7	-CE	TUUK	1			
RELINQUISHED SIGNATURE/OR		Total	Skyrren	Sampler OTTE	2/3	FIME 2	0		NQUIS			ZATION								154	Asy (i)	DATE	and all T	IME			
RECEIVED BY: SIGNATURE/OR	t	186		6/1/21	9	rim5 c	71	RECE	EIVED	BY:		ZATION		- R - J	MI		ggih z	olge			nn Karal	DATE	Т	IME			
RELINQUISHED SIGNATURE/OR	BY:	1	1	6/1/2719	11	ME'G	7	SEAL	NO.		100		SEAL IN		10 🗆	INIT	IALS		NOT	ES:	TEMP. O	ARRIVAL _					
RECEIVED BY: SIGNATURE/OR		1	Just and	LOUI 2 DATE	TIL.	15	3	SEAL	. NO.				SEAL IN	TACT	10 🗆	INIT	IALS				4,10						
GIGINATURE/OR	UANIZATION	1	PLEASE NOTE: SIGNI	NG ACKNOWLEDGES	ADHE	RENC	ET	ОМЕ	ERIT'	SSA	AMPL	E AC				CY OI	N REV	ERSE	SIDE				R	ev. 5.18.12			