

Report ID: S24330.01(01) Generated on 06/10/2021

Report to

Attention: Dave Kulju Operations Services 33653 Swallow Drive Rockwood, MI 48173

Phone: 734-379-5652 FAX:

Email: dkulju@operationsservices.com

Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions: John Laverty (johnlaverty@meritlabs.com) Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S24330.01 Project: Thornton Farms Collected Date(s): 05/18/2021

Submitted Date/Time: 05/19/2021 09:10

Sampled by: T. Michalak
P.O. #: THORNTON FARMS

#### **Table of Contents**

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3)

Naya Mushah

Method Summary (Page 4)

Sample Summary (Page 5)

Maya Murshak Technical Director



#### **General Report Notes**

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples

for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (\*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the

FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

#### **Report Narrative**

There is no additional narrative for this analytical report



#### **Laboratory Certifications**

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884

#### **Qualifier Descriptions**

Qualifier	Description
!	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
1	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
Т	No correction for total solids
X	Elevated reporting limit due to matrix interference
Υ	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
j	Analyte also found in associated method blank
p	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
X	Preserved from bulk sample

### **Glossary of Abbreviations**

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



### **Method Summary**

Method Version

ASTM D7968-17M ASTM Method D7968 - 17 Modified (Isotopic Dilution)

SM2540B Standard Method 2540 B 2011

#### **Parameter Summary**

Parameter	Synonym	Cas #
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Sample Summary (1 samples)

Sample ID Sample Tag Matrix Collected Date/Time

S24330.01 Thornton Farms Biosolids Sludge 05/18/21 08:00

Report to Operations Services Page 5 of 7
Project: Thornton Farms



Lab Sample ID: S24330.01

Sample Tag: Thornton Farms Biosolids Collected Date/Time: 05/18/2021 08:00

Matrix: Sludge

COC Reference: 145902

#### Sample Containers

3	#	Туре	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
	1	15ml Centrifuge Tube	None	Yes	4.8	IR
	1	250ml Plastic	None	Yes	4.8	IR

#### Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	9.09/7.09/10	ASTM D7968-17M	06/07/21 10:30	KCV	

#### Inorganics

Method: SM2540B, Run Date: 05/19/21 16:30, Analyst: ELR

Parameter	Result	RL	MDL	Units	Dilution	CAS# Flags		
Total Solids*	4.3	1		%	1			

#### Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 06/08/21 05:23, Analyst: KCV

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags			
PFBA*	Not detected	2.3		ug/kg	116	375-22-4				
PFPeA*	10	1.2		ug/kg	116	2706-90-3				
4:2 FTSA*	Not detected	1.2		ug/kg	116	757124-72-4	1			
PFHxA*	4	1.2		ug/kg	116	307-24-4				
PFBS*	4.8	1.2		ug/kg	116	375-73-5				
PFHpA*	Not detected	1.2		ug/kg	116	375-85-9				
PFPeS*	Not detected	1.2		ug/kg	116	2706-91-4				
6:2 FTSA*	Not detected	1.2		ug/kg	116	27619-97-2	1			
PFOA*	7.5	1.2		ug/kg	116	335-67-1				
PFHxS*	Not detected	1.2		ug/kg	116	355-46-4				
PFHxS-LN*	Not detected	1.2		ug/kg	116	355-46-4-LN				
PFHxS-BR*	Not detected	1.2		ug/kg	116	355-46-4-BR				
PFNA*	Not detected	1.2		ug/kg	116	375-95-1				
8:2 FTSA*	Not detected	1.2		ug/kg	116	39108-34-4	1			
PFHpS*	Not detected	1.2		ug/kg	116	375-92-8				
PFDA*	3	1.2		ug/kg	116	335-76-2				
N-MeFOSAA*	1.6	1.2		ug/kg	116	2355-31-9				
EtFOSAA*	Not detected	1.2		ug/kg	116	2991-50-6				
PFOS*	9.3	1.2		ug/kg	116	1763-23-1				
PFOS-LN*	8.5	1.2		ug/kg	116	1763-23-1-LN				
PFOS-BR*	Not detected	1.2		ug/kg	116	1763-23-1-BR				
PFUnDA*	Not detected	1.2		ug/kg	116	2058-94-8				
PFNS*	Not detected	1.2		ug/kg	116	68259-12-1				
PFDoDA*	Not detected	1.2		ug/kg	116	307-55-1				
PFDS*	Not detected	1.2		ug/kg	116	335-77-3				
PFTrDA*	Not detected	1.2		ug/kg	116	72629-94-8				
FOSA*	Not detected	1.2		ug/kg	116	754-91-6				
PFTeDA*	Not detected	1.2		ug/kg	116	376-06-7				
11CI-PF3OUdS*	Not detected	1.2		ug/kg	116	763051-92-9				
9CI-PF3ONS*	Not detected	1.2		ug/kg	116	756426-58-1				

I-Matrix interference with internal standard



### Lab Sample ID: S24330.01 (continued)

Sample Tag: Thornton Farms Biosolids

28 PFAs, Method: ASTM D7968-17M, Run Date: 06/08/21 05:23, Analyst: KCV (continued)

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
ADONA*	Not detected	1.2		ug/kg	116	919005-14-4	_
HFPO-DA*	Not detected	1.2		ug/kg	116	13252-13-6	1

I-Matrix interference with internal standard

### **Merit Laboratories Login Checklist**

Lab Set ID:S24330

Client: MISCPFC (Operations Services)

Project: Thornton Farms

Submitted: 05/19/2021 09:10 Login User: SRS

Attention: Dave Kulju

Address: Operations Services 33653 Swallow Drive Rockwood, MI 48173

Phone: 734-379-5652 FAX: Email: dkulju@operationsservices.com

Selec	tion			Description	Note
Samp	ole Receiv	/ing			
01.	X Yes	No	□ N/A	Samples are received at 4C +/- 2C Thermometer #	IR 4.8
02.	X Yes	No	□ N/A	Received on ice/ cooling process begun	
03.	X Yes	No	□ N/A	Samples shipped	FedEx
04.	Yes	X No	□ N/A	Samples left in 24 hr. drop box	
05.	X Yes	No	□ N/A	Are there custody seals/tape or is the drop box locked	
Chaiı	n of Custo	ody			
06.	X Yes	No	□ N/A	COC adequately filled out	
07.	X Yes	No	N/A	COC signed and relinquished to the lab	
08.	X Yes	No	N/A	Sample tag on bottles match COC	
09.	Yes	X No	□ N/A	Subcontracting needed? Subcontacted to:	
Prese	ervation				
10.	Yes	No	X N/A	Do sample have correct chemical preservation	
11.	Yes	No	X N/A	Completed pH checks on preserved samples? (no VOAs)	
12.	Yes	X No	N/A	Did any samples need to be preserved in the lab?	
Bottle	e Conditio	ons			
13.	X Yes	No	□ N/A	All bottles intact	
14.	X Yes	No	□ N/A	Appropriate analytical bottles are used	
15.	X Yes	No	□ N/A	Merit bottles used	
16.	X Yes	No	□ N/A	Sufficient sample volume received	
17.	Yes	X No	□ N/A	Samples require laboratory filtration	
18.	X Yes	No	□ N/A	Samples submitted within holding time	
19.	Yes	No	X N/A	Do water VOC or TOX bottles contain headspace	

Page 1 of 1

Corrective action for all exceptions is to call the client and to notify the project manager.

Client Review By: \_\_\_\_\_ Date:\_\_



2680 East Lansing Dr., East Lansing, MI 48823 Phone (517) 332-0167 Fax (517) 332-4034 www.meritlabs.com

- 1/5902	
	- 145902

REPOR	TTO		Laboratories, Inc.	F CU	STO	DDY	REC	OR	RD							INVOICE TO
CONTACT NAME	DAVI	n K	L Tu		Co	ONTACT	NAME	VA	N	CY	E	ر ر	N	·		□ SAME
			s Services	2000	CC	OMPAN					NS					rinoffirmation on him william
			ALLOW DRIVE	31 3411)	A	DRESS	-15	H	ill	- CR	25	- 1	しくど	· / ,	5	NITE D
CITY PAG	CKWA	21	STATE ZIP CODE	73	Ci	TY	You	rk	VI	LL	=		1, 9, 97	5091	P.	STATE ZIPCODE COM
PHONE NO. 731-319	1.565	2	FAX NO. NO FAX P.O. NO. ROCKWS	1 MS	PH	ONE N	0.	85	-2	33	1 E-	MAILAD	DRESS	Ne	DOP	ERATIONSSERVICES.COM
E-MAIL ADDRESS	(C) of El	LATION	SERVICES, COM PER 4/30/21 EN	nair												PACE IS REQUIRED)
PROJECT NO./NAN	E 0 1 7	DORV	TON FARMS SAMPLER(S) - PLEASE PRINT	T/SIGN NAN	ΛΕ .	h //	m	>	gal .	18.0	10.0	Issi		670	14 83	Certifications
			□1 DAY □2 DAYS □3 DAYS ★STANDARD □			10			1	I D					110	□ OHIO VAP □ Drinking Water
· ·			D   LEVEL II   LEVEL III   LEVEL IV   EDD		٦	ji j			-	2					0 95	□ DoD □ NPDES
MATRIX	GW=GROUN	IDWATER	WW=WASTEWATER S=SOIL L=LIQUID SD=SO	OLID	#		tainers		X	7	100	18			ol T	Project Locations
7.7.7	SL=SLUDGI		DRINKING WATER 0=OIL WP=WIPE A=AIR W=V	× S		Prese	rvatives	T	T	T		dillo	na ble	oʻala:	ig at	Nother THERMS FARMS
MERIT LAB NO. FOR LAB USE ONLY	DATE	TIME	IDENTIFICATION-DESCRIPTION	# OF 3OTTLE	NON	HNO H	H <sub>2</sub> SO <sub>4</sub>	ОТНЕР	4	6						Special Instructions
			ROCKWOOD BIOSOLIDS .	si 1	3				X	X		198	107	an o	H (	PEAS -
	d Japan	braitter	INVOICE SEPARATELY TO:	110 (163			A il		a grid			Jaj	oldi	solit	as II s	REPORTING LEVEL
			OPERATIONS JERVICES				44		D58	siri.	0   30	Jan 1	(64)	9.046	sit/fi	0F 2 ug/kg.
armin's	111 700		Por# ROCKWOOD	75.0					oteo	1001	au Vir		, 94	(3)		Samples must be accor in a
0.00	,										Lower	100			fr prin	TOTAL SOLIDS-
	l out e	vitav so	real frame is not neovided that most con-				11 1.1		s les	n (liv	47	Mila	188	lo bi	al Li	REPORT ON A
24330,01	5-18.21	8AM	THORNTON FARMS BIOLOGIAS.	52 1	3	af e	O X		X	X	distin	760	290	10 11	8100	DRYWEIGHT
		01511	INVOICE SERARATELY TO:		010				og i Mag	.1U00				110		BA SIS.
		No.	OPERATIONS SERVICES		MIN I				on)	er.d				: lype		to tollow the resound for the
	ar trove	9971 671	P.O.#THORNTON FARMS	1 - 1 - 13	ert.	1186	M SIL		i i s	16 3	time	1911	3.33			. 10 find (epionographic per p
	itton.	folds v v	ind pain in a distribution for some num		Bar is	1113 8	54 (14)		11.11	36 12				3 1		or virial required for Contract
A. A		AND FR	in yetters, guige of the best trackly a	2834 2	130/9	1	1233		- )	ybq	Haulo I					salare to correctly have
RELINQUISHED E		D.Ka	Sampler DATE	TIME			UISHED E		TION						oM -	DATE TIME
RECEIVED BY:		Sarr o	DATE	TIME		RECEIV	ED BY:				i boos	est y	n for i	rolg	ma	DATE TIME
RELINQUISHED E	BY:	Eo.	5/18/1/21	97/8	-	CONTRACTOR DESIGNATION OF THE PERSON OF THE	000	MATERIAL PROPERTY.	CONTRACTOR OF THE PARTY OF THE	SEAL INT			NITIALS	- 51	ГОИ	
SIGNATURE/ORG RECEIVED BY: SIGNATURE/ORG	5A	140	5/19/21	AME.		SEAL N			S	SEAL IN	TACT	11	VITIALS			4.8
SIGNATURE/ORG	MUINZAIION	10		110						, LO L	.40	_				