

Report ID: S26102.01(01) Generated on 07/27/2021

Report to

Attention: Graham Chapman

Nutrigro

1212 Spicerville Highway

Olivet, MI 49076

Phone: 517-974-1424 FAX:

Email: gc@nutrigroesi.com

Addtional Contacts: Doug Ervin

Report Summary

Lab Sample ID(s): S26102.01

Project: Columbia Lakes

Collected Date(s): 07/13/2021

Submitted Date/Time: 07/13/2021 09:09

Sampled by: Graham Chapman

P.O. #:

Table of Contents

Cover Page (Page 1)

General Report Notes (Page 2)

Report Narrative (Page 2)

Laboratory Certifications (Page 3)

Qualifier Descriptions (Page 3)

Glossary of Abbreviations (Page 3)

Method Summary (Page 4)

Sample Summary (Page 5)

Report produced by

Merit Laboratories, Inc. 2680 East Lansing Drive East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions:

John Laverty (johnlaverty@meritlabs.com)

Barbara Ball (bball@meritlabs.com)

Maya Mushah

Maya Murshak Technical Director



General Report Notes

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed." Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Report Narrative

There is no additional narrative for this analytical report



Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884

Qualifier Descriptions

-	Result is outside of stated limit criteria
В	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
Н	Sample submitted and run outside of holding time
i	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
0	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
T	No correction for total solids
X	Elevated reporting limit due to matrix interference
Υ	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
е	Reported value estimated due to interference
İ	Analyte also found in associated method blank
p	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
X	Preserved from bulk sample

Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



Method Summary

Method Version
ASTM D7968-17M ASTM Method D7968 - 17 Modified (Isotopic Dilution)

SM2540B Standard Method 2540 B 2011

Parameter Summary

Parameter Summary		
Parameter	Synonym	Cas #
PFBA	Perfluorobutanoic Acid	375-22-4
PFPeA	Perfluoropentanoic Acid	2706-90-3
4:2 FTSA	4:2 Fluorotelomer Sulfonic Acid	757124-72-4
PFHxA	Perfluorohexanoic Acid	307-24-4
PFBS	Perfluorobutane sulfonic Acid	375-73-5
PFHpA	Perfluoroheptanoic Acid	375-85-9
PFPeS	Perfluoropentane Sulfonic Acid	2706-91-4
6:2 FTSA	6:2 Fluorotelomer Sulfonic Acid	27619-97-2
PFOA	Perfluorooctanoic Acid	335-67-1
PFHxS	Perfluorohexane Sulfonic Acid	355-46-4
PFHxS-LN	Perfluorohexane Sulfonic Acid - LN	355-46-4-LN
PFHxS-BR	Perfluorohexane Sulfonic Acid - BR	355-46-4-BR
PFNA	Perfluorononanoic Acid	375-95-1
8:2 FTSA	8:2 Fluorotelomer Sulfonic Acid	39108-34-4
PFHpS	Perfluoroheptane Sulfonic Acid	375-92-8
PFDA	Perfluorodecanoic Acid	335-76-2
N-MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	2355-31-9
EtFOSAA	N-Ethyl Perfluorooctane Sulfonamidoacetic Acid	2991-50-6
PFOS	Perfluorooctane Sulfonic Acid	1763-23-1
PFOS-LN	Perfluorooctane Sulfonic Acid - LN	1763-23-1-LN
PFOS-BR	Perfluorooctane Sulfonic Acid - BR	1763-23-1-BR
PFUnDA	Perfluoroundecanoic Acid	2058-94-8
PFNS	Perfluorononane Sulfonic Acid	68259-12-1
PFDoDA	Perfluorododecanoic Acid	307-55-1
PFDS	Perfluorodecane Sulfonic Acid	335-77-3
PFTrDA	Perfluorotridecanoic Acid	72629-94-8
FOSA	Perfluorooctane Sulfonamide	754-91-6
PFTeDA	Perfluorotetradecanoic Acid	376-06-7
11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	763051-92-9
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone1-sulfonic acid	756426-58-1
ADONA	4,8-dioxa-3H-perfluorononanoic acid	919005-14-4
HFPO-DA	Hexafluoropropylene oxide dimer	13252-13-6



Sample Summary (1 samples)

Sample IDSample TagMatrixCollected Date/TimeS26102.01Colks BiosolidsSludge07/13/21 00:01



Lab Sample ID: S26102.01

Sample Tag: Colks Biosolids

Collected Date/Time: 07/13/2021 00:01

Matrix: Sludge

COC Reference: 146670

Sample Containers

#	Туре	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
1	250ml Plastic	None	No	24.0	IR
1	15ml Centrifuge Tube	None	No	24.0	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
Initial wt. (g) / Final wt. (g) / Volume (ml)*	8.92/7.01/10	ASTM D7968-17M	07/26/21 16:45	JGH	

Inorganics

Method: SM2540B, Run Date: 07/14/21 16:00, Analyst: ELR

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags	
Total Solids*	0.46	1		%	1			

Organics

28 PFAs, Method: ASTM D7968-17M, Run Date: 07/27/21 01:14, Analyst: JGH

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
PFBA*	Not detected	5.7		ug/kg	1140	375-22-4	
PFPeA*	4.8	2.3		ug/kg	1140	2706-90-3	
4:2 FTSA*	Not detected	2.3		ug/kg	1140	757124-72-4	1
PFHxA*	3.1	2.3		ug/kg	1140	307-24-4	
PFBS*	9.3	2.3		ug/kg	1140	375-73-5	
PFHpA*	Not detected	2.3		ug/kg	1140	375-85-9	
PFPeS*	Not detected	2.3		ug/kg	1140	2706-91-4	
6:2 FTSA*	Not detected	2.3		ug/kg	1140	27619-97-2	Ī
PFOA*	12	2.3		ug/kg	1140	335-67-1	
PFHxS*	Not detected	2.3		ug/kg	1140	355-46-4	
PFHxS-LN*	Not detected	2.3		ug/kg	1140	355-46-4-LN	
PFHxS-BR*	Not detected	2.3		ug/kg	1140	355-46-4-BR	
PFNA*	Not detected	2.3		ug/kg	1140	375-95-1	
8:2 FTSA*	Not detected	2.3		ug/kg	1140	39108-34-4	1
PFHpS*	Not detected	2.3		ug/kg	1140	375-92-8	
PFDA*	3	2.3		ug/kg	1140	335-76-2	
N-MeFOSAA*	Not detected	2.3		ug/kg	1140	2355-31-9	Ī
EtFOSAA*	Not detected	2.3		ug/kg	1140	2991-50-6	Ī
PFOS*	2.9	2.3		ug/kg	1140	1763-23-1	
PFOS-LN*	Not detected	2.3		ug/kg	1140	1763-23-1-LN	
PFOS-BR*	Not detected	2.3		ug/kg	1140	1763-23-1-BR	
PFUnDA*	Not detected	2.3		ug/kg	1140	2058-94-8	1
PFNS*	Not detected	2.3		ug/kg	1140	68259-12-1	
PFDoDA*	Not detected	2.3		ug/kg	1140	307-55-1	
PFDS*	Not detected	2.3		ug/kg	1140	335-77-3	
PFTrDA*	Not detected	2.3		ug/kg	1140	72629-94-8	
FOSA*	Not detected	2.3		ug/kg	1140	754-91-6	
PFTeDA*	Not detected	2.3		ug/kg	1140	376-06-7	
11CI-PF3OUdS*	Not detected	2.3		ug/kg	1140	763051-92-9	
9CI-PF3ONS*	Not detected	2.3		ug/kg	1140	756426-58-1	
				5 5			

I-Matrix interference with internal standard



Lab Sample ID: S26102.01 (continued)

Sample Tag: Colks Biosolids

28 PFAs, Method: ASTM D7968-17M, Run Date: 07/27/21 01:14, Analyst: JGH (continued)

Davanata	Not detected 2.3 ug/kg 1140 919005-14-4						
Parameter	Result	KL	MDL	Units	Dilution	CAS#	Flags
ADONA*	Not detected	2.3		ug/kg	1140	919005-14-4	- Transida Olivaria Estambar de esta nico que esta de esta esta esta esta esta esta esta est
HFPO-DA*	Not detected	2.3		ug/kg	1140	13252-13-6	

Merit Laboratories Login Unecklist

Lab Set ID:S26102

Client: NUTRIGRO (Nutrigro)

Project: Columbia Lakes

Submitted: 07/13/2021 09:09 Login User: MMC

Attention: Graham Chapman

Address: Nutrigro

1212 Spicerville Highway Olivet, MI 49076

Phone: 517-974-1424

FAX:

Email: gc@nutrigroesi.com

Selec	ction			Description	Note										
Sam	ple Recei	ving													
01.	Yes	X No	□ N/A	Samples are received at 4C +/- 2C Thermometer #	IR 24.0										
02.	Yes	X No	□ N/A	eceived on ice/ cooling process begun											
03.	Yes	X No	□ N/A	Samples shipped											
04.	Yes	X No	□ N/A	Samples left in 24 hr. drop box											
05.	Yes	No	X N/A	Are there custody seals/tape or is the drop box locked	2										
Chai	n of Custo	ody													
06.	XYes	□No	□ N/A	COC adequately filled out											
07.	XYes	□No	□ N/A	COC signed and relinquished to the lab											
08.	XYes	No	□ N/A	Sample tag on bottles match COC											
09.	Yes	X No	□ N/A	Subcontracting needed? Subcontacted to:											
Pres	ervation														
10.	X Yes	□No	□ N/A	Do sample have correct chemical preservation											
11.	Yes	No	X N/A	Completed pH checks on preserved samples? (no VOAs)											
12.	Yes	X No	□ N/A	Did any samples need to be preserved in the lab?											
Bottl	e Conditi	ons													
13.	X Yes	No	□ N/A	All bottles intact											
14.	X Yes	□No	□ N/A	Appropriate analytical bottles are used											
15.	XYes	□No	□ N/A	Merit bottles used											
16.	X Yes	□No	□ N/A	Sufficient sample volume received											
17.	Yes	X No	□ N/A	Samples require laboratory filtration											
18.	X Yes	□No	□ N/A	Samples submitted within holding time											
19.	Yes	□No	X N/A	Do water VOC or TOX bottles contain headspace											

E#0F14667	NOOI	U SAME		-	Stayler Very .	My Myore Ex, Oom	ANALYSIS (ATTACH LIST IF MORE SPACE IS REQUIRED)	က္က	VAP		Project Locations □ Detroit □ Nev	Other	Special Instructions						55		DATE	DATE
ast Lansing, MI 48823 C.O.C. PAGE # Fax (517) 332-4034	AIN OF CUSTODY RECORD	CONTACT NAME () G M / E COLLAND	COMPANY DISTANGED	ADDESS POR ROXOXX	CITY () AND STORE	PHONE NO.	ANALYSIS (ATFACH LIS	(3) (m)			# Containers & Preservatives	-	NAC NAC NH NH	- NASS -							RELINQUISHED BY:	1
2680 East Lansing Dr., East Lansing, MI 48823 Phone (517) 332-0167 Fax (517) 332-4034 www.meritlabs.com	CHAIN OF CUS				JEAN ZIP SOPE J	P.O. NO.	QUOTE NO.	SAMBLER(S)- PLEASE PRINT/SIGN NAME	□3 DAYS □STANDARD □ OTHER	CLEVEL III CLEVEL IV CLEDD COTHER .	S=SOIL L=LIQUID SD=SOLID OIL WP=WIPE A=AIR W=WASTE	XIH) # ITO8	5 himselola KY							OSampler DATE TIME &	CABO 7/13/21 MAR
Merit	TO Laboratories, Inc.	MAN () MAN AN	50	11	4	KZY FAXNO.	UXMONDPSI 100m		ME REQUIRED □1 DAY □2 DAYS	□STD □LEVELⅡ	GW=GROUNDWATER WW=WASTEWATER S SL=SLUDGE DW=DRINKING WATER O=OIL	YEAR SA	DATE, TIME IDENTIFICAT	13 bi							Call Call Call	TATION MY CALL
	REPORT	CONTACT NAME	COMPANY	ADDRESS	OITY OTH	PHONENO. 97.2	E-MAIL ADDRESS	PROJECT NO./NAME	TURNAROUND TIME REQUIRED	DELIVERABLES REQUIRED	MATRIX GW= CODE: SL=	MERIT	LAB NO.	21,167.01			-				RELINQUISHED BY:	RECEIVED BY: SIGNATURE/ORGANIZATION