

Math 280: Graph Theory  
Instructor: David Zureick-Brown (“DZB”)

**All assignments**

Last updated: September 14, 2024

Gradescope code: VD5BZK

**Show all work for full credit!**

*Proofs should be written in full sentences whenever possible.*

<b>Gradescope instructions</b>	<b>2</b>
<b>1 (due Sept 12): Introduction to the course</b>	<b>4</b>
<b>2 (due Sept 19): Walks and connectedness</b>	<b>6</b>
<b>3 (due Sept 26): Distance</b>	<b>8</b>
<b>4 (due Oct 3): Trees</b>	<b>11</b>
<b>5 (due Oct 10): Spanning trees; Prüfer sequences</b>	<b>12</b>
<b>(On Oct 17): Midterm 1</b>	<b>14</b>
<b>6 (due Oct 24): Matrix Tree Theorem; Eulerian and Hamiltonian graphs</b>	<b>15</b>
<b>7 (due Oct 31): Independence; Planar graphs</b>	<b>17</b>
<b>8 (due Nov 7): Regular and bipartite graphs; chromatic number</b>	<b>19</b>
<b>9 (due Nov 21): Chromatic polynomial</b>	<b>20</b>
<b>(On Nov 12): Midterm 2</b>	<b>22</b>
<b>10 (due Dec 5): Matchings; Hall’s theorem</b>	<b>23</b>
<b>11 (due Dec 11): Ramsey Theory</b>	<b>25</b>
<b>(On Dec 10): Final Exam</b>	<b>27</b>
<b>Hints</b>	<b>28</b>

## Gradescope Instructions for submitting work in Math 280

You will be using the online Gradescope program to submit your homework and exams. These instructions tell you how to sign up initially, and how to submit your written work.

### Signing up for Gradescope the first time.

If you haven't used Gradescope for an **Amherst College** course before:

- Go to <http://www.gradescope.com>, click on "Sign up for free" (which may auto-scroll you to the bottom of the page), and select Sign up as [a] "Student".
- In the signup box:
  - Use the course entry code **VD5BZK**
  - Use your full name
  - Use your **Amherst College email** address. Or, if you are a Five-College student, use your email address from your own school.
  - Leave the "Student ID" entry blank.
- You will probably get an email asking to set a password for your account, so check your **amherst.edu** email inbox. (Or your email inbox through your own school, for Five-College students.)

### Adding Math 280 to Gradescope.

If you **have** used Gradescope for an Amherst course before, and so you already have an account through your **amherst.edu** email, you still need to add Math 280, so:

- Go to <http://www.gradescope.com> and log in.
- Go to your Account Dashboard (click the Gradescope logo at upper left), and click "Add Course" at bottom right.
- Use the course code **VD5BZK**

(submission instructions on next page)

## Submitting written work

First write it out on paper as you would normally. Then **scan it** to create a PDF. One method for scanning is the smartphone app **DropBox**. It makes nice clear scans, and it saves them directly into a folder so that you can have all your assignments in one place. **CamScanner** is another free scanning App, and there are others, too. **Gradescope** now has its own scanning app. You can also use a printer/scanner if you prefer.

**Please be kind to our dear graders and make sure your submission is legible !**

*In particular, please leave some spacing between separate problems.*

If you have a tablet computer, you may write your work there (instead of on paper) and save it as a PDF.

Some of you may know the math formatting package LaTeX and may want to use it in Math 280. That's fine, too; if so, you may write up your work in LaTeX and save the resulting PDF.

**In short, any method is fine as long as it creates a legible PDF file and NOT a photo.**

For example, if you use the DropBox app, then in your created *Math 280 Homework* Dropbox folder, you can select create (+) at the bottom of the screen and click the *Scan Document* option. Snap a shot of the first page of your homework, and then click [+] to snap shots of any subsequent pages. Do **not** use the *Take Photo* option.

After you have scanned/saved your work as a PDF, submit it on Gradescope as follows:

- Go to <http://www.gradescope.com> and log in.
- Select the course “Math 280, Fall 2024” and the appropriate assignment.
- Select “submit pdf” to submit your work in PDF format. Browse to find your PDF and upload.
- Now it is time to **tag** your problems. **This is an important step**, where you are telling Gradescope which problems are on which page(s).

For each problem, select the pages of your submission where your written solution appears.

I think the easiest thing to do is to click on the page of **your** homework upload where you wrote the given problem, and then click on the assigned problem listed. Repeat for each problem.

**You must tag the problems or else you will not get credit for your work.**

Gradescope will give you a warning when you go to submit your assignment if you have not selected the pages correctly. If you tag a problem incorrectly, you can fix it by clicking “More” and “Reselect Pages”.

- Click Save or Submit.

After your assignment is graded, you will be able to see your score on the written problems, along with comments, on Gradescope. You should receive an email notifying you when each homework set is graded.

---

## Assignment 1: Introduction to the course

---

Due by 9:55am (section 02) / 12:55pm (section 01), eastern, on Thursday, Sept 12

---

### Suggested readings for this problem set:

- Syllabus: <https://dmzb.github.io/teaching/2024Fall280/syllabus-math-280-spring-2024.pdf>
- Gradescope instructions (previous page)
- Sections 1.1.1 and 1.1.2 and start 1.1.3. [Here](#) is a link to a pdf of the first few subsections of the book.

All readings are from Harris, Hirst, and Mossinghoff, *Combinatorics and Graph Theory*.

---

**Assignment:** due Thursday, Sept 12, 9:55am (section 02) / 12:55pm (section 01), via Gradescope (VD5BZK):

---

1. Let  $G$  be the following graph:



- Write out (as sets) the vertex set and edge set of  $G$ .
  - Find the degree sequence of  $G$ .
  - Let  $\overline{G}$  be the complement of  $G$ . (See the textbook, Section 1.1.3, item 3.) Draw a picture of  $\overline{G}$ .
2. Let  $G$  be a graph of order  $n$  and size  $t$ .
- What is the maximum possible size of  $G$ ? (That is, what's the maximum possible number of edges  $G$  could have?)
  - Let  $\overline{G}$  be the complement of  $G$ . (See the textbook, Section 1.1.3, item 3.) Find the order and size of  $\overline{G}$ .

**Don't forget to justify your answer!** You don't need to give a formal proof on this more computational problem, but you need to explain why you know your answers are correct.

3. For which of the sequences below does there exist a simple graph on 4 vertices with that degree sequence? If there is such a graph, draw it, and if there is not such a graph, justify why there is no such graph.
- |                  |                  |                  |
|------------------|------------------|------------------|
| (a) (0, 0, 0, 0) | (c) (2, 1, 1, 1) | (e) (3, 3, 1, 1) |
| (b) (3, 2, 1, 0) | (d) (4, 3, 2, 1) | (f) (3, 3, 2, 2) |

4. (a) Below are 5 graphs. Which graphs are isomorphic, and which are not? For the ones that are isomorphic, say what the isomorphism is (but you do not need to prove that it is an isomorphism). For the ones that are not isomorphic, give a short explanation of why they are not. (Note: since there are 5 graphs, there are 10 pairs of graphs; make sure that you give explanations for each pair.)



- (b) Give an example of a graph with the same degree sequence as the first graph from part (a), but which is not isomorphic to that graph. (Don't prove that they are not isomorphic, just give the graph.)
5. Let  $G$  be a graph of order  $n \geq 2$ . Prove that the degree sequence of  $G$  has at least one pair of repeated entries.
- (Click [here](#) for a hint.)
6. Let  $G$  be a graph of odd order. Suppose that all the vertices of  $G$  have the same degree  $r$ . Prove that  $r$  is an even number.
- (Click [here](#) for a hint.)
7. There are  $n$  Amherst students participating in a meeting. Among any group of 4 participants, there is one who knows the other three members of the group. Prove that there is one participant who knows all other participants.
- (Click [here](#) for a hint.)
8. Let  $G$  be a graph and let  $S, T$  be subsets of  $V(G)$ .
- (a) Prove that if  $S \subseteq T$  then  $N(S) \subseteq N(T)$ .
- (b) Is the converse true? If so, prove it. If not, give a counterexample (i.e., an example of a graph  $G$  and subsets  $S, T \subseteq V(G)$  such that  $N(S) \subseteq N(T)$  but  $S \not\subseteq T$ ).

---

## Assignment 2: Walks and connectedness

---

**Suggested readings for this problem set:** Section 1.1.1-1.1.3


All readings are from Harris, Hirst, and Mossinghoff, *Combinatorics and Graph Theory*.

---


**Assignment:** due Thursday, Sept 19, 9:55am (section 02) / 12:55pm (section 01), via Gradescope (VD5BZK):

---

1. Let  $G$  be the following graph:



- Find the longest path in  $G$ . Justify why it is the longest. (You don't need to give a formal proof, but say in one sentence how you know it is the longest.)
  - Find the longest trail in  $G$ . Justify why it is the longest. (You don't need to give a formal proof, but say in one sentence how you know it is the longest.)
  - What is  $k(G)$ ? (Recall that  $k(G)$  is the connectivity of  $G$ .)
2. Consider the following two graphs:



Verify (but do not include in your solution) that  $G$  and  $H$  have the same order, same size, and same degree sequence.

Then prove that in spite of that,  $G$  and  $H$  are *not* isomorphic.

- Let  $G$  and  $H$  be isomorphic graphs. Prove that their complements  $\overline{G}$  and  $\overline{H}$  are also isomorphic.
- Prove that the complement of a disconnected graph is connected.
- Let  $n$  be a positive integer and let  $i \in \{0, \dots, n-1\}$ . Prove that there exists a graph  $G$  with order  $n$  and  $k(G) = i$ .

(Click [here](#) for a hint.)

- Prove that if  $u$  is a vertex of odd degree in a graph, then there exists a vertex  $v \neq u$  of the graph such that  $v$  also has odd degree and such that there is a path from  $u$  to  $v$ .
- Prove that every closed walk of odd length in a graph contains a cycle of odd length.

8. Let  $G$  be a 2-connected graph. Prove that  $G$  contains at least one cycle.

(2-connected means that if you delete any one vertex  $v$ , the subgraph  $G - v$  is still connected; i.e., for any two of the remaining vertices, there's a path between them that avoids  $v$ .)



## Assignment 3: Distance

Due by 9:55am (section 02) / 12:55pm (section 01), eastern, on Thursday, Sept 26

**Suggested readings for this problem set:**

- Section 1.2.1–1.2.3

All readings are from Harris, Hirst, and Mossinghoff, *Combinatorics and Graph Theory*.

**Assignment:** due Thursday, Sept 26, 9:55am (section 02) / 12:55pm (section 01), via Gradescope (VD5BZK):

1. Give an example of a graph  $G$  with 8 vertices such that  $G$  is isomorphic to its complement. (No need to prove that it is isomorphic, just give the example.)
2. Let  $n$  and  $m$  be positive integers. Prove that  $K_{n,m}$  is regular if and only if  $n = m$ .
3. Let  $n, m \geq 3$ . Prove that  $K_n$  is not a subgraph of  $K_{m,m}$ .

(Click [here](#) for a hint.)

4. Suppose  $G$  is a simple graph that has ten edges, and six vertices  $v_1, v_2, \dots, v_6$  with degrees 2, 2, 3, 4, 4,  $n$ , respectively, for some integer  $n$ .
  - (a) What is the integer  $n$ , i.e.,  $\deg(v_6)$ ?
  - (b) Is  $G$  connected? (Yes, no, or maybe?) If “maybe,” give an example of such a graph  $G$  that is connected, and another that is not connected.
5.
  - (a) Let  $G$  be a graph of order  $n$  such that  $\delta(G) \geq (n-1)/2$ . Prove that  $G$  is connected.
  - (b) For any positive even integer  $n = 2m \geq 2$ , find a graph  $G$  of order  $n$  such that  $\delta(G) \geq (n-2)/2$  but  $G$  is *not* connected.

(Click [here](#) for a hint.)


6. Prove that a connected regular bipartite graph is 2-connected, i.e., it does not contain any vertex whose deletion results a disconnected graph.
7. **Pick out three of the problems below**
8. Prove that if  $x$  belongs to the periphery of a graph  $G$  and  $d(x, y) = ecc(x)$ , then  $y$  belongs to the periphery of  $G$ .
9. Show that if every connected component of a graph is bipartite, then the graph is bipartite.






10. Suppose  $G$  is a graph that has 10 edges and 6 vertices, and suppose that the degrees of five of those vertices are 2, 2, 3, 4, 4, and the sixth has some degree  $n$ .
- Find the integer  $n$ , i.e., the degree of the sixth vertex.
  - Is  $G$  connected? (Yes, no, or maybe?) If “yes” or “no”, prove it; if “maybe”, draw two examples of such a graph  $G$ : one that is connected and one that is not.
11. For each of the graphs  $P_5$ ,  $C_5$ , and  $K_5$ :
- draw the graph
  - find the eccentricity of each vertex
  - find the radius and diameter of the graph
  - find its adjacency matrix.
- (For  $P_5$ , number the vertices 1 to 5 from one end to the other; for  $C_5$ , label them consecutively around the cycle.)

12. Find the radius, diameter, and center of the following graph:



13. Let  $G$  be a graph, and let  $u, v \in V(G)$  be adjacent vertices. Prove that their eccentricities  $\text{ecc}(u)$  and  $\text{ecc}(v)$  differ by at most 1.
14. (a) Draw a graph of order 7 that has radius 3 and diameter 6.  
 (b) Draw a graph of order 7 that has radius 3 and diameter 5.  
 (c) Draw a graph of order 7 that has radius 3 and diameter 4.
- In all three cases, don't forget to (briefly) justify that your graph has the correct order, radius, and diameter.

15. Let  $G$  be the following graph:



- Find the adjacency matrix  $A$  of  $G$ .
- Find all the walks of length 3 from vertex 1 to vertex 4. What is the total number of such walks, and (without computing  $A^3$ ) what does this say about the matrix  $A^3$ ?
- How many closed walks of length 3 are there in  $G$ ? Without computing  $A^3$ , how would this number be related to the matrix  $A^3$ ?
- Find the eccentricities of all the vertices of  $G$ .
- Find the radius, diameter, center and periphery of  $G$ .

16. Let  $G$  be a graph with  $V(G) = \{v_1, \dots, v_n\}$  and with adjacency matrix  $A$ . For each  $j = 1, \dots, n$ , prove that the  $(j, j)$  entry of  $A^2$  is  $\deg(v_j)$ .

17. Let  $A = \begin{bmatrix} 0 & 1 & 0 & 1 \\ 1 & 0 & 0 & 1 \\ 0 & 0 & 0 & 1 \\ 1 & 1 & 1 & 0 \end{bmatrix}$ , and let  $G$  be the graph with adjacency matrix  $A$ .

- (a) Compute  $A^2$  and  $A^3$ .
- (b) How many walks are there in  $G$  from vertex 1 to vertex 2 of length exactly 3?
- (c) Find the radius and the diameter of  $G$ .
- (d) Draw the graph  $G$  and determine in your drawing the center and periphery of  $G$ . **todo: omit center and periphery?**



## Assignment 4: Trees

Due by 9:55am (section 02) / 12:55pm (section 01), eastern, on Thursday, Oct 3

### Suggested readings for this problem set:

- Sections 1.3.1–1.3.3 and start 1.3.4

All readings are from Harris, Hirst, and Mossinghoff, *Combinatorics and Graph Theory*.

**Assignment:** due Thursday, Oct 3, 9:55am (section 02) / 12:55pm (section 01), via Gradescope (VD5BZK):

1. Draw all unlabeled trees of order 7.

(More precisely: Find a set of trees of order 7 so that *every* tree of order 7 is isomorphic to one in your set, and so that no two in your set are isomorphic to each other.)

(Hint: there are 11 of them. Careful not to draw the same one twice in a different way! You don't need to give a formal proof that your set is complete; just draw 11 truly different trees of order 7. Make sure to draw **clearly**; unclear graphs will be marked wrong.)

2. Let  $T$  be a tree of order  $n \geq 2$ . Prove that  $T$  is bipartite.

(Hint: Do we know any theorems about when a graph is bipartite?)

3. Let  $T$  be a tree that has an even number of edges. Prove that at least one vertex of  $T$  has even degree.

4. Let  $T$  be a tree, and let  $u, v \in V(T)$ . Prove that there is *exactly one* path from  $u$  to  $v$ .

5. Let  $T$  be a tree, and let  $u, v \in V(T)$  be two distinct vertices that are *not* adjacent. Define a new graph  $G$  with the same vertex set  $V(G) = V(T)$  but with one extra edge  $e = uv$ . That is,  $E(G) = E(T) \cup \{e\}$ , where the new edge  $e$  runs between  $u$  and  $v$ .

Prove that the new graph  $G$  has exactly one cycle.

(Suggestion: Use the result of the previous problem.)

6. Let  $T$  be a tree of order  $n \geq 2$ , and suppose that none of the vertices of  $T$  have degree 2. Prove that  $T$  has more than  $n/2$  leaves.

7. Let  $G$  be a connected graph. Prove that  $G$  contains at least one spanning tree.

(Suggestion: for any subtree  $T$  that is missing at least one vertex, show that there is a larger subtree  $T'$  of  $G$  that contains all of  $T$  and one more vertex.)





## Assignment 5: Spanning trees; Prüfer sequences

Due by 9:55am (section 02) / 12:55pm (section 01), eastern, on Thursday, Oct 10


**Suggested readings for this problem set:**

- Sections 1.3.4 and 1.4.1



All readings are from Harris, Hirst, and Mossinghoff, *Combinatorics and Graph Theory*.

**Assignment:** due Thursday, Oct 10, 9:55am (section 02) / 12:55pm (section 01), via Gradescope (VD5BZK):

- Use Kruskal's algorithm to find a minimum weight spanning tree of the following graph. Be sure to (briefly!) show your steps.



- Use Prüfer's method to find the Prüfer sequences of the following two trees. As always, (briefly) show your steps.



- Use Prüfer's method to draw and label a tree with Prüfer sequence 5,4,3,5,4,3,5,4,3. As always, (briefly) show your steps.
- Let  $T$  be a labeled tree, and let  $\sigma$  be its Prüfer sequence. For each vertex  $v \in V(T)$ , prove that  $v$  appears in  $\sigma$  exactly  $\deg(v) - 1$  times.

(Suggestion: Do an induction on  $n \geq 2$ , where  $n$  is the order of the tree.)

(Note: As a special case, this means that none of the leaves of  $T$  appear in the sequence  $\sigma$  at all. The textbook states that as a separate fact, but since it's just a special case of the above statement, you only need to prove the above statement.)

5. For each of the following four graphs, write down its Laplacian matrix, and then use the Matrix Tree Theorem to find its number of spanning trees.

 $P_4$  $C_4$  $K_4$  $K_{2,3}$ 

6. (a) Use Prüfer's method to draw and label the trees with Prüfer sequences 1,1,1,1,1 and 3,3,3,3.  
(b) Inspired by your answers in part (a), make a conjecture about which trees have constant Prüfer sequences.  
(c) Prove your conjecture from part (b).



IN PROGRESS! Check back later for the final assignment.



---

## Midterm 1 study guide

---

Take home exam, Thursday, Oct 17. Submit your exam via Gradescope.

---

The *types* of problems will include a subset of

1. Computations
2. Proofs
3. Algorithms
4. True False
5. Bonus problem

Problems with extremely long proofs or that involved some unusual trick will not be on the exam.

Since this is a take home exam, none of the problems will be identical to homework problems, but many problems will be minor variations of homework or of problems we worked in class.

A good way to prepare is to:

1. Know all of the definitions and terminology;
2. Know all of the statements of theorems, and examples of how we use the theorems;
3. Make a list of all of the different *proof techniques* from class and from the homework and review how those techniques are used in proofs and problems;
4. Practice doing problems “from scratch” and use your solutions as “hints” when you get stuck.

Additionally:

1. You are allowed to use the textbook, lecture notes and any materials from the course website.
2. Using Google or any other online resources is not always a reliable source.
3. You are allowed to use Theorems, lemmas, etc from the book or from class as part of your solutions, and you are not required to reprove these during the exam.
4. Do not discuss the problems or their solutions with your classmates.
5. You can always ask me (the instructor) if you have clarifying questions, but asking for hints or asking if a proof is correct is not allowed.

A typical exam will have a few questions from each week of the course and will cover **assignments 1-4**. You can expect problems about following:

- TBA



IN PROGRESS! Check back later for the final assignment.





## Assignment 6: Matrix Tree Theorem; Eulerian and Hamiltonian graphs

Due by 9:55am (section 02) / 12:55pm (section 01), eastern, on Thursday, Oct 24


**Suggested readings for this problem set:**

- Sections 1.3.4 and 1.4.2, and start 1.4.3

All readings are from Harris, Hirst, and Mossinghoff, *Combinatorics and Graph Theory*.

**Assignment:** due Thursday, Oct 24, 9:55am (section 02) / 12:55pm (section 01), via Gradescope (VD5BZK):

- Use Prüfer's method to draw and label the trees with Prüfer sequences 1,2,3 and 3,4,1,2.
  - Inspired by your answers in part (a), make a conjecture about which trees have Prüfer sequences consisting of all distinct terms.
  - Prove your conjecture from part (b).
- Use the Matrix Tree Theorem to find the number of spanning trees of this graph:



- Let  $G$  be a graph with Laplacian matrix  $\Delta$ . Prove that  $\det(\Delta) = 0$ .  
(**Suggestion:** Remember that invertible matrices have trivial nullspace, and that nonzero determinant implies the matrix is invertible.)
- Determine the values of  $m, n \geq 1$  such that the complete bipartite graph  $K_{m,n}$  is Eulerian. Prove your answer.
- Determine the precise set of values of  $m, n \geq 1$  such that the complete bipartite graph  $K_{m,n}$  has an Eulerian trail. Prove your answer.



6. For each of the following, draw an Eulerian graph that satisfies the conditions, or prove that no such graph exists.
- (a) An even number of vertices, and an even number of edges.
  - (b) An even number of vertices, and an odd number of edges.
  - (c) An odd number of vertices, and an even number of edges.
  - (d) An odd number of vertices, and an odd number of edges.
7. For the graph  $G = K_5$ , determine:
- (a) is it Eulerian?
  - (b) is it Hamiltonian?
  - (c) is it traceable?
  - (d) what is its independence number  $\alpha(G)$ ?

As always, be sure to (briefly) justify your answers.

8. For the graph  $G = P_7$ , determine:
- (a) is it Eulerian?
  - (b) is it Hamiltonian?
  - (c) is it traceable?
  - (d) what is its independence number  $\alpha(G)$ ?

As always, be sure to (briefly) justify your answers.






---

## Assignment 7: Independence; Planar graphs

---

Due by 9:55am (section 02) / 12:55pm (section 01), eastern, on Thursday, Oct 31

---

**Suggested readings for this problem set:**

- Sections 1.4.3 and 1.5.1,
- lightly read 1.4.4, and start 1.5.2

All readings are from Harris, Hirst, and Mossinghoff, *Combinatorics and Graph Theory*.

---

**Assignment:** due Thursday, Oct 31, 9:55am (section 02) / 12:55pm (section 01), via Gradescope (VD5BZK):

---

1. For the graph  $G = C_4$ , determine:

- |                      |   |
|----------------------|---|
| (a) is it Eulerian?  | (b) is it Hamiltonian?                            |
| (c) is it traceable? | (d) what is its independence number $\alpha(G)$ ? |

As always, be sure to (briefly) justify your answers.

2. For the graph  $G = K_{3,3}$ , determine:

- |                      |   |
|----------------------|---|
| (a) is it Eulerian?  | (b) is it Hamiltonian?                            |
| (c) is it traceable? | (d) what is its independence number $\alpha(G)$ ? |

As always, be sure to (briefly) justify your answers.

3. Find the connectivity and the independence number of the Petersen graph.

Make sure to prove your answers!



4. Let  $G$  be a graph. Prove that the line graph  $L(G)$  is claw-free.

5. Let  $G$  be a  $K_3$ -free graph. Prove that its complement,  $\overline{G}$  is claw-free.

(**Note:** don't misread that: it says  $K_3$ , not  $K_{3,3}$ . And recall  $K_3 = C_3$ , just three vertices and three edges. So we're saying  $G$  doesn't contain induced subgraphs isomorphic to  $C_3$ .)



6. Find planar representations of each of the following graphs:



7. Let  $G$  be a planar graph, and let  $e \in E(G)$ . Suppose that in some planar representation of  $G$ , the edge  $e$  does *not* bound a region. Prove that  $e$  is a bridge.

(**Suggestion:** If the same region  $R$  is on both sides of  $e$ , what happens if you draw a curve through  $R$  from one side of  $e$  to the other side?)

8. Prove that there exist planar graphs  $G_1$  and  $G_2$  that have the same number  $n$  of vertices, the same number  $q$  of edges, and the same number  $r$  of regions, **but** which are not isomorphic.

That is, write down the two graphs, compute the numbers  $n, q, r$  for each and verify they match, and then prove that  $G_1$  and  $G_2$  are *not* isomorphic.



## Assignment 8: Regular and bipartite graphs; chromatic number

Due by 9:55am (section 02) / 12:55pm (section 01), eastern, on Thursday, Nov 7


**Suggested readings for this problem set:**

- Sections 1.5.2–1.5.4, 1.6.1 ,
- and start 1.6.2

All readings are from Harris, Hirst, and Mossinghoff, *Combinatorics and Graph Theory*.

**Assignment:** due Thursday, Nov 7, 9:55am (section 02) / 12:55pm (section 01), via Gradescope (VD5BZK):

1. Let  $G$  be a connected planar graph of order 24, and suppose that  $G$  is regular of degree 3. How many regions are there in a planar representation of  $G$ ?
2. Let  $G$  be a connected planar graph of order  $n \geq 3$ , and suppose that  $G$  is  $K_3$ -free. (That is,  $G$  has no cycles of length 3.) Prove that the number  $q$  of edges of  $G$  satisfies  $q \leq 2n - 4$ .
3. Let  $G$  be a bipartite planar graph. Prove that  $\delta(G) \leq 3$ .  
(Suggestion: suppose not, and use problem 2. Hmm, we never said  $G$  was connected.)
4. Let  $G$  be of order  $n \geq 11$ . Prove that at least one of  $G$  or  $\bar{G}$  is nonplanar.
5. Use Kuratowski's Theorem to prove that the Petersen graph  $G$  is nonplanar. More specifically, show that  $G$  has a subgraph that is a subdivision of  $K_{3,3}$ .
6. Determine the chromatic number of the Petersen graph. As always, don't forget to justify your answer.
7. Determine the chromatic number of the Birkhoff Diamond, shown below. As always, don't forget to justify your answer.



8. Let  $G$  be a graph, let  $e \in E(G)$ , and let  $G' = G - e$ . Prove that  $\chi(G') \leq \chi(G) \leq \chi(G') + 1$ .






---

## Assignment 9: Chromatic polynomial

---

Due by 9:55am (section 02) / 12:55pm (section 01), eastern, on Thursday, Nov 21

---

**Suggested readings for this problem set:**

- Sections 1.6.2–1.6.4, 1.7.1 ,
- and start 1.7.2.

All readings are from Harris, Hirst, and Mossinghoff, *Combinatorics and Graph Theory*.

---

**Assignment:** due Thursday, Nov 21, 9:55am (section 02) / 12:55pm (section 01), via Gradescope (VD5BZK):

---


1. For any integer  $n \geq 2$ , prove that the only graph  $G$  of order  $n$  for which  $\chi(G) = n$  is the complete graph  $K_n$ . That is, prove that for any  $n \geq 2$  and any graph  $G$  of order  $n$ , we have  $\chi(G) = n$  if and only if  $G$  is complete.
2. Recall that  $\alpha(G)$  and  $\chi(G)$  are the independence number and chromatic number of  $G$ , respectively. Prove that for any  $n \geq 1$  and any graph  $G$  of order  $n$ , we have

$$\frac{n}{\alpha(G)} \leq \chi(G) \leq n + 1 - \alpha(G).$$

3. Prove that for any tree  $T$  of order  $n$ , the chromatic polynomial of  $T$  is  $c_T(k) = k(k-1)^{n-1}$ .  
(Suggestion: Use Theorem 1.48 and induction on  $n$ .)
4. Prove that for any  $n \geq 3$ , the chromatic polynomial of the cycle graph  $C_n$  is  $c_{C_n}(k) = (k-1)((k-1)^{n-1} + (-1)^n)$ .  
(Suggestion: Use the result of Problem 3 above, Theorem 1.48, and induction on  $n$ .)
5. Let  $n \geq 2$ , and let  $e$  be any edge of the complete graph  $K_n$ . Prove that  $K_n/e$  is isomorphic to  $K_{n-1}$ .
6. For any  $n \geq 2$ , let  $H = K_n - e$  be the graph  $K_n$  with one edge removed. Prove that the chromatic polynomial of  $H$  is  $c_H(k) = k(k-1) \cdots (k-n+3)(k-n+2)^2$ .  
(Suggestion: Don't use induction. Instead, use the result of Problem 5 above, Theorem 1.48, and the known formula for the chromatic polynomial of  $K_n$ .)



7. Prove that the following graph  $G$  has no perfect matching.



8. (a) Find a perfect matching of  $C_{12}$ .
- (b) Find the minimum size of a maximal matching of  $C_{12}$ . That is, find a maximal matching  $M$  of  $C_{12}$  that has some number  $m$  of edges, and then prove that any *other* matching  $M'$  with  $m - 1$  or fewer edges cannot be maximal.



IN PROGRESS! Check back later for the final assignment.



---

## Midterm 2 study guide

---

*Take home exam, Tuesday, Nov 12.* Submit your exam via Gradescope.

---

---

The *types* of problems will include a subset of

1. Computations
2. Proofs
3. Algorithms
4. True False
5. Bonus problem

Problems with extremely long proofs or that involved some unusual trick will not be on the exam.

Since this is a take home exam, none of the problems will be identical to homework problems, but many problems will be minor variations of homework or of problems we worked in class.

A good way to prepare is to:

1. Know all of the definitions and terminology;
2. Know all of the statements of theorems, and examples of how we use the theorems;
3. Make a list of all of the different *proof techniques* from class and from the homework and review how those techniques are used in proofs and problems;
4. Practice doing problems “from scratch” and use your solutions as “hints” when you get stuck.

Additionally:

1. You are allowed to use the textbook, lecture notes and any materials from the course website.
2. Using Google or any other online resources is not always a reliable source.
3. You are allowed to use Theorems, lemmas, etc from the book or from class as part of your solutions, and you are not required to reprove these during the exam.
4. Do not discuss the problems or their solutions with your classmates.
5. You can always ask me (the instructor) if you have clarifying questions, but asking for hints or asking if a proof is correct is not allowed.

A typical exam will have a few questions from each week of the course and will cover **assignments 1-4**. You can expect problems about following:

- TBA



IN PROGRESS! Check back later for the final assignment.





## Assignment 10: Matchings; Hall's theorem

Due by 9:55am (section 02) / 12:55pm (section 01), eastern, on Thursday, Dec 5



**Suggested readings for this problem set:**

- Textbook Sections 1.7.2, 1.7.4 ,
- and start 1.8.1.

All readings are from Harris, Hirst, and Mossinghoff, *Combinatorics and Graph Theory*.

**Assignment:** due Thursday, Dec 5, 9:55am (section 02) / 12:55pm (section 01), via Gradescope (VD5BZK):

- For each of the following graphs, with matchings  $M$  as shaded, find an  $M$ -augmenting path, and use it to obtain a bigger matching.




- For each of the following families of sets, explicitly and carefully check whether the conditions of Theorem 1.52 are met. If so, then find an SDR, saying exactly which element is chosen from each set. If not, then show how the hypotheses are violated.

(a)  $\{1, 2, 3\}, \{2, 3, 4\}, \{3, 4, 5\}, \{4, 5\}, \{1, 2, 5\}$


(b)  $\{1, 2, 4\}, \{2, 4\}, \{2, 3\}, \{1, 2, 3\}$

(d)  $\{1, 2, 5\}, \{1, 5\}, \{1, 2\}, \{2, 5\}$

- Use Hall's Theorem to prove that the following bipartite graph does not have a perfect matching.



4. Find a maximum matching of the following graph  $G$ , and prove that it is indeed a *maximum* matching.



5. Find and draw a connected, 3-regular graph that has both a cut vertex and a perfect matching.  
Don't forget to (briefly) verify that your graph has all these properties. (3-regular, has a cut vertex, and has a perfect matching.)
6. Let  $G$  be a graph with connected components  $H_1, \dots, H_k$ . Prove that  $G$  has a perfect matching if and only if every component  $H_i$  has a perfect matching.
7. Let  $T$  be a tree. Prove that  $T$  has at most one perfect matching.  
(*Suggestion:* Use strong induction on the number of vertices.)





## Assignment 11: Ramsey Theory

Due by 9:55am (section 02) / 12:55pm (section 01), eastern, on Thursday[, Dec 11


**Suggested readings for this problem set:**

- Sections 1.8.1–1.8.3

All readings are from Harris, Hirst, and Mossinghoff, *Combinatorics and Graph Theory*.

**Assignment:** due Thursday, Dec 11, 9:55am (section 02) / 12:55pm (section 01), via Gradescope (VD5BZK):

- Find and prove a formula for the number of 2-colorings of the edges of  $K_n$ , for each  $n \geq 1$ .
- Give a full proof that for any integer  $k \geq 2$ , we have  $R(2, k) = k$ .
- Give a full proof that for any integers  $p, q \geq 2$ , we have  $R(p, q) = R(q, p)$ .
- Prove that the following graph  $G$  of order 8 satisfies  $\omega(G) \leq 2$  and  $\omega(\overline{G}) \leq 3$ . (That is, prove there are no  $K_3$ 's in  $G$ , and no  $K_4$ 's in  $\overline{G}$ .)



[**Note:** This is a variant of Figure 1.126, which the book points to but skips the analysis of in proving Theorem 1.62. It may help to note that each vertex  $i$  has edges to  $i - 1$ ,  $i + 1$ , and  $i + 4$ , if we consider these integers modulo 8.]

- Consider the graph  $G$  on 13 vertices  $\{1, 2, \dots, 13\}$  where each vertex  $i$  has four edges, connecting it to the vertices  $i - 1$ ,  $i + 1$ ,  $i - 5$ , and  $i + 5$ , where we consider these integers modulo 13. (See Figure 1.131 in the textbook.)

Prove that  $\omega(G) \leq 2$ .

- Let  $G$  be the graph on 13 vertices from Problem 5 above.

(a) Prove that for any vertex  $j$ , there is no subgraph of  $\overline{G}$  that contains vertices  $j$  and  $j + 3$  and is a copy of  $K_5$ . (As before, consider  $j + 3$  modulo 13.)



- (b) Prove that for any vertex  $j$ , there is no subgraph of  $\overline{G}$  that contains vertices  $j$  and  $j + 6$  and is a copy of  $K_5$ . (As before, consider  $j + 6$  modulo 13. You may use the result of part (a).)
- (c) Use the results of parts (a) and (b) to prove that  $\omega(\overline{G}) \leq 4$ .
7. Use Theorem 1.64 and the results of Problems 5 and 6 to prove that  $R(3, 5) = 14$ .




---

## Final exam study guide

---

**Final exam** is a take home exam, released on **May 11, tentative** and due May 16 (tentative). Submit your exam via Gradescope.

---

The **last day of class** is Tuesday, December 10.

## More info to come

---

The *types* of problems will include a subset of

1. Computations
2. Proofs
3. Algorithms
4. True False
5. Bonus problem

Problems with extremely long proofs or that involved some unusual trick will not be on the exam.

Since this is a take home exam, none of the problems will be identical to homework problems, but many problems will be minor variations of homework or of problems we worked in class.

A good way to prepare is to:

1. Know all of the definitions and terminology;
2. Know all of the statements of theorems, and examples of how we use the theorems;
3. Make a list of all of the different *proof techniques* from class and from the homework and review how those techniques are used in proofs and problems;
4. Practice doing problems “from scratch” and use your solutions as “hints” when you get stuck.

n Additionally:

1. You are allowed to use the textbook, lecture notes and any materials from the course website.
2. Using Google or any other online resources is not always a reliable source.
3. You are allowed to use Theorems, lemmas, etc from the book or from class as part of your solutions, and you are not required to reprove these during the exam.
4. Do not discuss the problems or their solutions with your classmates.
5. You can always ask me (the instructor) if you have clarifying questions, but asking for hints or asking if a proof is correct is not allowed.

A typical exam will have a few questions from each week of the course and will cover **assignments 1-4**. You can expect problems about following:

- TBA



---

## Hints

- 1.5. What degrees are possible in such a graph  $G$ ? Feel free to use the pigeonhole principle in your justification, which is Theorem 2.1 from our book.
- 1.6. Remember that you are allowed to use theorems we proved in class and theorems from the book to help you with homework problems.
- 1.7. Consider the vertex of largest degree, and argue that it has degree  $n - 1$ .
- 2.2. For each such  $n$  and  $i$ , give an example of a graph with order  $n$  and connectivity  $i$ . First try  $i = n - 2$ , then  $i = n - 3$ , and so on. Final hint: start with a disconnected graph, then add as many vertices and edges as possible.
- 3.3. First prove that  $K_3$  is not a subgraph of  $K_{3,3}$ . Then see if you can generalize your proof.
- 3.5. For both (a) and (b), think about what the two separate components of  $G$  would have to look like, and how many edges each component can have.