

# UNIVERSITY OF LIMERICK

## COLLEGE OF INFORMATICS AND ELECTRONICS

Department of Computer Science  
and Information Systems

### Assessment Paper

Semester 1	Academic Year: 2006/07
Module Code: CS4111	Module Title: Computer Science
Duration of Exam: 2 $\frac{1}{2}$ Hours	% of Total Marks: 70%
Lecturer: C. Ryan	

Instructions to Candidates:

- Answer any **four** questions
- All questions carry equal marks

- Explain, with examples, each of the following notations : **prefix, postfix, superfix, suffix**. (4 marks)
  - What are the standard rules of precedence? Describe the relative precedences of the standard arithmetic operators, i.e.  $+$   $-$   $/$   $*$   $()$ . Evaluate the following expression using these rules. *Show all your work*.

$$3 * (2 * (3 + 1 * 4 + 2) * (2 * 3 + 1))$$

(5 marks)

- Convert the following expression into prefix, and then draw an Abstract Syntax Tree for the resulting expression. Evaluate the AST, showing **all** your work.

$$(3 * 1) + (4 + 2) * 2$$

(6 marks)

- (d) Convert the following expression into prefix, and then draw an Abstract Syntax Tree for the resulting expression. Explain how your prefix notation handles sub-expressions such as  $b^2$ .

$$\frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

(5 marks)

- (e) In how many ways can  $(+ (+ 5 6) (+ 3 1))$  be drawn so that it evaluates to the same result? What about  $(+ (/ 2 2) (/ 4 1))$ ? Which of the following evaluates to 32?

- a  $(+ (- (* 2 (* 2 2)) (* 2 (* 2 2))) (+ (* 3 5) 1))$
- b  $(* (- (* 2 (* 2 2)) (* 2 (* 2 2))) (+ (* 3 5) 1))$
- c  $(* (- (* 2 (* 2 2)) (* 2 (* 2 2))) (+ (* 3 5) 1))$
- d  $(+ (+ (* 2 (* 2 2)) (* 2 (* 2 2))) (+ (* 3 5) 1))$

(5 marks)

2. (a) What is the difference between a **parameter** and an **argument**?

(4 marks)

- (b) Draw an Abstract Syntax Tree for each of the following expressions:

- i.  $(\lambda xy. (* (+ x x) (+ y y)))$
- ii.  $(\lambda xyz. * (+ x y z) z) 2 3 4$
- iii.  $(\lambda x. + 2 (\lambda y. + 5 y) x) 4$

(5 marks)

- (c) Evaluate, showing all your work, each of the  $\lambda$  **expressions** above.

(5 marks)

- (d) Evaluate, showing all your work, the AST you produced for expression iii in part (b).

(5 marks)

- (e) What is the difference between *lazy* and *eager* evaluation? Show the relative advantages of each. Evaluate  $(\lambda x. + x x) (* 2 3)$  using each of lazy and eager evaluation.

(6 marks)

3. (a) What are **bound** and **free** variables? (2 marks)

(b) Given the following definitions in scheme, identify the free and bound variables in each of the functions.

```
(define x 1)
(define y 2)
(define z 3)
(define add3 (lambda (y) (+ y 3)))
(define addy (lambda (z) (+ z y)))
(define addz (lambda (x) (+ (addy z) x )))
(define messy (lambda (x z) (+ (addy z) (addz x))))
```

(5 marks)

(c) Given the definitions in part (b), what do each of the following calls return?

- i. (add3 3)
- ii. (add3 x)
- iii. (addy 4)
- iv. (addz 5)
- v. (define x (add3 y))
- vi. (messy 1 2)
- vii. (define x (messy z y))
- viii. (messy (addz y) (addy y))

(6 marks)

(d) Using the definitions from part (a), write out the values of x, y and z after each of the following is executed.

(*Hint:* Each of x, y and z are global, so if their value changes after one expression, it will keep that value for the start of the next one).

- i. (addz\_x\_y)
- ii. (define x (add1 x))
- iii. (define x (addz x))
- iv. (define z y)
- v. (define x (messy x z))
- vi. (messy x z)
- vii. (messy (add1 x) (messy (addz z) (addy z)))

(6 marks)

(e) Identify the free and bound variables in each of the following  $\lambda$  calculus functions. Make sure to show which  $\lambda$  you are talking about:

- i.  $(\lambda x. + 2(\lambda y. + 5\ x)\ y)$
  - ii.  $(\lambda xy. + (\lambda y. + x\ 3)\ x\ (\lambda x. + y\ 4))$
  - iii.  $(\lambda xy. + (\lambda z. + x\ z)\ x\ y)$
- (6 marks)

4. (a) Explain each of the following terms :  **$\beta$ -conversion,  $\alpha$ -conversion,  $\delta$  conversion, redex.** (3 marks)
- (b) Reduce each of the following expressions as much as possible, showing **all** your work. Where appropriate, use  $\alpha$ -conversions before evaluating the expressions.
- i.  $(\lambda xy. (\lambda y. x\ y\ (\lambda x. y\ x\ y))x\ y)A\ B$
  - ii.  $(\lambda x. (\lambda xy. (\lambda y. x\ y)x)y)y$
- (6 marks)
- (c) Write a  $\lambda$  calculus function for each of the following:
- i. Take three arguments, multiply the first and second together, then divides the answer by the product (multiplication) of the second and third arguments.
  - ii. Take three arguments and apply the second to the first and the third.
  - iii. Take two arguments and return whichever is larger.
- (9 marks)
- (d) Show, using ASTs, what happens when the following function is executed:
- $(\lambda f. f\ (+\ 2\ 3))\ (\lambda z. (*\ z\ 2))$
- (7 marks)

5. (a) Given the following function definition:

```
(define f
  (lambda (x y)
    (if (= y 0)
        x
        (+ x (f x (- y 1)))))
  )
)
```

What is the value of

- i.  $(f\ 2\ 0)$
- ii.  $(f\ 1\ 3)$
- iii.  $(f\ 2\ 2)$

(5 marks)

- (b) Write a recursive function using lambda calculus that produces the following sequence

n	1	2	3	4	...
f(n)	1	4	7	10	...

(10 marks)

- (c) Write a recursive function using lambda calculus that implements the **mod** function, i.e. the remainder function, that operates as follows:

$(\text{mod}\ 4\ 2) = 0$   
 $(\text{mod}\ 4\ 3) = 1$   
 $(\text{mod}\ 12\ 5) = 2$

(10 marks)