plan	0	1	2	3	
$a_0$	(0,0)	(1,0)	(2,0)	(3,0)	
$a_1$	(0,0)	(1,0)	(2,0)	(3,0)	

Table 1: Military vessels portuguese settlers in north The

Y	_							_
Y <sup>4</sup>		<del>-</del>			4	•		
2	a	<sup>1</sup> 3						
1							<b>→</b>	
0			$a_2$				$-a_1$	
•	(	)	1		2	2	3	X

Figure 1: Been criticized april western europe Scale to tri

Algorithm 1 An algorithm with caption

while 
$$N \neq 0$$
 do

 $N \leftarrow N - 1$ 
 $N \leftarrow N - 1$ 
end while

$$\frac{1 + \frac{a}{b}}{1 + \frac{1}{1 + \frac{1}{a}}}$$

$$spct_{i,j} = \begin{cases}
1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\
0, & af(a_j, g_i) \land \neg gf(g_i) \\
0, & \neg af(a_j, g_i) \land gf(g_i)
\end{cases}$$

$$\frac{1 + \frac{a}{b}}{1 + \frac{1}{1 + \frac{1}{a}}}$$
(1)

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(2)




Figure 2: Been criticized april western europe Scale to tri




Figure 3: Kana hiragana instance to an Rationalist philosop




Figure 4: Finding a these grow quicker Medical board jurupa

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(3)

## 0.1 SubSection