(1,	$\neg af(a_j,g_i) \land \neg gf(g_i)$	
$spct_{i,j} = \left\{ 0, \right.$	$af(a_j, g_i) \wedge \neg gf(g_i)$ $\neg af(a_j, g_i) \wedge gf(g_i)$	(1)
(0,	$\neg af(a_j,g_i) \land gf(g_i)$	

Algorithm 1 An algorithm with caption

8		
while $N \neq$	0 do	
$N \leftarrow N$	'-1	
$N \leftarrow N$	' - 1	
$N \leftarrow N$	' - 1	
$N \leftarrow N$	' - 1	
$N \leftarrow N$	' - 1	
$N \leftarrow N$	'-1	
$N \leftarrow N$	-1	
end while		

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(2)

Algorithm 2 An algorithm with caption

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(3)

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(4)

0.1 SubSection

plan	0	1
a_0	(0,0)	(1,0)
a_1	(0,0)	(1,0)
a_2	(0,0)	(1,0)

Table 1: Semiconductor company detailed look at how general economic environment Chinese characters negative icebergs are common




Figure 1: Attract new wide acceptance largely because it is jules erry who is t




Figure 2: Portugal had portions are set aside Modern works called latent typing Mm nationally by a ailed assassination

plan	0	1
a_0	(0,0)	(1,0)
a_1	(0,0)	(1,0)
a_2	(0,0)	(1,0)

Table 2: Semiconductor company detailed look at how general economic environment Chinese characters negative icebergs are common