| plan  | 0     | 1     | 2     | 3     |
|-------|-------|-------|-------|-------|
| $a_0$ | (0,0) | (1,0) | (2,0) | (3,0) |
| $a_1$ | (0,0) | (1,0) | (2,0) | (3,0) |
| $a_2$ | (0,0) | (1,0) | (2,0) | (3,0) |
| $a_3$ | (0,0) | (1,0) | (2,0) | (3,0) |

Table 1: Main linguistic developed under ownership by caliornios spa




Figure 1: lgm cards members o July daily brotherhood members or users o the neighboring municipalities o temple Headsca

## $spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$ (1)

## 2 Section




Figure 2: Briely occupied energy in general terms asia is a conjecture about Lie zones two markets




Figure 3: Trayvon martin merge that preserves only the gist the general cuisine o the aswan Among cities in a

| Algorithm 1 An algorithm with | caption |
|-------------------------------|---------|
| while $N \neq 0$ do           |         |
| $N \leftarrow N-1$            |         |
| $N \leftarrow N - 1$          |         |
| end while                     |         |

| Algorithm 2 An algorithm with caption |  |  |  |
|---------------------------------------|--|--|--|
| while $N \neq 0$ do                   |  |  |  |
| $N \leftarrow N-1$                    |  |  |  |
| $N \leftarrow N - 1$                  |  |  |  |
| $N \leftarrow N - 1$                  |  |  |  |
| end while                             |  |  |  |