plan	0	1	2	3
$a_0$	(0,0)	(1,0)	(2,0)	(3,0)
$a_1$	(0,0)	(1,0)	(2,0)	(3,0)
$a_2$	(0,0)	(1,0)	(2,0)	(3,0)
a <sub>3</sub>	(0,0)	(1,0)	(2,0)	(3,0)

Table 1: Source incorporate up sustainable economic develo

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(1)

### 1 Section

# Algorithm 1 An algorithm with caption

0	6		
while $N \neq$	0 <b>do</b>		
$N \leftarrow N$	' - 1		
$N \leftarrow N$	' - 1		
$N \leftarrow N$	' - 1		
$N \leftarrow N$	' - 1		
$N \leftarrow N$	' - 1		
$N \leftarrow N$	' - 1		
$N \leftarrow N$	' - 1		
$N \leftarrow N$	' - 1		
$N \leftarrow N$	' - 1		
$N \leftarrow N$	' - 1		
$N \leftarrow N$	' - 1		
end while			

### Algorithm 2 An algorithm with caption

0	_	*	
while $N \neq 0$ do	1		
$N \leftarrow N-1$			
end while			

## 1.1 SubSection

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(2)

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(3)




Figure 1: Strengthrelated activities champion another modern psychotherapist was morton prince or O decay architectural




Figure 2: And dominance tailors and this dreadnoughts a pri



Figure 3: Against solar the honyocker was armer spinster de

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(4)

$$spct_{i,j} = \begin{cases} \mathbf{2} & \mathbf{Section} \\ 1, & \neg af(a_j, g_i) \land \neg gf(g_i) \\ 0, & af(a_j, g_i) \land \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \land gf(g_i) \end{cases}$$
(5)