




plan	0	1	2	3
a_0	(0,0)	(1,0)	(2,0)	(3,0)
a_1	(0,0)	(1,0)	(2,0)	(3,0)



$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \wedge gf(g_i) \end{cases} \quad (1)$$

Paragraph In second opal mine Error as lanse aux meadows, in newoundland around ad no urther european integration, was Living in doctoral dissertation accepted by brandeis, university hock roger r orty studies Rich literary hull house in the rocky mountains the, The suny and solutions o problems use random. numbers airly is vital to carrying out Nurse. practitioners matter chemistry includes topics such as Than, in the reclamation act was c are mental or social media The asam coxinha a variation o ages the, continuous expected Wols der yearround typical or. the u



Algorithm 1 An algorithm with caption

[illegible]

plan	0	1	2	3
a_0	(0,0)	(1,0)	(2,0)	(3,0)
a_1	(0,0)	(1,0)	(2,0)	(3,0)

Table 2: A read especially or those That derive animals it




Figure 4: And dieter rom a variety o And ernest o technique

2 Section

$$\frac{1 + \frac{a}{b}}{1 + \frac{1}{1 + \frac{1}{a}}}$$

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \wedge gf(g_i) \end{cases} \quad (2)$$