WORKBOOK EXAMPLES CHAPTER 3 MATH 1100

Don D. Kim

29 March 2020



OUTLINE

- 1 §3.2: Quadratic Equations, Functions, Zeros, & Models
- 2 §3.3 Analyzing Graphs of Quadratic Functions
- 3 §3.4: Solving Rational Equations & Radical EQUATIONS

Solve

$$2x^2 - x = 3$$
.

$$\Rightarrow 2x^{2} - x - 3 = 0$$

$$\Rightarrow (2x - 3)(x + 1) = 0$$

$$\Rightarrow 2x - 3 = 0, x + 1 = 0$$

$$\Rightarrow x = \frac{3}{2}, x = -1$$

Solve

$$2x^2 - 10 = 0$$
.

$$\Rightarrow 2x^2 = 10$$

$$\Rightarrow x^2 = 5$$

$$\Rightarrow x = \pm \sqrt{5}$$

Solve

$$4x^2 = 12.$$

$$\Rightarrow x^2 = \frac{12}{4} = 3$$

$$\Rightarrow x = \pm \sqrt{3}$$
.

Find the zeros of

$$f(x) = x^2 - 6x - 10$$

by completing the square.

SOLUTION:

Set f(x) = 0, finding

$$x^2 - 6x - 10 = 0$$

$$\Rightarrow x^2 - 6x = 10$$

$$\Rightarrow x^2 - 6x + 9 = 10 + 9 = 19$$

$$\Rightarrow (x-3)^2 = 19$$

$$\Rightarrow x-3 = \pm \sqrt{19}$$

$$\Rightarrow x = 3 \pm \sqrt{19}$$

Find the zeros of

$$f(x) = x^2 - 3x - 3$$

by completing the square.

$$\Rightarrow x^{2} - 3x - 3 = 0$$

$$\Rightarrow x^{2} - 3x = 3$$

$$\Rightarrow x^{2} - 3x + \left(-\frac{3}{2}\right)^{2} = 3 + \frac{9}{4} = \frac{21}{4}$$

$$\Rightarrow \left(x - \frac{3}{2}\right)^2 = \frac{21}{4}$$

$$\Rightarrow x - \frac{3}{2} = \pm \sqrt{\frac{21}{4}}$$

$$\Rightarrow x = \frac{3}{2} \pm \frac{\sqrt{21}}{2}$$

Find the zeros of

$$2x^2 - 3x - 1 = 0$$

by completing the square.

$$\Rightarrow 2\left(x^2 - \frac{3}{2}x\right) = 1$$

$$\Rightarrow 2\left(x^2 - \frac{3}{2}x + \frac{9}{16}\right) = 1 + \frac{18}{16}$$

$$\Rightarrow 2\left(x - \frac{3}{4}\right)^2 = \frac{17}{8}$$

$$\Rightarrow \left(x - \frac{3}{4}\right)^2 = \frac{17}{16}$$

$$\Rightarrow x - \frac{3}{4} = \pm \sqrt{\frac{17}{16}}$$

$$\Rightarrow x = \frac{3 \pm \sqrt{17}}{4}$$

Solve

$$3x^2 + 2x = 7$$
.

$$\Rightarrow 3x^{2} + 2x - 7 = 0$$

$$\Rightarrow a = 3, b = 2, c = -7$$

$$\Rightarrow x = \frac{-2 \pm \sqrt{2^{2} - 4(3)(-7)}}{2(3)}$$

$$\Rightarrow x = \frac{-1 \pm \sqrt{22}}{3}$$

Solve

$$2x^2 - 3x - 2 = 0.$$

$$\Rightarrow a = 2, b = -3, c = -2$$

$$\Rightarrow x = \frac{-(-3) \pm \sqrt{(-3)^2 - 4(2)(-2)}}{2(2)}$$

$$\Rightarrow x = \frac{3 \pm 5}{4}$$

$$\Rightarrow x = -\frac{1}{2}, 2$$

Solve

$$3x^2 + 8x + 3 = 0.$$

SOLUTOIN:

$$\Rightarrow x = \frac{-8 \pm \sqrt{64 - 4(3)(3)}}{2(3)}$$
$$\Rightarrow x = \frac{-8 \pm 2\sqrt{7}}{6}$$
$$\Rightarrow x = \frac{-4 \pm \sqrt{7}}{3}$$

Solve

$$x^2 + 1 = x$$
.

$$\Rightarrow x^{2} - x + 1 = 0$$

$$\Rightarrow x = \frac{1 \pm \sqrt{1 - 4(1)(1)}}{2}$$

$$\Rightarrow x = \frac{1 \pm \sqrt{3}i}{2}$$

Solve

$$x^4 - 5x^2 + 4 = 0.$$

SOLUTION: Let $u = x^2$.

$$\Rightarrow u^2 - 5u + 4 = 0$$

$$\Rightarrow (u-4)(u-1)=0$$

$$\Rightarrow u = 4, u = 1$$

$$\Rightarrow x^2 = 4, x^2 = 1$$

$$\Rightarrow x = \pm 1, \pm 2$$

Solve

$$x^4 - 3x^2 + 2 = 0.$$

SOLUTION: Let $u = x^2$.

$$\Rightarrow u^2 - 3u + 2 = 0$$

$$\Rightarrow (u-2)(u-1)=0$$

$$\Rightarrow u = 2, u = 1$$

$$\Rightarrow x^2 = 2, x^2 = 1$$

$$\Rightarrow x = \pm \sqrt{2}, \pm 1$$

Solve

$$4t^3 - 27t = -12t^2.$$

$$\Rightarrow 4t^3 + 12t^2 - 27t = 0$$

$$\Rightarrow t(4t^2 + 12t - 27) = 0$$

$$\Rightarrow t(2t - 3)(2t + 9) = 0$$

$$\Rightarrow t = 0, 2t - 3 = 0, 2t + 9 = 0$$

$$\Rightarrow t = 0, \frac{3}{2}, -\frac{9}{2}$$

Solve

$$18x^3 + 15x^2 + 12x + 10 = 0.$$

$$\Rightarrow 3x^{2}(6x+5) + 2(6x+5) = 0$$

$$\Rightarrow (6x+5)(3x^{2}+2) = 0$$

$$\Rightarrow x = -\frac{5}{6}, \pm \sqrt{\frac{2}{3}}i$$

Solve


$$9x^3 + x^2 - 9x - 1 = 0.$$

$$\Rightarrow x^{2}(9x+1) - (9x+1) = 0$$

$$\Rightarrow (9x+1)(x^{2}-1) = 0$$

$$\Rightarrow x = -\frac{1}{9}, \pm 1$$

Given the graph below, a graph of the quadratic function $f(x) = a(x - h)^2 + k$, find the vertex, the axis of symmetry, and the minimum or maximum value of the function.



SOLUTION:

The vertex is V = (-3,3).

The axis of symmetry is x = -3.

The function has a minimum of y = 3.

Find the vertex, the axis of symmetry, and the maximum or minimum value of

$$f(x) = x^2 + 10x + 28.$$


SOLUTION:

The vertex is
$$V=\left(-\frac{10}{2(1)}, f\left(-\frac{10}{2(1)}\right)\right)=(-5,3).$$

The axis of symmetry is x = -5.

The function has a minimum of y = -5.

The graph of the function is



Find the vertex, the axis of symmetry, and the maximum or minimum value of

$$f(x) = -2x^2 - 2x + 3.$$


SOLUTION:

The vertex is
$$V = \left(-\frac{2}{2(-2)}, f\left(-\frac{2}{2(-2))}\right)\right) = \left(-\frac{1}{2}, \frac{7}{2}\right)$$
.

The axis of symmetry is $x = -\frac{1}{2}$.

The function has a maximum of $y = \frac{7}{2}$.

The graph of the function is



Find the vertex, the axis of symmetry, and the maximum or minimum value of

$$g(x) = \frac{x^2}{2} - 4x + 8.$$


SOLUTION:

The vertex is
$$V = \left(-\frac{-4}{2(1/2)}, f\left(-\frac{-4}{2(1/2))}\right)\right) = (4, 0).$$

The axis of symmetry is x = 4.

The function has a minimum of y = 0.

The graph of the function is



Find the vertex, the axis of symmetry, and the maximum or minimum value of

$$f(x) = x^2 - 9x + 18.$$


SOLUTION:

The vertex is
$$V = \left(-\frac{-9}{2(1)}, f\left(-\frac{-9}{2(1)}\right)\right) = \left(\frac{9}{2}, -\frac{9}{4}\right)$$
.

The axis of symmetry is $x = \frac{9}{2}$.

The function has a minimum of $y = -\frac{9}{4}$.

The graph of the function is



Find the vertex, the axis of symmetry, and the maximum or minimum value of

$$f(x) = -x^2 - 4x - 5.$$


SOLUTION:

The vertex is
$$V = \left(-\frac{-4}{2(-1)}, f\left(-\frac{-4}{2(-1)}\right)\right) = (-2, -1).$$

The axis of symmetry is x = -2.

The function has a maximum of y = -1.

The graph of the function is



For the function

$$f(x) = -x^2 + 14x - 47;$$

(a) find the vertex:

$$\Rightarrow V = \left(-\frac{14}{2(-1)}, f\left(-\frac{14}{2(-1)}\right)\right)$$
$$\Rightarrow V = (7, 2)$$

(b) determine whether there is a maximum or minimum value, and find that value:

SOLUTION:

Given that a = -1 < 0, there is a maximum value for f(x).

The value is the y-value of the vertex, namely

$$y = 2$$
.

(c) on what intervals is the function increasing and/or decreasing:

$$f(x)$$
 is increasing on

$$(-\infty,7)$$
;

$$f(x)$$
 is decreasing on

$$(7,\infty)$$
.

Graph the function

$$f(x) = -(x-3)^2$$

SOLUTION:


We note that the vertex V is

$$V = (3,0),$$

with a = -1 < 0, which implies that the graph opens downwards.

The only graph which meets the above criteria is





Graph the function

$$f(x) = 4(x+9)^2 + 1$$


SOLUTION:

We note that the vertex V is

$$V = (-9, 1),$$

with a = 4 > 0, which implies that the graph opens upwards.

The only graph which meets the above criteria is



Given the function

$$f(x) = x^2 - 10x + 24$$

(a) find the vertex, SOLUTION:

$$V = \left(-\frac{-10}{2(1)}, f\left(-\frac{-10}{2(1)}\right)\right)$$
$$\Rightarrow V = (5, -1)$$

(b) determine whether there is a maximum or a minimum value,

SOLUTION:

Since a = 1 > 0, the graph of f(x) opens upwards, and there is a minimum value, which is the y-value of the vertex, namely

$$y = -1$$
.

(c) find the range,

SOLUTION:

The range comprises the possible y-values of f(x), and so is

$$[-1,\infty)$$
.

Example (cont.)

(d) find the intervals on which the function is increasing and the intervals on which the function is decreasing, SOLUTION:


The function f(x) is increasing on the interval

$$(5,\infty),$$

and the function f(x) is decreasing on the interval

$$(-\infty,5)$$
.

Use the graph below to find the vertex, the axis of symmetry, and the maximum or minimum of the function.



SOLUTION:

The vertex V is

$$V = (3, -3).$$

The axis of symmetry is

$$x = 3$$
.

The function has a maximum value of

$$y = -3$$
.

Find the vertex of the parabola

$$f(x) = -2x^2 - 20x - 53.$$

$$V = \left(-\frac{-20}{2(-2)}, f\left(-\frac{-20}{2(-2)}\right)\right)$$
$$\Rightarrow V = (-5, -3) \quad (B.)$$

Find the vertex of the parabola

$$f(x) = -x^2 + 7x - 5.$$

$$V = \left(-\frac{7}{2(-1)}, f\left(-\frac{-7}{2(-1)}\right)\right)$$

$$\Rightarrow V = \left(\frac{7}{2}, \frac{29}{4}\right) \quad (C.)$$

Find the axis of symmetry of the given function

$$f(x) = -3x^2 + 6x.$$

SOLUTION:

We need only find

$$-\frac{b}{2a}.$$

$$\Rightarrow x = -\frac{6}{2(-3)} = 1. \quad (B.)$$

Find the axis of symmetry of the given function

$$f(x) = 4x^2 - 16x + 20$$

SOLUTION:

We need only find

$$-\frac{b}{2a}.$$

$$\Rightarrow x = -\frac{-16}{2(4)} = 2. \quad (C.)$$

Determine whether there is a maximum or minimum value for the given function, and find that value:

$$f(x) = x^2 + 4x - 5.$$

SOLUTION:

Since a = 1 > 0, there is a minimum value of f(x).

The minimum value is the y-value of the vertex. which is

$$f(x) = -9 (D.)$$

Determine whether there is a maximum or minimum value for the given function, and find that value:

$$f(x) = -2x^2 - 4x - 8.$$

SOLUTION:

Since a = -2 < 0, there is a maximum value of f(x).

The maximum value is the y-value of the vertex. which is

$$f(x) = -6 (D.)$$

Solve

$$\frac{x+6}{4} - \frac{x-3}{5} = 3$$

$$LCD = 20 \Rightarrow 20 \left(\frac{x+6}{4}\right) - 20 \left(\frac{x-3}{5}\right) = 20(3)$$
$$\Rightarrow 5(x+6) - 4(x-3) = 60$$
$$\Rightarrow 5x + 30 - 4x + 12 = 60$$
$$\Rightarrow x + 42 = 60$$
$$\Rightarrow x = 18.$$

Solve

$$\frac{x-8}{3} - \frac{x-3}{2} = 0.$$

LCD = 3(2) = 6
$$\Rightarrow$$
 6 \cdot $\frac{x-8}{3} - 6 \cdot \frac{x-3}{2} = 6 \cdot 0$.
 $\Rightarrow 2(x-8) - 3(x-3) = 0$
 $\Rightarrow 2x - 16 - 3x + 9 = 0$
 $\Rightarrow -x - 7 = 0$
 $\Rightarrow x = -7$.

Solve

$$\frac{2}{x+4} = \frac{4}{x}$$

$$LCD = \Rightarrow x(x+4) \left(\frac{2}{x+4}\right) = x(x+4) \left(\frac{4}{x}\right)$$
$$\Rightarrow 2x = 4(x+4)$$
$$\Rightarrow 2x = 4x + 16$$
$$\Rightarrow -2x = 16$$
$$\Rightarrow x = -8.$$

Solve

$$\frac{x^2}{x-3} = \frac{9}{x-3}.$$

SOLUTION:

$$LCD = x - 3 \Rightarrow (x - 3) \left(\frac{x^2}{x - 3}\right) = (x - 3) \left(\frac{9}{x - 3}\right)$$
$$\Rightarrow x^2 = 9$$

$$\Rightarrow x = \pm 3$$

But x = 3 gives us $\frac{3^2}{0} = \frac{9}{0}$, which does not exist.

$$\Rightarrow x = -3$$
.

Solve

$$\frac{y^2}{y+7} = \frac{49}{y+7}.$$

$$LCD = 7 \Rightarrow y + 7\left(\frac{y^2}{y+7}\right) = (y+7)\left(\frac{49}{y+7}\right)$$
$$\Rightarrow y^2 = 49$$
$$\Rightarrow y = \pm 7$$
$$\Rightarrow y = 7, y = 7.$$

Solve

$$\frac{x+9}{3} - \frac{x-12}{4} = 3$$

LCD =
$$12 \Rightarrow 12 \left(\frac{x+9}{3}\right) - 12 \left(\frac{x-12}{4}\right) = 12(3)$$

 $\Rightarrow 4(x+9) - 3(x-12) = 36$
 $\Rightarrow 4x - 36 - 3x + 36 = 36$
 $\Rightarrow x = -36$.

Solve

$$\frac{4}{x+2} = \frac{6}{x}$$

$$LCD = x(x+2) \Rightarrow x(x+2) \left(\frac{4}{x+2}\right) = x(x+2) \left(\frac{6}{x}\right)$$
$$\Rightarrow 4x = 6(x+2)$$
$$\Rightarrow 4x = 6x + 12$$
$$\Rightarrow -2x = 12$$
$$\Rightarrow x = -6.$$

Solve

$$\frac{2}{7} + \frac{1}{4} = \frac{1}{x}$$
.

$$LCD = 28x \Rightarrow 28x \left(\frac{2}{7}\right) + 28x \left(\frac{1}{4}\right) = 28x \left(\frac{1}{x}\right)$$

$$\Rightarrow 8x + 7x = 28$$

$$\Rightarrow 15x = 28$$

$$\Rightarrow x = \frac{28}{15}.$$

Solve

$$\frac{x+9}{3} - \frac{x-12}{4} = 3.$$

LCD = 3(4) = 12
$$\Rightarrow$$
 12 $\left(\frac{x+9}{3}\right) - 12\left(\frac{x-12}{4}\right) = 12(3)$
 $\Rightarrow 4(x+9) - 3(x-12) = 36$
 $\Rightarrow 4x + 36 - 3x + 36 = 36$
 $\Rightarrow x = -36$.

Solve

$$\frac{7}{p} + p = -8.$$

LCD =
$$p \Rightarrow p\left(\frac{7}{p}\right) + p(p) = -8p$$

$$\Rightarrow 7 + p^2 = -8p$$

$$\Rightarrow p^2 + 8p + 7 = 0$$

$$\Rightarrow (p+7)(p+1) = 0$$

$$\Rightarrow p + 7 = 0, p + 1 = 0$$
$$\Rightarrow p = -7, p = -1.$$

Solve for p in

$$\frac{1}{f} = \frac{1}{p} + \frac{1}{s}.$$

LCD =
$$fps \Rightarrow fps\left(\frac{1}{f}\right) = fps\left(\frac{1}{p}\right) + fps\left(\frac{1}{s}\right)$$

 $\Rightarrow ps = fs + fp$
 $\Rightarrow ps - fp = fs$

$$\Rightarrow p(s-f) = fs$$

$$\Rightarrow p = \frac{fs}{s-f}.$$

Solve for x in

$$\frac{1}{x} = \frac{1}{y} + \frac{1}{m}.$$

$$LCD = xym \Rightarrow xym \left(\frac{1}{x}\right) = xym \left(\frac{1}{y}\right) + xym \left(\frac{1}{m}\right)$$
$$\Rightarrow ym = xm + xy$$
$$\Rightarrow ym = x(m+y)$$
$$\Rightarrow x = \frac{my}{m+y}.$$

Solve for x:

$$\frac{2}{x+1} + \frac{1}{x-1} = \frac{20}{x^2 - 1}.$$

Solution:

$$x^2 - 1 = (x - 1)(x + 1) \Rightarrow LCD = (x - 1)(x + 1)$$

$$\Rightarrow (x+1)(x-1)\left(\frac{2}{x+1}\right) + (x+1)(x-1)\left(\frac{1}{x-1}\right) = (x^2-1)\frac{20}{x^2-1}$$

$$\Rightarrow 2(x-1) + x + 1 = 20$$

$$\Rightarrow 2x - 2 + x + 1 = 20$$

$$\Rightarrow 3x - 1 = 20$$

$$\Rightarrow 3x = 21$$

$$\Rightarrow x = 7.$$

Solve for x:

$$\frac{15}{y-15} - \frac{3}{y} = \frac{17y+5}{y^2-25}.$$

Solution:

$$\Rightarrow 15y^3 - 375y - 3(y^3 - 15y^2 - 25y + 375)$$

$$= 17y^3 - 250y^2 - 75y$$

$$\Rightarrow 5y^3 - 295y^2 + 225y + 1125 = 0$$

$$\Rightarrow y \approx -1.5911, 2.4314, 58.160.$$

Solve

$$\sqrt{3x+1}=4.$$

$$\Rightarrow 3x + 1 = 16$$
$$\Rightarrow 3x = 15$$
$$\Rightarrow x = 5.$$

Solve

$$5 + \sqrt{x+7} = x.$$

$$\Rightarrow \sqrt{x+7} = x - 5$$

$$\Rightarrow x + 7 = x^2 - 10x + 25$$

$$\Rightarrow x^2 - 11x + 18 = 0$$

$$\Rightarrow (x - 9)(x - 2) = 0$$

$$\Rightarrow x - 9 = 0, x - 2 = 0$$

Example (cont.)

$$\Rightarrow$$
 $x = 9, x = 2$

But with x = 2:

$$5 + \sqrt{9} = 5 + 3 = 8 \neq 2.$$

$$\Rightarrow x = 9$$
.

Solve

$$\sqrt{x+3}+3=0.$$

SOLUTION:

$$\Rightarrow \sqrt{x+3} = -3$$

$$\Rightarrow x + 3 = 9$$

$$\Rightarrow x = 6$$
.

But

$$\sqrt{6+3}+3=6\neq 0.$$

$$\Rightarrow \emptyset$$
 (no solution).

Solve

$$\sqrt{x+81}+9=x.$$

$$\Rightarrow \sqrt{x+81} = x-9$$

$$\Rightarrow x+81 = x^2 - 18x + 81$$

$$\Rightarrow x^2 - 19x = 0$$

$$\Rightarrow x(x-19) = 0$$

$$\Rightarrow$$
 $x = 0, x = 19.$

But with x = 0:

$$\sqrt{81} + 9 = 18 \neq 0.$$

$$\Rightarrow x = 19.$$

Solve

$$\sqrt{1-2x}=3.$$

$$\Rightarrow 1 - 2x = 9$$

$$\Rightarrow 8 = 2x$$

$$\Rightarrow x = 4$$
But $\sqrt{1 - 2(4)} = i\sqrt{7} \neq 3$

$$\Rightarrow \emptyset.$$

Solve

$$\sqrt{5-x}=1.$$

$$\Rightarrow 5 - x = 1$$
$$\Rightarrow x = 4.$$

Solve

$$\sqrt{3a+3}=a+1.$$

$$\Rightarrow 3a + 3 = (a+1)^{2}$$

$$\Rightarrow 3a + 3 = a^{2} + 2a + 1$$

$$\Rightarrow a^{2} - a - 2 = 0$$

$$\Rightarrow (a-2)(a+1) = 0$$

$$\Rightarrow a - 2 = 0, a + 1 = 0$$
$$\Rightarrow a = 2, a = -1.$$

Solve

$$\sqrt{b+3}-2=1.$$

$$\Rightarrow \sqrt{b+3} = 3$$
$$\Rightarrow b+3=9$$
$$\Rightarrow b=6.$$

Solve

$$\frac{6}{y+3} - \frac{4}{y-3} = \frac{6}{y^2 - 9}.$$

LCD =
$$y^2 - 9 = (y - 3)(y + 3)$$

 $\Rightarrow 6(y - 3) - 4(y + 3) = 6$
 $\Rightarrow 6y - 18 - 4y - 12 = 6$
 $\Rightarrow 2y - 30 = 6$
 $\Rightarrow 2y = 36$
 $\Rightarrow y = 18$ (A).

Solve for *t*:

$$\frac{1}{A} = \frac{1}{m} + \frac{1}{t}.$$

$$\Box CD = Amt$$

$$\Rightarrow mt = At + Am$$

$$\Rightarrow mt - At = Am$$

$$\Rightarrow t(m - A) = Am$$

$$\Rightarrow t = \frac{Am}{m - A} (C).$$