

# From individual perception to collective behavior in drones. A self-aware approach

Mohammad Rahmani

Pervaisive Computing Group

31 August 2020



## Intelligent Agents, Sensors and Actuators

Each intelligent agent, biological or artificial, incorporates:

- Sensors
  - Proprioceptive (Cochlea, IMU)
  - Exteroceptive (Eyes, Camera)
- Actuators (Feet, Engine)



# Self-awareness (SA)

Self-awareness incorporates agent's ability to become the object of it own attention which translates to the following abilities (See next slide)  $^{\rm 1}$ 

<sup>&</sup>lt;sup>1</sup>Regazzoni, C. S., Marcenaro, L., Campo, D., & Rinner, B. (2020). Multisensorial generative and descriptive self-awareness models for autonomous systems.

# Self-awareness (SA) - Abilities list

- Initialization Ability to follow a reference task over the course of time (Time-awareness)
- Major anomaly detection and Generative Model building: Ability to detect new experiences from exteroceptive and proprioceptive sensory data
- Memorization and discrimination: Ability to memorize and provoke the appropriate learned experience




# Self-awareness (SA) - Abilities list - 2

- Decision making: Converting anomaly signals to appropriate actions
  - **Disturbance rejection**: convert minor anomaly signals to actions such the distance between estimated states and current practicing model minimizes
  - Changing practicing model: changing from one model to another model in case of major anomaly detection



## Simple illustration of an SA drone



SA, sensors and actuators



# SA in Single drone navigation and aerial manipulation

The aforementioned abilities in a single drone translates to:

- Path/motion planning
- State estimation
- Trajectory tracking
  - Minor anomaly detection Disturbance rejection
- Major anomaly detection Anomaly detection: Collision avoidance
  - Corridor turning points
  - Vertical collision avoidance
  - Horizontal collision avoidance



#### Collective Awareness CA abilities

In addition to individual SA abilities in the collection, CA must incorporate anomaly detection ability for

the course of relationship/formation which should be kept along time

Our examples will be based on collective load transportation which entails keeping drones close to each other in particular formation which are either

- attached to rigid loads
- suspended from a cable



## CA in multi drones navigation and aerial manipulation


- Collective path/motion planning
- Formation state estimation
- Formation Anomaly detection while individuals perform collision avoidance maneuvers and taking the right decision toward a new appropriate formation to avoid load and system collision



#### **CA** scenarios

CA formation models from which appropriate actions should be

practiced



## Individual semantic emergence

Discretized<sup>2</sup> generalized state for different derivatives of time forms the alphabet of words by which each individual agent can describe the experiences it is practicing to other agents<sup>3</sup>

$$w = \{\alpha^{(0)}, \dots, \alpha^{(L)}\}$$
 (1)

Arturo de la Escalera, C. R. (2019). Cognitive dynamic systems: Perception-action cycle, radar and radio.



<sup>&</sup>lt;sup>2</sup>Fiser, D., Faigl, J., & Kulich, M. (2013). Growing neural gas efficiently.

<sup>&</sup>lt;sup>3</sup>Kanapram, D., Marin-Plaza, P., Marcenaro, L., Martin, D., &

## Collective semantic emergence

Mutually activated discretized generalized state space for the collective language<sup>4</sup>

Words are synchronously activated Zones in the absence of repulsive forces



<sup>&</sup>lt;sup>4</sup>Baydoun, M., Campo, D., Kanapram, D., Marcenaro, L., & Regazzoni, C. S. (2019). Prediction of multi-target dynamics using discrete descriptors: An interactive approach.

## Question

How should emergence and frequency of locally communicated phrases of individual agent experiences persuade an agent toward either

- Reacting to major collective anomaly Taking actions to perform a part of a collective behavior to keep homeostasis situation
- Reacting to minor collective anomaly To ignore them and devolve it to individual disturbance rejection module in each individual agent.

