

Water Pump Presentation

For Tanzania Ministry of Water





Agenda

- Project Proposal
- Initial Hypotheses
- Project Approaches
- Data Insights
- Insights Discussion
- Recommendations and Actions



Project Proposal for Tanzania Ministry of Water

- Pinpoint any location/areas that has water pump breakdowns
- Discover which management types affecting pump maintenances
- Examine water extraction techniques, water sources and water points for relationships
- Create a machine learning model for prediction



Initial Hypotheses

- Geographic locations such as Basin, Subvillage and Region will provide pump statuses
- Populations density throughout Tanzania are equally distributed
- Water source, types, quantity and quality are consistent in all water pumps



Project Approaches

- Location analysis will use basin, sub village, region, region code and district code features. Extra information can be gleaned from gps height, longitude and latitude.
- Population will use population and public meeting columns
- Source, source type, source class, waterpoint type, waterpoint type group columns will be explored to see any connection to pumps
- Metrics will be used are accuracy, precision, recall and F1 scores since this is binary outcome




unt_tsh	date_recorded	funder	gps_height	installer	longitude	latitude	wpt_name	num_private	basin	SI
6000.0	2011-03-14	Roman	1390	Roman	34.938093	-9.856322	none	0	Lake Nyasa	
0.0	2013-06-03	Grumeti	1399	GRUMETI	34.698766	-2.147466	Zahanati	0	Lake Victoria	
25.0	2013-02-25	Lottery Club	686	World vision	37.460664	-3.821329	Kwa Mahundi	0	Pangani	
0.0	2013-01-28	Unicef	263	UNICEF	38.486161	-11.155298	Zahanati Ya Nanyumbu	0	Ruvuma / Southern Coast	Mal
0.0	2011-07-13	Action In A	0	Artisan	31.130847	-1.825359	Shuleni	0	Lake Victoria	Ку
44		1	5000	111	***		1992	700		
10.0	2013-03-05	Germany Republi	1210	CES	37.169807	-3.253847	Area Three Namba 27	0	Pangani	

Dataset Size: 59400 rows 41 columns




Entity Relationship Diagram







Pump waters varies per region or districts





Population has not much effect on pumps















Ground Water sources are most common






Standpipe types are most common





No water payment disrupts water pumps







Comparing with initial hypothesis

- Basins, Regions and Districts has influence on water pump operations.
- Population are more or less similar in numbers and did not much affect water pump operations, hypothesis is rejected
- Extraction of water, sources and waterpoints are inconsistent, hence the hypothesis don't stand



Model and Metrics

We use XGBoost Model for prediction.

	Model	Accuracy	AUC	Recall	Prec.	F1	Карра	мсс	TT (Sec)
0	CatBoost Classifier	0.7818	0.8572	0.6512	0.7984	0.7164	0.5422	0.5503	8.0953
1	Light Gradient Boosting Machine	0.7772	0.8518	0.6562	0.7849	0.7136	0.5338	0.5405	0.2648
2	Extreme Gradient Boosting	0.7764	0.8481	0.6739	0.7716	0.7187	0.5347	0.5387	1.6120
3	Random Forest Classifier	0.7683	0.8348	0.6698	0.7570	0.7103	0.5185	0.5217	0.0680
4	Gradient Boosting Classifier	0.7666	0.8399	0.6200	0.7862	0.6926	0.5087	0.5186	1.2362
5	Extra Trees Classifier	0.7654	0.8319	0.7024	0.7343	0.7175	0.5172	0.5181	0.4867
6	Logistic Regression	0.7508	0.8248	0.5955	0.7665	0.6697	0.4747	0.4849	0.1489
7	Ada Boost Classifier	0.7489	0.8218	0.6114	0.7526	0.6737	0.4732	0.4808	0.5583
8	Ridge Classifier	0.7481	0.0000	0.5674	0.7802	0.6563	0.4654	0.4805	0.0353
9	Linear Discriminant Analysis	0.7464	0.0214	0.5674	0.7757	0.6546	0.4620	0.4766	0.1100
10	K Neighbors Classifier	0.7402	0.7986	0.6304	0.7231	0.6732	0.4594	0.4627	0.1685
11	Decision Tree Classifier	0.7377	0.7386	0.6726	0.6983	0.6849	0.4605	0.4610	0.0737
12	SVM - Linear Kernel	0.6897	0.0000	0.6512	0.7045	0.6292	0.3725	0.4159	0.1655
13	Naive Bayes	0.5985	0.7296	0.8140	0.5413	0.6205	0.2371	0.2885	0.0211
14	Quadratic Discriminant Analysis	0.5812	0.6165	0.7065	0.5134	0.5833	0.1864	0.2052	0.0734

Metrics	Functional	Non Functional			
Precision	0.76	0.80			
Recall	0.87	0.65			
F1-Score	0.81	0.72			
Accuracy	78	2%			
AUC	0.	85			

Recommendations and Actions



Summary

- We have created the project proposal and establish initial hypothesis.
- Dataset is explored and added visualizations for clarity
- A recommended machine learning model was created to predict water pump operations in Tanzania



Recommended Actions

- Areas which has sparse water pumps may need to be increased for consumption
- Revamp or restructure water pump management companies
- Explore other methods of water extraction
- Possible to include other water sources?
- Conversion to waterpipes for easy distribution if possible
- Water pricing revision to allow affordable payment

Thank you