Data structures & Control Flow

Sugarkhuu Radnaa

Py4Econ in Ulaanbaatar

py4econ@gmail.com

18 December, 2021



Week 2: Learning objectives

Get to know:

- Basic data types in Python
- ② Data structures in numpy and pandas
- SQL basics
- if, else and elif conditions
- for and while loop

Data types in Python

- String
- Integer, Float,
- Boolean
- Oatetime
- List, tuple, set, dictionary

Operations on data

- slice: d[1:10]
- update or add: d[a] = b
- remove or pop: d[a] = []
- join, concatenate: f = [d,e]

Main data structures in Python

- Array (numpy)
- Dataframe (pandas)

Numpy

Numpy and Scipy are extensively used for scientific computations and ML/Al algorithms

- random array and vector operations
- universal functions (sin, cos, max, argmax, ...)
- array handling (broadcast, tile, ravel, ...)
- matrix operations

Pandas

Powerful dataframe package in Python

- Can read data from many sources (csv, excel, json, html, url)
- Can handle large size of data
- Can sync well with other packages

Operations in Pandas

- info, dtypes
- head, tail
- describe
- df['field'] = df.field
- loc, iloc
- o sort, filter
- groupby, pivot table
- type conversion
- o min, max, mean, sum
- import/export dataframe from/to file (csv, json, xlsx, ...)



SQL

SQL is the most popular database language. There are many different DBMS (database management system)s including SQL and NoSQL.

Popular SQL databases:

- Oracle SQL
- Microsoft SQL
- MySQL
- PostgreSQL

Popular NoSQL databases:

- MongoDB
- 2 ElasticSearch
- Casandra



Sample database (SQL) design

Data architecture is a crucial in any organization. When due implemented, it can become a game changing factor. Efficient ETL, Datawarehouse and data centers are necessary for an efficient DBMS.



SQL: W3SCHOOL examples

- SELECT CustomerName, City FROM Customers;
- SELECT * FROM Customers WHERE Country='Mexico';
- SELECT * FROM Customers WHERE Country='Germany' AND (City='Berlin' OR City='München');
- UPDATE Customers SET ContactName = 'Alfred Schmidt', City= 'Frankfurt' WHERE Customer|D = 1;
- SELECT * FROM Customers WHERE ContactName LIKE 'a
- SELECT Customers.CustomerName, Orders.OrderID FROM Customers LEFT JOIN Orders ON Customers.CustomerID = Orders.CustomerID ORDER BY Customers.CustomerName;
- SELECT COUNT(CustomerID), Country FROM Customers GROUP BY Country ORDER BY COUNT(CustomerID) DESC;

Contiditional statements

- if statement:
- else:
- elif (else if) statement:
- and, or, in, isinstance

Loops (repeat an action)

- For used only when we already knew the number of iterations
- While used only when the number of iteration are not exactly known

Ways to exit loop:

- break
- continue

Use 'pass' when operation within the loop is not implemented yet

Homework

- Task 1
- 2 Task 2
- Task 3
 - Submit your result as a Github repository
 - Deadline: 15 January, 2022

Note: Create a github repo from the start and populate it with your results step by step.



Task 1

- 4 Add rows with arbitrary values to "data.xlsx" so that you have 50 rows in total
- Create a '.csv' file with data of only women older than 25 years old
 - o filter by using only loops
 - g filter by using conditions in pandas
- Oreate a '.json' file with data of men under than 23 years old
 - filter by using only loops
 - g filter by using conditions in pandas

Task 2

- What are the values in row 17 and column 2-5 of dataframe created from "data.xlsx"
- What are the values row 25-28 and column 'firstName, age' of dataframe created from "data.xlsx"
- Find the lowest, the highest and mean salary and age for men and women separately using 'groupby'
- Find the lowest, the highest and mean salary and age for men and women separately using 'pivot table'

Task 3

- Populate a MySQL (or PostgreSQL) table by the data in "data.xlsx" (CREATE TABLE)
- Select 'firstName' and 'lastName' of the first three rows ('LIMIT')
- Select 'firstName' and 'age' of the last three rows ('ORDER BY, LIMIT')

Tip: Watch the following tutorial for MySQL (PostgreSQL)

- MySQL
- PostgreSQL



Thank you!