Homework 3

Assigned: 10/12/2023

Due: 10/26/2023 at 11:59 PM

WARNING. Students may not work together. Students may discuss the problems with each other, but do not give any other student your solutions.

Aside: This file is written using markdown. markdown renders reasonably well inside pycharm. If you use pandoc, markdown can be converted to a pdf file.

Place all files containing your answers to homework 3 in a directory named hw3_last_first where last_first is the student's last and first names separated by an underscore. For me, the directory would be hw3_harrison_david.

Place each answer in its own file or directory. When you are done your directory structure should look like.

```
$ ls -F
hw3_harrison_david/
$ cd hw3_harrison_david
$ ls -F
p1.txt p2/ p3.txt p4/ p5.txt p6/ p7/
```

Zip or tar the directory hw3_last_first and submit them to blackboard in the same manner as was done for homework 1. On Mac OS or linux, it would look like this:

```
$ ls -F
hw3_harrison_david/
$ tar -czf hw3_harrison_david.tgz hw3_harrison_david
$ ls -F
hw3_harrison_david/ hw3_harrison_david.tgz
```

Submit hw3_harrisond_david.tgz to blackboard. If you are on windows, you may use zip, in which case the file submitted would be hw3 harrison david.zip.

Problems 1 (1 point each) is Problem 1 in Discussion Questions in 4.26. of *Problem Solving with Algorithms and Data Structures using Python*. Put the answer in a text file named hw3_last_first/p1.txt.

Problem 2: (2 points)

- (a) Create a LinkedList class. It must pass the hw3/p2/test_linked_list.py. The class MUST not use any Python built-in or standard library collection class, i.e., do not wrap a list or deque.
- (b) Copy the Stack implementation found in the repository

https://git.cs.olemiss.edu/harrison/csci-356

in lecture13and14/stack.py into your homework directory hw3_last_first/p2, rename the class Stack to LinkedListStack, and modify it so that it is implemented using your LinkedList. It must pass the unit tests in the repository in the directory hw3/test_linked_stack.py. It MUST use your LinkedList. the new LinkedListStack class MUST NOT use any Python built-in or standard library collection class, i.e., the LinkedListStack class MUST not wrap a list or deque.

Problem 3 (1 point each) is Problem 3 in Discussion Questions in 4.26. of Problem Solving with Algorithms and Data Structures using Python.

Problem 4: (2 points) Use the Queue found in the source code repository in hw3/p4/queue.py, which is based on the code in the book in Listing 1 of Section 4.12

(a) Create file perftest_list_queue_a.py in hw3_last_first/p4 whose main function enqueues n random integers into m Queue objects according to the following pseudocode:

```
create m empty `Queue` objects and put them in a list named queues.
for n in some range:
    start timer
    for x in queues:
        enqueue the nth random integer into queue x
    stop timer
    divide the elapsed time by m to get an average
    append the average time for an execution of enqueue to a list of times.
```

Using matplotlib have your code plot the average execution time for a call to enqueue() as a function of n. Vary n at least to 10,000. You may skip n by increments of 10, but if you do then adjust the x-axis accordingly.

- (b) Analyze the performance of the enqueue() method using big-O notation. Put your analysis in a file named hw3 last first/p4/b.txt.
- (c) In a file perftest_list_queue_c.py Create a variant of the code created for (a) that starts by creating m Queues of the largest length (e.g., n = 10000) and then dequeues one item from each list while recording the average time for a dequeue. Using matplotlib plot the average execution time for a call to dequeue() as a function of n. If it runs too slowly you can start with n = 1000. You may skip n by increments of 10, but if you do then adjust the x-axis accordingly.
- (d) Analyze the performance of the dequeue() method using big-O notation and put your analysis in a file named hw3_last_first/p4/d.txt.

Problem 5 (1 point) is Problem 5 in Discussion Questions in 4.26. of *Problem Solving with Algorithms and Data Structures using Python*.

Problem 6: (2 points)

Repeat problem 4, but implement a Queue using a Python dequeue. Generate the plots and analyze the enqueue and dequeue methods using big-O notation in the same manner. In the plots for (a) and (c) include the plot for the same scenario but using the list implementation of the Queue. This way we can visually compare the performance of the list and deque implementations.

Problem 7 (1 point) is Problem 11 in Programming Exercises in 4.26. of *Problem Solving with Algorithms and Data Structures using Python.* It must pass the unit tests for p7/test_html_balance.py.