

**COMP37111: Advanced Computer Graphics**

# **Workshop 8 : Path Tracing, Baking and Special Effects**

**Steve Pettifer**

**November 2020**

Department of Computer Science  
The University of Manchester

## Breakout 1 : Ponderings

### Task 1: Diffuse Environments

In the video on Radiosity we briefly saw a lecture theatre, and you were asked to think about why it was mostly made of diffuse materials. Take a moment to look around you now and see if the same is true of wherever you are now . Why might diffuse materials be a sensible choice for most working environments?

### Task 2: Shadows

*most of the object are diffuse.*

In the Path Tracing video we looked at why hard shadows are created by point lights, and soft shadows by area lights and it was said that ‘in the real world, of course, lights aren’t infinitely small points’. Given that’s true, how come we see hard shadows in the real world?

*BSSDF, light may through the object and do  
not form soft shadows in the real word.*

### Task 3: Baking

Texture baking from radiosity solution gives different results to texture baking from path tracing. Why might one give safer results than the other?

*radiosity can not baking highlight etc...*

## Breakout 2 : Visual Effects

For each of these visual effects:

*不想写了太多了*

- Caustics *1. Yes 2 . No, Yes, Yes*
- Motion Blur *Text*
- Fluorescence and Phosphorescence
- Doppler effects (e.g. Red or Blue shift)
- Depth of field
- Participating media

Consider

1. Is it modelled by the rendering equation? If yes, how? If no, why?
2. How do each of classic raytracing, radiosity and path tracing handle the effect? Does it naturally happen as part of the technique? If not, could the technique be extended to include it? If so, at what cost?