

Name: (as it would appear on official course roster)	
UCSB email address:	@ucsb.edu
Lab Section Time:	
Optional: name you wish to be called if different from above	
Optional: name of "homework buddy" (leaving this blank signifies "I worked alone")	

Lab 02: Binary Arithmetic & Introduction to MIPS

Assigned: Wednesday, October 9th, 2019

Due: Wednesday, October 16th, 2019

Points: 50 (PDF questions), 44 (Programming questions)

- You may collaborate on this homework with AT MOST one person, an optional "homework buddy".
- MAY ONLY BE TURNED ON **GRADESCOPE** as a PDF file.
- There is NO MAKEUP for missed assignments.
- We are strict about enforcing the LATE POLICY for all assignments (see syllabus).

Don't use a calculator or online solvers when working these problems. You will not be able to use them in exams either, so it's good practice to know how to do these!

All 25 questions in this portion are worth 2 points each (total is 50 points).

Binary Subtraction

The following problems ask you to subtract one binary number from another. While this can be done directly, it is typically easier to negate the second number (using the 2's complement method), and then add the two together. **You must express the answer in 8 bits.** There will be several steps, but only show the answer. You will ALSO NEED TO SPECIFY the overflow (V) and carry (C) bits.

1. What is

$$\begin{array}{r} 11001101 \\ - 01100100 \\ \hline \end{array}$$

_____ (answer)

2. What is

$$\begin{array}{r} 01101001 \\ - 10110101 \\ \hline \end{array}$$

_____ (answer)

3. What is

$$\begin{array}{r} 10010110 \\ - 11101010 \\ \hline \end{array}$$

_____ (answer)

Name:

(as it would appear on official course roster)
--

4. What is

$$\begin{array}{r} 10110010 \\ - 00000001 \end{array}$$

_____ (answer)

Basic Bitwise Operations

Recall that bitwise AND is specified with `&`, bitwise OR with `|`, and bitwise XOR with `^`.

5. What is

$$\begin{array}{r} 10011011 \\ \& 10011011 \end{array}$$

_____ (answer)

6. What is

$$\begin{array}{r} 01101110 \\ \& 10010001 \end{array}$$

_____ (answer)

7. What is

$$\begin{array}{r} 10011011 \\ | 11100101 \end{array}$$

_____ (answer)

8. What is

$$\begin{array}{r} 01101101 \\ | 01101101 \end{array}$$

_____ (answer)

9. What is

$$\begin{array}{r} 11001010 \\ \wedge 11100101 \end{array}$$

_____ (answer)

10. What is

$$\begin{array}{r} 11110101 \\ \wedge 00001011 \end{array}$$

_____ (answer)

Name:

(as it would appear on official course roster)

Give your answers for the following set in **2-digit hexadecimal**. Recall that bitwise AND is specified with '&', bitwise OR with '|', and bitwise XOR with '^'.

11. Calculate **0x5E & 0xF0** _____(answer)

12. Calculate **0x22 & 0x55** _____(answer)

13. Calculate **0x55 | 0xAA** _____(answer)

14. Calculate **0xBE | 0x0F** _____(answer)

15. Calculate **0x79 ^ 0xF0** _____(answer)

16. Calculate **0x10 ^ 0x07** _____(answer)

Give your answers for the following set in **8-bit binary**.

17. What is 11010011 >> 1 for logical shift right? _____(answer)

18. What is 11010011 >> 1 for arithmetic shift right? _____(answer)

19. What is 11110011 >> 2 for logical shift right? _____(answer)

20. What is 11110011 >> 2 for arithmetic shift right? _____(answer)

Advanced Bitwise Operations

The entries shown as 'X' are general binary values (i.e. they can be either '1' or '0'). Your answer can have '1' or '0' or 'X' in it.

21. What is

XXXXXXX
| 11001010

_____(answer)

22. What is

XXXXXXX
& 10110110

_____(answer)

Name:

(as it would appear on official course roster)
--

For the following three questions, remember that bit numbers start numbering from 0. Assume that these hexadecimal numbers are always unsigned. In addition to showing the mask you would use, also show the operation you would use, like so: **&0x0020**. (i.e., AND the original number with the hexadecimal mask 0x0020.)

23. Specify the mask you would need to inspect **bit 5** of the unknown number. Express it as a 4-digit hexadecimal number (i.e. in the form of 0xhhhh).
24. Specify the mask you would need to set just **bit 5** of the unknown number to zero. That is, the result of this operation results in a new number, which the unknown number should be subsequently set to. Again, express it as a 4-digit hexadecimal number.
25. Specify the mask you would need to set **bit 5** of the unknown number to one. That is, the result of this operation results in a new number, which the unknown number should be subsequently set to. Express it as a 4-digit hexadecimal number.

Bitwise Operations in C/C++

See the lab description on our main class website for details on these next tasks. This requires some programming knowledge of C/C++ (which you should know from CS 16, etc...)