Name:	
(as it would appear on official course roster)	
UCSB email address:	@ucsb.edu
Lab Section Time:	
Optional:	
name you wish to be called if different from above	
Optional: name of "homework buddy"	
(leaving this blank signifies "I worked alone")	

# Lab 01: Data Representation and Binary Arithmetic

**Assigned**: Wednesday, October 2<sup>nd</sup>, 2019 **Due**: Wednesday, October 9<sup>th</sup>, 2019 **Points**: 30 (normalized to 100)

- You may collaborate on this homework with AT MOST one person, an optional "homework buddy".
- MAY ONLY BE TURNED ON **GRADESCOPE** as a **PDF** file.
- There is NO MAKEUP for missed assignments.
- We are strict about enforcing the LATE POLICY for all assignments (see syllabus).

Don't use a calculator or online solvers when working these problems. You will not be able to use them in exams either, so it's good practice to know how to do these!

#### **Values of Different Bases**

The following questions ask you what value a given number has for a given number in a given base. Write your answers in exponent form  $(10^3)$  or a number multiplied by the exponent form  $(11*10^4)$ . Keep in mind that we start from position 0.

For example:

In decimal, how much is a 1 in position 3 worth

#### 10^3

1.	In binary, how much is a 1 in position 4 worth?	(answer)
2.	In octal, how much is a 1 in position 4 worth?	(answer)
3.	In hexadecimal, how much is a 1 in position 4 worth?	(answer)
4.	In hexadecimal, how much is a 2 in position 4 worth?	(answer)
5.	In hexadecimal, how much is a B in position 4 worth?	(answer)
6.	In hexadecimal, how much is a 9 in position 5 worth?	(answer)

### **Converting Positive Decimal to Binary**

Convert the following numbers into 8-bit binary, showing all bits.

For example:

Convert decimal 0 into binary.

0000000

7. Convert decimal 15 into binary.

Name:

(as it would appear on official course roster)

- 8. Convert decimal 2 into binary.
- 9. Convert decimal 8 into binary.
- 10. Convert decimal 65 into binary.

### **Converting Binary to Decimal**

Convert the following unsigned binary numbers into decimal.

For example:

Convert binary 0000 into decimal.

0

- 11. Convert binary 1000 into decimal.
- 12. Convert binary 1001 into decimal.
- 13. Convert binary 1111 into decimal.
- 14. Convert binary 1101 into decimal.

## **Converting Decimal to Hexadecimal**

Convert the following decimal numbers into 2-digit hexadecimal numbers, showing both digits preceded with the standard '0x' to indicate that the number is in hexadecimal.

For example:

Convert decimal 0 into hexadecimal.

0x00

15. Convert decimal 16 into hexadecimal.

University of California, Santa Barbara	Dept. of Computer Science
Name:	
(as it would appear on official course roster)	
16. Convert decimal 65 into hexadecimal.	
17. Convert decimal 31 into hexadecimal.	
18. Convert decimal 166 into hexadecimal.	
Converting Binary to Hexadecimal	
Convert the following binary numbers into 2-digit he preceded with the standard '0x' to indicate that the property of the standard '0x' to indicate that the property of the standard convert binary 0 into hexadecimal.  Ox00	
19. Convert binary 110 into hexadecimal.	
20. Convert binary 11110000 into hexadecimal.	
21. Convert binary 10110011 into hexadecimal.	
Bit Positions Remember that we number bit positions from right for example: The rightmost bit of an 8-bit number is in what position 0 The leftmost bit of an 8-bit number is in what position 7	ion?
22. The rightmost bit of a 16-bit number is in wh	nat position?(answer)
23. The leftmost bit of a 16-bit number is in wha	t position?(answer)

24. What is the 4-bit binary number that contains a 0 in all positions *except* for position 2?

Name:			
(as it would appear	on official course roster)		
<u>Terminology</u>			
25. How ma	any bits are in a byte?		(answer)
26. How ma	any bits are in a nibble?		(answer)
Binary Additio	n		
Find the results answer in 8 bi Hint: for the fur be the same. Yo overflow bit (V information aft For example: EX1: What is 00101001 + 11101001	s of the following binary a ts. You have to assume the action of addition, it does ou must also identify whe = 0 or 1) - use the usual er the 8-bit answer, separate.	nat these numl not matter wh ther the addit convention of rated by a con	tions of numbers. You must express the bers could be either signed or unsigned! hich of these they are – the 8-bit answer wition created a carry out bit (C = 0 or 1) AND 0 means "no" and 1 means "yes". Place this nam.
	, c = 1 and v = 0	(ner the	resultantly out, such a overnow,
EX2: What is 10001001 + <u>10001001</u> <b>0001001</b> 0			re's a carry-out, and there's overflow 2 neg. numbers add up to a pos. number
27. What is			
	10010001 01100110		
			(answer)
28. What is			
	11011011		
+	01100011		
			(answer)
29. What is			
	00111101		
+	10110001		
			(answer)
30. What is			
	10111101		
	10000001		
			(answer)
			(answer)