

Measurement and Analysis of Child Pornography Trafficking on P2P Networks

Ryan Hurley, Swagatika Prusty, Hamed Soroush, Robert J. Walls Jeannie Albrecht, Emmanuel Cecchet, Brian Neil Levine Marc Liberatore, Brian Lynn, Janis Wolak

Instituto de Computação - Unicamp

14 de Outubro de 2013



Scheduling

Introduction

Criminal Investigation

Forensic Measurement

Availability and Resilience

FOI Redundancy and Availability

Comparing Aggressive Peers

Analysis of User Aliasing

Measurement Limitations

Related Work

Conclusions and Future Work

References



Schedule

Introduction

Criminal Investigation

Forensic Measurement

Availability and Resilience

FOI Redundancy and Availability

Comparing Aggressive Peers

Analysis of User Aliasing

Measurement Limitations

Related Work

Conclusions and Future Work

References





Schedule

Introduction

Criminal Investigation

Forensic Measurement

Availability and Resilience

FOI Redundancy and Availability

Comparing Aggressive Peers

Analysis of User Aliasing

Measurement Limitations

Related Work

Conclusions and Future Work

References



- ✓ Works properly and is evaluated under the goal of the investigations.
- ✓ We follow that principles, (basic principles) rather than isolated characterization of the users.
- ✓ We will review the USA¹ Law under the constraints of criminal investigations for Children Pornograph.



Works properly and is evaluated under the goal of the investigations

- ✓ That means: The criminal investigation is increasingly advanced and with more development tools for this one.
- ✓ There are always more groups that works to find and to discover and try to prevent Child Pornography (CP).
- ✓ But it is very difficult do prevent, because of the large scale growth in the worldwide web. There are over 1,8 million CP in internet "found on eMule" (we estimate much more).



Basic principles rather than isolated characterization of the users

- ✓ This means that we will not discuss about a particular user, but the market situation that involves this type of crime.
- ✓ In criminal investigations of the type we consider search warrants must specify this location, and not a person (not a user).
- ✓ Actions by the investigators are shortened by law "Fourth Amendment and Related Jurisprudence", where this means that the user has a protection on a electronic data.



What is wrong with Fourth Amendment Jurisprudence?

The Third Party Doctrine

According to the Supreme Court's third party doctrine, personal information, once exposed to any third party, loses all Fourth Amendment protection. Some information exposed to third parties is protected by various statutes, but those can be inconsistent and outdated. The Electronic Communications Privacy Act (ECPA), for example, is notably out of date, leaving privacy protection of technology, as the Ninth Circuit put it, "a confusing and uncertain area of the law.". Some privacy interests that are currently unprotected under the Fourth Amendment. Konop ... also receive protection under the First Amendment – but that protection is far from comprehensive... (1967)



- ✓ The goal of the pre-warrant phase is not to make an arrest (a user, for example), but it is to obtain a judicially issued search warrant, for such cause (CP).
- ✓ This means, that we will look for a specify location, and not a person.
- ✓ Arrests in these criminal cases are typically not based on the network-acquired evidence. They are based on the fruits of the search and the person identified as possessing the contraband materials.



- ✓ Finally, we note that this follows a forensics model and not the traditional security attacker model.
- ✓ The techniques can be applied very successfully even though there exist many ways to defeat them.
- ✓ But many people do not attempt to hide them, only change the name of the file, as we know to hide the word "sexually", but a intentionally name to be ease to discover the file for another peer.



Schedule

Introduction

Criminal Investigation

Forensic Measurement

Availability and Resilience

FOI Redundancy and Availability

Comparing Aggressive Peers

Analysis of User Aliasing

Measurement Limitations

Related Work

Conclusions and Future Work

References



- ✓ This study is based upon the analysis of a large number of observations of CP files on P2P networks.
- ✓ Also based upon the behavior of the peers that share these files.
- ✓ Most previous studies of P2P networks have taken place over just several days, or weeks, or a few months.



- ✓ This study is comprises of a thousand of observations per day for a full year.
- ✓ This duration is specially critical in criminal investigations.
- ✓ Scientific studies of crimes are often submitted as supporting facts during trial and sentencing.



- ✓ This study focus is on *files of interest* (FOI).
- ✓ These files includes child pornography (CP) images, as well as stories, child erotica and collections associated with this kind of crimes.
- ✓ Only content with hashing values matching a list put together by law enforcement by visual inspection was logged.



Background

- ✓ This paper is based on data collected with the help of national and international law enforcement.
- ✓ Starting in January 2009, they began deploying a set of forensics tools for online investigations.



Background

- ✓ Prior to these collaborative efforts, the standard method for online investigation of CP was to make isolated cases.
- ✓ Leads were not shared among agencies or offices, other than by phone or e-mail.
- ✓ Officers leverage their own experience to prioritize suspects.



Tools

- ✓ A suite of tools, called *RoundUp*² (deployed by the researchers) has enabled sharing of plain view observations of online CP and associated activities on various networks.
- ✓
- ✓



Schedule

Introduction

Criminal Investigation

Forensic Measurement

Availability and Resilience

FOI Redundancy and Availability

Comparing Aggressive Peers

Analysis of User Aliasing

Measurement Limitations

Related Work

Conclusions and Future Work

References





Schedule

Introduction

Criminal Investigation

Forensic Measurement

Availability and Resilience

FOI Redundancy and Availability

Comparing Aggressive Peers

Analysis of User Aliasing

Measurement Limitations

Related Work

Conclusions and Future Work

References





Schedule

Introduction

Criminal Investigation

Forensic Measurement

Availability and Resilience

FOI Redundancy and Availability

Comparing Aggressive Peers

Analysis of User Aliasing

Measurement Limitations

Related Work

Conclusions and Future Work

References



- ✓ We know that the strategies for removing content from the entire ecosystem (the internet) must target offenders from all countries.
- ✓ We do not have of a unified effort, and no such collaboration exists.
- ✓ Investigators need a triage strategy.
- ✓ The better were if the investigators have target to catch the more dangerous criminals, but such information is not available.



- ✓ In lieu of that ideal, investigators can take peers that are offensive in the net.
- ✓ Peers that show evidence the target of the intent the user.
- ✓ This includes peers that are online for the longest duration.
- ✓ Peers that share the largest number of "FOI" (File of Interest).
- ✓ Offenders by P2P network, as we know: eMule, Gnutella...or offender that seek to escape detection with the use of TOR.



There are 6 (six) sub-groups of peers offenders:

1. The top 10% of GUID's of largest corpora.
2. The top 10% of GUID's of sharing FOI the most numbers of days.
3. The top 10% of GUID's ranked contribution metric (the same we saw in last topics).
4. The top 10% of the set of GUID's linked by ip adress sharing FOI.
5. The top 10% of GUID's that use a know TOR exit node.
6. The top 10% of GUID's sharing FOI that use a IP adrres and we infer that is a non TOR relay.



We can see this result under the tables:

Table 1 : Sizes of each GUID subgroup

Identifier	Network	
	Gnutella	eMule
All GUIDs	775,941	1,895,804
Multi-Networks GUIDs	84,925 (11%)	147,904 (7,8%)
TOR GUIDs	3,666 (0.47%)	16,290 (0.86%)
TOR GUIDs (>2 days)	2,592 (0.33%)	11,998 (0.63%)
Relayed GUIDs	76,478 (9.9%)	78,223 (4.1%)
Top 10% Observed	84,235 (11%)	190,797 (10%)
Top 10% by Corpus	77,782 (10%)	189,951 (10%)
Top 10% by Contribution	77,595 (10%)	189,581 (10%)

Table 2 : Numbers of IP addresses per network sharing FOI

Network	IP Addresses		
	Total	Private	TOR
Gnutella	3,025,530	32,195	7,357
eMule	5,643,350	1,256	21,025
Ares	1,714,894	225	1,799
IRC	88,658	245	746

- ✓ The differences of each subgroup to the set of all GUIDs are significant ($p < 0.001$).
- ✓ Below we provide characteristics of each subgroup, and details of the behavior of each.
- ✓ For example, we show that GUIDs using TOR to share FOI use it irregularly, and therefore their true IP addresses are easily identifiable.



Schedule

Introduction

Criminal Investigation

Forensic Measurement

Availability and Resilience

FOI Redundancy and Availability

Comparing Aggressive Peers

Analysis of User Aliasing

Measurement Limitations

Related Work

Conclusions and Future Work

References





Schedule

Introduction

Criminal Investigation

Forensic Measurement

Availability and Resilience

FOI Redundancy and Availability

Comparing Aggressive Peers

Analysis of User Aliasing

Measurement Limitations

Related Work

Conclusions and Future Work

References





Schedule

Introduction

Criminal Investigation

Forensic Measurement

Availability and Resilience

FOI Redundancy and Availability

Comparing Aggressive Peers

Analysis of User Aliasing

Measurement Limitations

Related Work

Conclusions and Future Work

References





Schedule

Introduction

Criminal Investigation

Forensic Measurement

Availability and Resilience

FOI Redundancy and Availability

Comparing Aggressive Peers

Analysis of User Aliasing

Measurement Limitations

Related Work

Conclusions and Future Work

References





Schedule

Introduction

Criminal Investigation

Forensic Measurement

Availability and Resilience

FOI Redundancy and Availability

Comparing Aggressive Peers

Analysis of User Aliasing

Measurement Limitations

Related Work

Conclusions and Future Work

References



Bibliography



Ryan Hurley, Swagatika Prusty, Hamed Soroush, Robert J. Walls, Jeannie Albrecht, Emmanuel Cecchet, Brian Neil Levine, Marc Liberatore, Brian Lynn, and Janis Wolak.

Measurement and analysis of child pornography trafficking on p2p networks.

In Proceedings of the 22nd international conference on World Wide Web, WWW '13, pages 631–642, Republic and Canton of Geneva, Switzerland, 2013. International World Wide Web Conferences Steering Committee.



Thanks

Thanks!

Measurement and Analysis of Child Pornography Trafficking on P2P Networks

Ryan Hurley, Swagatika Prusty, Hamed Soroush, Robert J. Walls Jeannie Albrecht, Emmanuel Cecchet, Brian Neil Levine Marc Liberatore, Brian Lynn, Janis Wolak

