


Grass  
**Millet, Pearl**  
*Pennisetum glaucum*



## PLANT HARDINESS ZONE 5 DATASET

### COVER CROP DESCRIPTION

Tall summer annual grass. Does best under hot conditions. Fast growing. Has regrowth potential, particularly when mowed/grazed high. Improved forage types available, cultivars may vary widely. Mix with cowpea, sunflower, and sunn hemp for a diverse summer mix. Tall varieties are very similar to sorghum-sudangrass except slightly lower biomass potential but still a good smother crop; better on acid and droughty soils; less allelopathy potential; less reputation for subsoiling; no prussic acid forage toxicity (but nitrates still a concern).




Millet, Pearl - Larson [2020]




Millet, Pearl - Salon [2020]


### GOALS



### WEEDS



### ENVIRONMENTAL TOLERANCES






PLANT HARDINESS ZONE 5 DATASET

Growth Traits

Duration	Annual
Zone Use	Common
Shape And Orientation	Erect
Dry Matter (Lbs/A/Yr)	1700 - 8000
Soil Texture	Coarse
	Medium
Soil pH	5.5 - 6.8
Soil Moisture Use	Low
Hessian Fly Free Date?	No
Ease Of Establishment	<div><div></div><div></div><div></div><div></div><div></div></div>
Establishes Quickly	<div><div></div><div></div><div></div><div></div><div></div></div>
Early Spring Growth	<div><div></div><div></div><div></div><div></div><div></div></div>
Flowering Trigger	SizeShort
Root Depth	Medium

Soil Drainage



Planting

Seeds Per Lb	82300
Seed Price Per Lb	<div><div></div><div></div><div></div></div>
Base Seeding Rate (Lbs/A)	10 - 20
Drilled Depth	0.5" - 1"
Can Aerial Seed?	No
Can Frost Seed?	No
Min Germination Temp (°F)	65

Termination

Tillage At Vegetative	<div><div></div><div></div><div></div><div></div><div></div></div>
Tillage At Flowering	<div><div></div><div></div><div></div><div></div><div></div></div>
Freezing At Vegetative	<div><div></div><div></div><div></div><div></div><div></div></div>
Freezing At Flowering	<div><div></div><div></div><div></div><div></div><div></div></div>
Chemical At Vegetative	<div><div></div><div></div><div></div><div></div><div></div></div>
Chemical At Flowering	<div><div></div><div></div><div></div><div></div><div></div></div>
Mow At Flowering	<div><div></div><div></div><div></div><div></div><div></div></div>
Roller-Crimp At Flowering	<div><div></div><div></div><div></div><div></div><div></div></div>



PLANT HARDINESS ZONE 5 DATASET

Planting and Growth Windows

Frost Seeding	N/A
Reliable Establishment	05/01 - 07/15
Temperature/Moisture Risk	N/A
Active Growth Period	Summer
Winter Survival	Never
Can Interseed	N/A



Extended Comments

**Taxonomy:** ITIS name conflict: Cenchrus americanus

**Basic Agronomics:** production somewhat dependent on planting date but mostly dependent on the variety and season.

**Forage and Grazing:** Used as a summer forage cut to make baleage, or used for grazing. Use BMR forage varieiteis for grazing or baleage.

**Nematodes:** Moderately resistant to root-knot nematode.

**Insects:** Proso millet (Panicum miliaceum L.) can attract the parasitoids Trichogrammatidae, Scelionidae, Ceraphronidae

References & Resources

Summer Cover Crops, Penn State Extension