

### PLANT HARDINESS ZONE 7 DATASET

### **COVER CROP DESCRIPTION**

Tall summer annual grass. Does best under hot conditions. Fast growing. Has regrowth potential, particularly when mowed/grazed high. Improved forage types available, cultivars may vary widely. Mix with cowpea, sunn hemp, and sunflower for a diverse summer mix. Tall varieties are very similar to sorghum-sudangrass except slightly lower biomass potential but still a good smother crop; better on acid and droughty soils; less allelopathy potential; less reputation for subsoiling; no prussic acid forage toxicity (but nitrates still a concern).






Millet, Pearl - Larson [2020]

Millet, Pearl - Salon [2020]

### **GOALS**

**Growing Window** Short Nitrogen Scavenging Lasting Residue Prevent Fall Soil Erosion Prevent Spring Soil Erosion Forage Harvest Value


Penetrates Plow Pan **Reduces Surface Compaction** Improve Soil Organic Matter Increase Soil Aggregation **Good Grazing** Pollinator Food



### **WEEDS**


Residue Suppresses Summer Annual Weeds **Outcompetes Summer Annual Weeds** Suppresses Winter Annual Weeds Persistence Volunteer Establishment

# **ENVIRONMENTAL TOLERANCES**







## ♠ PLANT HARDINESS ZONE 7 DATASET












# REPORT OF THE PROPERTY PROPERT



### **Extended Comments**

**Nematodes:** Moderately resistant to root-knot nematode.

Taxonomy: ITIS name conflict: Cenchrus americanus

**Forage and Grazing:** Used as a summer forage cut to make baleage, or used for grazing. Use BMR forage varieteis for grazing or baleage.

**Environmental Tolerances:** Does very poorly under low-N conditions like most grasses.

### References & Resources

Summer Cover Crops, Penn State Extension