## Pulse Oximeter

01. Table of Contents

02. +12V Input

03. +12V Telemetry

04. +3.3V Power Supply

05. +3.3V Telemetry

06. +1.8V Power Supply

07. **+1.8V** Telemetry

08. PIC32MZ Programming

09. PIC32MZ Bypass

10. PIC32MZ Clocking

11. PIC32MZ

12. USB UART Bridge

13. USB Telemetry

14. Platform ETC

15. POX Sensor

16. Display

17. Pushbuttons

Sheet: +12V Input

File: POS12\_Input.sch Sheet: +12V Telemetry

File: POS12\_telemetry.sch

Sheet: +3.3V Power Supply

File: POS3P3\_Power\_Supply.sch Sheet: +3.3V Telemetry

File: POS3P3\_Telemetry.sch

Sheet: +1.8V Power Supply

File: POS1P8\_Power\_Supply.sch Sheet: +1.8V Telemetry

File: POS1P8\_Telemetry.sch Sheet: PIC32MZ Programming

File: PIC32MZ\_Programming.sch

Sheet: PIC32MZ Bypass

File: PIC32MZ\_Bypass.sch

Sheet: PIC32MZ Clocking

File: PIC32MZ\_Clocking.sch

Sheet: PIC32MZ

File: PIC32MZ.sch

Sheet: USB UART Bridge

File: USB\_UART\_Bridge.sch

Sheet: USB Telemetry

File: USB\_Telemetry.sch

Sheet: Platform ETC

File: Platform\_ETC.sch

Sheet: POX Sensor

File: POX\_Sensor.sch

Sheet: Display

File: Display.sch

Sheet: Pushbuttons

File: Pushbuttons.sch

18. PGOOD LEDs

19. Status LEDs

20. Misc Circuits

21. Mechanical

Sheet: PGOOD LEDs

File: PGOOD\_LEDs.sch

Sheet: Status LEDs

File: Status\_LEDs.sch

Sheet: Misc Circuits

File: Misc\_Circuits.sch

Sheet: Mechanical

File: Mechanical.sch

Drew Maatman, Nick Mussoline

Sheet: /

File: Pulse\_Oximeter.sch

Title: Pulse Oximeter

Date: 2020-12-31 Rev: B Size: A KiCad E.D.A. kicad (5.1.8)-1ld: 1/21







































