1	7	3	4	5	
		J		j j	
	Sheet: +12V Input	Sheet: PGOOD LEDs			
A	File: POS12_Input.sch	File: PGOOD_LEDs.sch			A
	Sheet: +12V Telemetry	Sheet: Status LEDs			
	File: POS12_lelemetry.sch	File: Status_LEDs.sch			
	Sheet: +3.3V Power Supply	Sheet: Misc Circuits			
	File: POS3P3_Power_Supply.sch	File: Misc_Circuits.sch			
	Sheet: +3.3V Telemetry	<u>Sheet: Mecha</u> nical			
	File: POS3P3_Telemetry.sch	File: Mechanical.sch			
	Sheet: +1.8V Power Supply				
	File: POS1P8_Power_Supply.sch				
	Sheet: +1.8V Telemetry				
	File: POS1P8_Telemetry.sch				
В	Sheet: PIC32MZ Programming				В
	   File: PIC32MZ_Programming.sch				
	Sheet: PIC32MZ Bypass				
	File: PIC32MZ_Bypass.sch				
	Sheet: PIC32MZ Clocking				
	File: PIC32MŻ_Clocking.sch <u>Sheet: PIC32</u> MZ				H
	File: PIC32MŻ.sch <u>Sheet: USB U</u> ART Bridge				
	File: USB_UART_Bridge.sch <u>Sheet: USB_T</u> elemetry				
	File: USB_Telemetry.sch Sheet: Time_of Flight				
	File: Time_of_Flight.sch				
	Sheet: POX Sensor				
	File: POX_Sensor.sch				
$\sqcup$	Sheet: Display				H
	File: Display.sch				
	Sheet: Pushbuttons				
	File: Pushbuttons.sch				-
D			Drew Maatman		D
			Sheet: / File: Pulse_Oximeter.sch		
			Title: Pulse Oximeter		-
			Size: A Date: 2019-01-03 KiCad E.D.A. kicad (5.1.4)-1	Rev: A	=
1	2	3	KiCad E.D.A. kicad (5.1.4)-1	ld: 1/21	
	-	. ~ ~	t the state of the	·	







































