Math 320 Homework 2.1

Chris Rytting

September 25, 2015

2.1

Since Abe said we don't actually have to list out the subgraphs, as the question indicates, I will show how to derive the number of subgraphs. Let $G_i = (V_i, E_i)$ be a sequence of subgraphs of G for $i = 1, 2, \cdots, 48$, as we know the following:
For subgraphs with one vertex, there will be 4 subgraphs, as there are no edges between a vertex and itself.
For subgraphs with two vertices, there will be 10 subgraphs, since between a and d, there is a subgraph with no edge but that includes both vertices and a subgraph with an edge that includes both vertices. On the other hand, there exists a subgraph between b and d, there is only one subgraph since there is no edge in G between b and d.
For subgraphs with three vertices, there will be 18 total subgraphs.
For subgraphs with four vertices, there will be 16 total subgraphs.
Therefore, we have that there are

$$4 + 10 + 16 + 18 = 48$$

total subgraphs.

2.2

For undirected graphs, we know there are $\binom{7}{2} = 21$ edges between the seven vertices. Therefore, the number of distinct graphs is given by $\binom{21}{13} = 203490$.

For directed graphs, we know there are $2\binom{7}{2} = 42$ edges between the seven vertices, (since now there are simply twice as many). Therefore, the number of distinct graphs is given by $\binom{42}{13} = 25518731280$.

2.3

Let A be our adjacency matrix. Then we have that

$$A = \begin{bmatrix} 0 & 0 & 1 & 0 & 0 & 0 \\ 1 & 0 & 0 & 0 & 0 & 0 \\ 1 & 0 & 0 & 0 & 1 & 1 \\ 0 & 1 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 1 & 0 & 0 \end{bmatrix}$$

$$A^4 = \begin{bmatrix} 0 & 0 & 0 & 3 & 0 & 1 \\ 2 & 0 & 0 & 0 & 1 & 1 \\ 4 & 1 & 1 & 0 & 2 & 2 \\ 0 & 3 & 3 & 1 & 0 & 0 \\ 2 & 0 & 0 & 0 & 1 & 1 \\ 0 & 0 & 0 & 3 & 0 & 1 \end{bmatrix}$$

$\implies$ by Proposition 2.1.13, we have that there are 3 length-4 paths from node 1 to 4.

2.4

Let A be our adjacency matrix. Then we have that

$$A = \begin{bmatrix} 0 & 1 & 1 & 0 & 0 & 0 \\ 1 & 0 & 1 & 0 & 1 & 0 \\ 1 & 1 & 0 & 0 & 1 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 1 & 0 & 0 & 1 \\ 0 & 0 & 1 & 0 & 1 & 0 \end{bmatrix}$$

$$A^3 = \begin{bmatrix} 2 & 5 & 6 & 0 & 3 & 3 \\ 5 & 4 & 7 & 0 & 7 & 3 \\ 6 & 7 & 6 & 0 & 7 & 6 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 3 & 7 & 7 & 0 & 4 & 5 \\ 3 & 3 & 6 & 0 & 5 & 2 \end{bmatrix}$$

$\implies$ by Proposition 2.1.13, we have that there are 6 length-3 paths from node 3 to 3.

2