

# Report

## Voronoi Diagram, Power Cells and Fluid Simulation

author: Matthias Hasler

CSE306 - Ecole polytechnique, Bachelor of Science - SS20

### files and folders

- `main.cpp` simple driver
- `main.h` the actual code
- `incl/` libraries to be include (lbfgs, nanoflann, stb)
- `pics/` outputs
- `report.pdf` = (pdf)\*this

### sections

`main.h` is splitted into several sections:

- `convex power cell`: cells are polygons centered in their seed, and constructed by repeatedly adding points
- `random stuff`: several functions to sample points, and Lloyd's algorithm is implemented in `social_distancing`
- `dell optiplex`: lbfgs callbacks to compute weights for given parameters
- `petri dish tasting`: power cell diagram with food in the center
- `enter the simulation`: fluid simulation
- `messy details`: cell's `add_pt` `area` `inertia` `centroid` and `get_diagram` with neighbour search (nanoflann) optimization
- `taking pics`: render to svg and png

### other features

- parallelism: because why not
- stills to animation: `make animate`

### external resources

- `incl/stb_image_write.h` writing to png STB library
- `incl/nanoflann.hpp` KDTree nanoflann library
- `incl/libfgs.*` `incl/arithmetic_ansi.h` optimizer

renders




Figure 1: food thing power diagram




Figure 2: fluid simulation