

CWordTM Toolkit Usage on the Holy Bible (CUV)

This Jupyter notebook demonstrates how to use the package "CWordTM" on the Holy Bible (Chinese Union Version - Traditional Chinese):

- 1. Utility Features
- 2. Text Visualization - Word Cloud
- 3. Text Summarization
- 4. Pivot Table
- 5. OT Quotes
- 6. Topic Modeling - LDA and BERTopic

```
In [1]: # Import the Package CWordTM
import cwordtm
from cwordtm import *
```

```
[nltk_data] Downloading package stopwords to
[nltk_data] C:\Users\johnnyc\AppData\Roaming\nltk_data...
[nltk_data] Package stopwords is already up-to-date!
[nltk_data] Downloading package wordnet to
[nltk_data] C:\Users\johnnyc\AppData\Roaming\nltk_data...
[nltk_data] Package wordnet is already up-to-date!
[nltk_data] Downloading package punkt to
[nltk_data] C:\Users\johnnyc\AppData\Roaming\nltk_data...
[nltk_data] Package punkt is already up-to-date!
[nltk_data] Downloading package averaged_perceptron_tagger to
[nltk_data] C:\Users\johnnyc\AppData\Roaming\nltk_data...
[nltk_data] Package averaged_perceptron_tagger is already up-to-date!
[nltk_data]
```

1. Utility Features

```
In [2]: # Load the whole Bible
bible = "cuV.csv"
cdf = util.load_word(bible, info=True)
```

Loading file 'D:\Dev\Anaconda3\lib\site-packages\cwordtm\data\cuV.csv' ...

Dataset Information:
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 31102 entries, 0 to 31101
Data columns (total 9 columns):
Column Non-Null Count Dtype

0 book 31102 non-null object
1 book_no 31102 non-null int64
2 chapter 31102 non-null int64
3 verse 31102 non-null int64
4 text 31102 non-null object
5 testament 31102 non-null int64
6 category 31102 non-null object
7 cat 31102 non-null object
8 cat_no 31102 non-null int64
dtypes: int64(5), object(4)
memory usage: 2.1+ MB

Extract Partial Scripture

```
In [3]: # Extract OT Scripture
otdf = util.extract(cdf, testament=0)
otdf.head()
```

```
Out[3]:
```

	book	book_no	chapter	verse	text	testament	category	cat	cat_no
0	Gen	1	1	1	起初 神創造天地。	0	Torah	tor	0
1	Gen	1	1	2	地是空虛混沌。淵面黑暗。 神的靈運行在水面上。	0	Torah	tor	0
2	Gen	1	1	3	神說、要有光、就有了光。	0	Torah	tor	0
3	Gen	1	1	4	神看光是好的、就把光暗分開了。	0	Torah	tor	0
4	Gen	1	1	5	神稱光為晝、稱暗為夜。 有晚上、有早晨、這是頭一日。	0	Torah	tor	0

```
In [4]: # Extract Gospels (The first four book in NT)
gos = util.extract(cdf, category='gos')
```

```
gos.head()
```

Out[4]:

	book	book_no	chapter	verse	text	testament	category	cat	cat_no
23145	Mat	40	1	1	亞伯拉罕的後裔、大衛的子孫、耶穌基督的家譜。〔後裔子孫原文都作兒子下同〕	1	Gospel	gos	5
23146	Mat	40	1	2	亞伯拉罕生以撒。以撒生雅各。雅各生猶大和他的弟兄。	1	Gospel	gos	5
23147	Mat	40	1	3	猶大從他瑪氏生法勒斯和謝拉。法勒斯生希斯崙。希斯崙生亞蘭。	1	Gospel	gos	5
23148	Mat	40	1	4	亞蘭生亞米拿達。亞米拿達生拿順。拿順生撒門。	1	Gospel	gos	5
23149	Mat	40	1	5	撒門從喇合氏生波阿斯。波阿斯從路得氏生俄備得。俄備得生耶西。	1	Gospel	gos	5

In [5]:

```
# Extract the Book of Romans
rom = util.extract(cdf, book='Rom')
rom.head()
```

Out[5]:

	book	book_no	chapter	verse	text	testament	category	cat	cat_no
27930	Rom	45	1	1	耶穌基督的僕人保羅、奉召為使徒、特派傳 神的福音。	1	Pauline Epistles	pau	7
27931	Rom	45	1	2	這福音是 神從前藉眾先知、在聖經上所應許的、	1	Pauline Epistles	pau	7
27932	Rom	45	1	3	論到他兒子我主耶穌基督。按肉體說、是從大衛後裔生的、	1	Pauline Epistles	pau	7
27933	Rom	45	1	4	按聖善的靈說、因從死裡復活、以大能顯明是 神的兒子。	1	Pauline Epistles	pau	7
27934	Rom	45	1	5	我們從他受了恩惠、並使徒的職分、在萬國之中叫人為他的名信服真道。	1	Pauline Epistles	pau	7

In [6]:

```
# Extract Verse 28 of Chapter 8 of Romans
rom8_28 = util.extract(cdf, book='Rom', chapter=8, verse=28)
rom8_28.text
```

Out[6]:

28143 我們曉得萬事都互相效力、叫愛 神的人得益處、就是按他旨意被召的人。

Name: text, dtype: object

In [7]:

```
# Another way to extract Rom 8:28
rom8_28 = util.extract2(cdf, filter='Rom 8:28')
rom8_28.text
```

Out[7]:

28143 我們曉得萬事都互相效力、叫愛 神的人得益處、就是按他旨意被召的人。

Name: text, dtype: object

In [8]:

```
# Extract Rom 8:1~10
rom8_1_10 = util.extract2(cdf, filter='Rom 8:1-10')
list(rom8_1_10.text)
```

Out[8]:

['如今那些在基督耶穌裡的、就不定罪了。',
'因為賜生命聖靈的律、在基督耶穌裡釋放了我、使我脫離罪和死的律了。',
'律法既因肉體軟弱、有所不能行的、\u3000神就差遣自己的兒子、成為罪身的形狀、作了贖罪祭、在肉體中定了罪案。',
'使律法的義、成就在我們這不隨從肉體、只隨從聖靈的人身上。',
'因為隨從肉體的人、體貼肉體的事。隨從聖靈的人、體貼聖靈的事。',
'體貼肉體的就是死。體貼聖靈的乃是生命平安。',
'原來體貼肉體的、就是與\u3000神為仇。因為不服\u3000神的律法、也是不能服。',
'而且屬肉體的人、不能得\u3000神的喜歡。',
'如果\u3000神的靈住在你們心裡、你們就不屬肉體、乃屬聖靈了。人若沒有基督的靈、就不是屬基督的。',
'基督若在你們心裡、身體就因罪而死、心靈卻因義而活。']

2. Text Visualization - Word Cloud

In [9]:

```
# Extract the NT Scripture for Word Cloud
text_list = util.get_text_list(cdf[cdf.testament==1]) # Load New Testament Scripture
text_list[:10]
```

Out[9]:

['亞伯拉罕的後裔、大衛的子孫、耶穌基督的家譜。〔後裔子孫原文都作兒子下同〕',
'亞伯拉罕生以撒。以撒生雅各。雅各生猶大和他的弟兄。',
'猶大從他瑪氏生法勒斯和謝拉。法勒斯生希斯崙。希斯崙生亞蘭。',
'亞蘭生亞米拿達。亞米拿達生拿順。拿順生撒門。',
'撒門從喇合氏生波阿斯。波阿斯從路得氏生俄備得。俄備得生耶西。',
'耶西生大衛王。大衛從烏利亞的妻子生所羅門。',
'所羅門生羅波安。羅波安生亞比雅。亞比雅生亞撒。',
'亞撒生約沙法。約沙法生約蘭。約蘭生烏西亞。',
'烏西亞生約坦。約坦生亞哈斯。亞哈斯生希西家。',
'希西家生瑪拿西。瑪拿西生亞們。亞們生約西亞。']

In [10]:

```
# White background with no image mask
viz.chi_wordcloud(text_list)
```

```
Building prefix dict from D:\Dev\Anaconda3\lib\site-packages\cwordtm\dictionary\dict.txt.big.txt ...
Loading model from cache C:\Users\johnnyc\AppData\Local\Temp\jieba.u819f581d122236472c15f14136fc73d9.cache
Loading Chinese vocabulary 'D:\Dev\Anaconda3\lib\site-packages\cwordtm\data\bible_vocab.txt' ...
Loading model cost 0.892 seconds.
Prefix dict has been built successfully.
D:\Dev\Anaconda3\lib\site-packages\wordcloud\wordcloud.py:106: MatplotlibDeprecationWarning: The get_cmap function w
as deprecated in Matplotlib 3.7 and will be removed two minor releases later. Use ``matplotlib.colormaps[name]`` or
``matplotlib.colormaps.get_cmap(obj)`` instead.
    self.colormap = plt.cm.get_cmap(colormap)
```



3. Text Summarization

```
In [12]: # Extract and summarize Chapter 8 of Romans
rom8 = util.extract2(cdf, 'Rom 8')
ta.summary_chi(rom8)
```

```
Building prefix dict from D:\Dev\Anaconda3\lib\site-packages\cwordtm\dictionary\dict.txt.big.txt ...
Loading model from cache C:\Users\johnnyc\AppData\Local\Temp\jieba.u819f581d122236472c15f14136fc73d9.cache
Loading Chinese vocabulary 'D:\Dev\Anaconda3\lib\site-packages\cwordtm\data\bible_vocab.txt' ...
```

Loading model cost 0.895 seconds.

Prefix dict has been built successfully.

Out[12]: ['因為隨從肉體的人、體貼肉體的事。隨從聖靈的人、體貼聖靈的事'，
'而且屬肉體的人、不能得神的喜歡'，
'如果神的靈住在你們心裡、你們就不屬肉體、乃屬聖靈了。人若沒有基督的靈、就不是屬基督的'。]

4. Pivot Table

Show Bible Scripture Statistics through a Pivot Table

```
In [13]: pivot.stat(cdf, chi=True)
```

Out[13]:

			chapter	verse	text
category	book_no	book			
Torah	1	Gen	50	1533	51460
	2	Exo	40	1213	40057
	3	Lev	27	859	29228
	4	Num	36	1288	41654
	5	Deu	34	959	35904
...
General Epistles	65	Jud	1	25	1030
Sub-Total			34	735	25960
Apocalypse	66	Rev	22	404	15606
Sub-Total			22	404	15606
Total			1189	31102	1062163

77 rows × 3 columns

5. OT Quotes

Identify Cited Sources in OT Scripture for some NT verses

In [14]:

```
rom10 = util.extract2(cdf, 'Rom 10')
quot.show_quot(rom10, lang='chi')
```

Building prefix dict from D:\Dev\Anaconda3\lib\site-packages\cwordtm\dictionary\dict.txt.big.txt ...
Loading model from cache C:\Users\johnnyc\AppData\Local\Temp\jieba.u819f581d122236472c15f14136fc73d9.cache
Loading Chinese vocabulary 'D:\Dev\Anaconda3\lib\site-packages\cwordtm\data\bible_vocab.txt' ...
Loading file 'D:\Dev\Anaconda3\lib\site-packages\cwordtm\data\cuv.csv' ...
Loading file 'D:\Dev\Anaconda3\lib\site-packages\cwordtm\data\book_categories.csv' ...
(1) 羅 10:5 摩西寫著說、『人若行那出於律法的義、就必因此活著。』
Loading model cost 0.923 seconds.
Prefix dict has been built successfully.
(2) 羅 10:6 惟有出於信心的義如此說、『你不要心裡說、誰要升到天上去呢、就是要領下基督來。
(3) 羅 10:8 他到底怎麼說呢、他說、『這道離你不遠、正在你口裡、在你心裡。』就是我們所傳信主的道。
(4) 羅 10:11 經上說、『凡信他的人、必不至於羞愧。』
(5) 羅 10:13 因為『凡求告主名的、就必得救。』
(6) 羅 10:15 若沒有奉差遣、怎能傳道呢、如經上所記、『報福音傳喜信的人、他們的腳蹤何等佳美。』
(7) 羅 10:16 只是人沒有都聽從福音、因為以賽亞說、『主阿、我們所傳的有誰信呢。』
-> 0.6723 賽 53:1 我們所傳的、〔或作所傳與我們的〕有誰信呢、耶和華的膀臂向誰顯露呢。
(8) 羅 10:18 但我說、人沒有聽見麼、誠然聽見了、『他們的聲音傳遍天下、他們的言語傳到地極。』
(9) 羅 10:19 我再說、以色列人不知道麼、先有摩西說、『我要用那不成子民的、惹動你們的憤恨、我要用那無知的民、觸動你們的怒氣。』
-> 0.5403 申 32:21 他們以那不算為神的、觸動我的憤恨、以虛無的神、惹了我的怒氣、我也要以那不成子民的、觸動他們的憤恨、以愚昧的國民、惹了他們的怒氣。
(10) 羅 10:20 又有以賽亞放膽說、『沒有尋找我的、我叫他們遇見、沒有訪問我的、我向他們顯現。』
-> 0.6651 賽 65:1 素來沒有訪問我的、現在求問我、沒有尋找我的、我叫他們遇見、沒有稱為我名下的、我對他們說、我在這裡、我在這裡。
(11) 羅 10:21 至於以色列人、他說、『我整天伸手招呼那悖逆頂嘴的百姓。』
-> 0.6086 賽 65:2 我整天伸手招呼那悖逆的百姓、他們隨自己的意念行不善之道。

6. Topic Modeling

LDA Model

In [15]:

```
# Build an LDA Model on the NT Scripture
bible = "cuv.csv"
lda = tm.Lda_process(bible, cat=2, chi=True, eval=True)
```

```

Loading Bible 'D:\Dev\Anaconda3\lib\site-packages\cwordtm\data\cuV.csv' ...
Corpus loaded!
Text preprocessed!
Text trained!
If no visualization is shown,
    you may execute the following commands to show the visualization:
    > import pyLDAvis
    > pyLDAvis.display(lda.vis_data)
Visualization prepared!

```

Topics from LDA Model:

```

[(0,
 '0.019*"說" + 0.012*"神" + 0.008*"保羅" + 0.008*"沒有" + 0.007*"作" + 0.006*"聽見" + '
 '0.006*"看見" + 0.006*"猶太人" + 0.006*"事" + 0.005*"律法"'),
 (1,
 '0.022*"說" + 0.011*"一個" + 0.008*"保羅" + 0.007*"耶穌" + 0.007*"沒有" + 0.007*"看見" '
 '+ 0.006*"知道" + 0.006*"神" + 0.006*"事" + 0.005*"面前"'),
 (2,
 '0.019*"神" + 0.012*"基督" + 0.008*"作" + 0.008*"說" + 0.007*"知道" + 0.006*"耶穌" + '
 '0.006*"沒有" + 0.005*"耶穌基督" + 0.005*"願" + 0.005*"藉"'),
 (3,
 '0.027*"神" + 0.013*"基督" + 0.007*"心" + 0.007*"沒有" + 0.006*"作" + 0.006*"說" + '
 '0.006*"主" + 0.006*"智慧" + 0.006*"知道" + 0.005*"死"'),
 (4,
 '0.048*"兒子" + 0.016*"說" + 0.009*"約瑟" + 0.008*"約翰" + 0.007*"希律" + 0.006*"小孩子" '
 '+ 0.006*"作" + 0.006*"猶大" + 0.005*"耶穌" + 0.005*"亞伯拉罕"'),
 (5,
 '0.051*"說" + 0.024*"耶穌" + 0.011*"一個" + 0.009*"彼得" + 0.009*"門徒" + 0.008*"神" + '
 '0.007*"沒有" + 0.007*"看見" + 0.007*"喫" + 0.006*"告訴"'),
 (6,
 '0.013*"說" + 0.008*"神" + 0.007*"主" + 0.007*"不要" + 0.006*"天使" + 0.005*"弟兄們" + '
 '0.005*"事" + 0.005*"知道" + 0.005*"喫" + 0.005*"沒有"'),
 (7,
 '0.015*"神" + 0.009*"信心" + 0.008*"說" + 0.008*"主" + 0.007*"耶穌基督" + 0.006*"沒有" '
 '+ 0.006*"知道" + 0.006*"心" + 0.005*"僕人" + 0.005*"不能"'),
 (8,
 '0.019*"說" + 0.010*"沒有" + 0.008*"先知" + 0.007*"神" + 0.007*"作" + 0.006*"方言" + '
 '0.005*"知道" + 0.004*"講道" + 0.004*"乃是" + 0.004*"不能"'),
 (9,
 '0.051*"說" + 0.046*"耶穌" + 0.009*"一個" + 0.008*"沒有" + 0.008*"告訴" + 0.008*"事" + '
 '0.008*"看見" + 0.006*"眾人" + 0.006*"知道" + 0.006*"猶太人"'),
 (10,
 '0.010*"神" + 0.006*"說" + 0.006*"不可" + 0.005*"就當" + 0.005*"作" + 0.005*"弟兄" + '
 '0.004*"執事" + 0.004*"各人" + 0.004*"世界" + 0.004*"事"'),
 (11,
 '0.020*"基督" + 0.019*"神" + 0.010*"事" + 0.010*"沒有" + 0.009*"律法" + 0.008*"說" + '
 '0.007*"生" + 0.007*"聖靈" + 0.007*"主" + 0.007*"福音"'),
 (12,
 '0.020*"說" + 0.008*"神" + 0.007*"作" + 0.007*"一個" + 0.005*"告訴" + 0.005*"耶穌" + '
 '0.005*"不能" + 0.005*"律法" + 0.005*"沒有" + 0.004*"死"'),
 (13,
 '0.059*"說" + 0.052*"耶穌" + 0.016*"門徒" + 0.009*"沒有" + 0.008*"一個" + 0.007*"看見" '
 '+ 0.006*"約翰" + 0.006*"告訴" + 0.006*"眾人" + 0.005*"神"'),
 (14,
 '0.011*"賜給" + 0.009*"說" + 0.007*"世界" + 0.007*"沒有" + 0.006*"保羅" + 0.006*"知道" '
 '+ 0.005*"已經" + 0.005*"看見" + 0.005*"婦人" + 0.005*"復活"')]

```

Model Evaluation Scores:

```


Coherence: 0.305645678431827
Perplexity: -8.102149181052557
Topic diversity: 0.004782666138195265
Topic size distribution: 0.013793103448275862

```

```

In [16]: # Show LDA Model Visualization
import pyLDAvis
pyLDAvis.display(lda.vis_data)

```



BERTopic Model

```
In [17]: # Build a BERTopic Model on the NT Scripture
btm = tm.btm_process(bible, cat=2, chi=True, eval=True)

Loading Bible 'D:\Dev\Anaconda3\lib\site-packages\cwordtm\data\cuV.csv' ...
Corpus loaded!
Chinese text preprocessed!

Some weights of the model checkpoint at bert-base-chinese were not used when initializing BertModel: ['cls.predictio
ns.transform.LayerNorm.bias', 'cls.seq_relationship.bias', 'cls.seq_relationship.weight', 'cls.predictions.transfor
m.dense.bias', 'cls.predictions.transform.dense.weight', 'cls.predictions.transform.LayerNorm.weight', 'cls.predicti
ons.bias', 'cls.predictions.decoder.weight']
- This IS expected if you are initializing BertModel from the checkpoint of a model trained on another task or with
another architecture (e.g. initializing a BertForSequenceClassification model from a BertForPreTraining model).
- This IS NOT expected if you are initializing BertModel from the checkpoint of a model that you expect to be exactl
y identical (initializing a BertForSequenceClassification model from a BertForSequenceClassification model).
D:\Dev\Anaconda3\lib\site-packages\hdbscan\hdbscan_.py:1170: DeprecationWarning: `alltrue` is deprecated as of NumPy
1.25.0, and will be removed in NumPy 2.0. Please use `all` instead.
  self._all_finite = is_finite(X)
```


Text trained!

Topics from BERTopic Model:
Topic 0: 基督 | 沒有 | 知道 | 律法 | 耶穌 | 耶穌基督 | 聖靈 | 乃是 | 不可 | 福音
Topic 2: 耶穌 | 看見 | 門徒 | 一個 | 沒有 | 告訴 | 聽見 | 天使 | 知道 | 天上
Topic 1: 耶穌 | 保羅 | 一個 | 猶太人 | 門徒 | 沒有 | 彼拉多 | 眾人 | 看見 | 聽見

Model Evaluation Scores:
Coherence: 0.3788491469691033

BERTopic Model Visualization:
** No Intertopic Distance Map shown for your text!

```
D:\Dev\Anaconda3\lib\site-packages\plotly\io\_renderers.py:395: DeprecationWarning:
distutils Version classes are deprecated. Use packaging.version instead.


D:\Dev\Anaconda3\lib\site-packages\plotly\io\_renderers.py:395: DeprecationWarning:
distutils Version classes are deprecated. Use packaging.version instead.
```



```
D:\Dev\Anaconda3\lib\site-packages\plotly\io\_renderers.py:395: DeprecationWarning:
distutils Version classes are deprecated. Use packaging.version instead.

D:\Dev\Anaconda3\lib\site-packages\plotly\io\_renderers.py:395: DeprecationWarning:
distutils Version classes are deprecated. Use packaging.version instead.
```


Similarity Matrix



```
If no visualization is shown,  
you may execute the following commands one-by-one:  
btm.model.visualize_topics()  
btm.model.visualize_barchart()  
btm.model.visualize_heatmap()
```